Health and social care data linkage An overview of resources used during my PhD

David Henderson

30th April 2019






Project funding and supervision

- Scottish Government/ESRC
- Nick Bailey, Colin McCowan, Stewart Mercer
- Based in UBDC at Glasgow University
- Now started post-doc with ADRC-S/Edinburgh Napier



Background

Proportion of over 65s receiving home care 2016 & 2007



Standardised rate per 1000 people over 65

Aims

 Scope what administrative social care data is available for research in Scotland

• Create a linked health and social care dataset

 Assess the effect of multimorbidity and sociodemographic characteristics on social care use


Data

• Social Care Survey

• Renfrewshire council social care data (not linked)

Linkage project


Study period 2011-2016



Percentage of individuals in SIMD deciles by Local Authority (2013/14)




Percentage of individuals with specific count of repeat medicines



Outlying values > 17 medicines removed


Percentage of individuals with specific count of repeat medicines



Outlying values > 17 medicines removed


over 95s removed due to small numbers


Percentage of individuals at specific ages receiving any form of social care by sex, by SIMD decile, and by repeat medicine group. 2015/16



Percentage of individuals at specific ages receiving any form of social care by SIMD & sex, and SIMD & repeat medicine group, 2015/16


SIMD decile - 1 (most deprived) - 10 (most affluent)






over 95s removed due to small numbers


Percentage of individuals at specific ages with at least one unplanned hospital admission by sex, by SIMD decile, and by repeat medicine group, 2015/16



Percentage of individuals at specific ages with at least one unplanned hospital admission by SIMD & sex, and SIMD & repeat medicine group. 2015/16

SIMD decile - 1 (most deprived) - 10 (most affluent)





Limitations

- No measure to capture those living alone
- Variation in linkage rate of SCS to population spine at the local authority level
- No longitudinal analysis here
- Proxy multimorbidity measure

Implications

- Age has the biggest effect on receipt of social care -Multimorbidity also important
- Females also more likely to receive care, but a lot of the difference seen in overall numbers is accounted for when adjusting for age and multimorbidity
- After adjusting for age and multimorbidity status, there remains variation in levels of care at the local authority level.
 Further investigation is warranted.