

Multimorbidity and Access to Social Care

David Henderson

University of Glasgow

26 September 2017



Introduction

- item 1
- item 2
- item 3



Introduction

- item 1
- item 2
- item 3



Introduction

- item 1
- item 2
- item 3



R Markdown

This is an R Markdown presentation. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document.



Slide with Bullets

- Bullet 1
- Bullet 2
- Bullet 3



Slide with R Output

```
dplyr::glimpse(mtcars)
```

```
## Observations: 32
```

```
## Variables: 11
```

```
## $ mpg   <dbl> 21.0, 21.0, 22.8, 21.4, 18.7, 18.1, 14.3, 2
```

```
## $ cyl   <dbl> 6, 6, 4, 6, 8, 6, 8, 4, 4, 6, 6, 8, 8, 8, 8
```

```
## $ disp  <dbl> 160.0, 160.0, 108.0, 258.0, 360.0, 225.0, 3
```

```
## $ hp    <dbl> 110, 110, 93, 110, 175, 105, 245, 62, 95, 1
```

```
## $ drat  <dbl> 3.90, 3.90, 3.85, 3.08, 3.15, 2.76, 3.21, 3
```

```
## $ wt    <dbl> 2.620, 2.875, 2.320, 3.215, 3.440, 3.460, 3
```

```
## $ qsec  <dbl> 16.46, 17.02, 18.61, 19.44, 17.02, 20.22, 1
```

```
## $ vs    <dbl> 0, 0, 1, 1, 0, 1, 0, 1, 1, 1, 1, 0, 0, 0, 0
```

```
## $ am    <dbl> 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
```

```
## $ gear  <dbl> 4, 4, 4, 3, 3, 3, 3, 4, 4, 4, 4, 3, 3, 3, 3
```

```
## $ carb  <dbl> 4, 4, 1, 1, 2, 1, 4, 2, 2, 4, 4, 3, 3, 3, 4
```



Slide with table

	Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
1	5.10	3.50	1.40	0.20	setosa
2	4.90	3.00	1.40	0.20	setosa
3	4.70	3.20	1.30	0.20	setosa
4	4.60	3.10	1.50	0.20	setosa
5	5.00	3.60	1.40	0.20	setosa
6	5.40	3.90	1.70	0.40	setosa

Table 1: Sample Table



Slide with Plot

