
Build a Simple Business Webpage



So after weeks of learning about HTML and CSS we are finally able to put all the topics altogether and build a simple sophisticated looking webpage for a small business.

In this lab you'll build a webpage for a local candy store called *Tammy's Candy Store*. This lab will cover the basics of HTML, including text formatting, images and HTML structuring. It will also covers the basics of CSS including typography, backgrounds and the basics of CSS box model.

Preview

Take a moment to view *Tammy-Candy-Preview.pdf*. This shows you how the webpage will looks when it is complete. We also have a mockup file. A mockup is a visual representation of what the final webpage will look like when coded, but contains no actual code.

Mockups are made in programs like Figma, PhotoPea, Adobe Photoshop and others. Load *mockup.psd* into PhotoPea or (Adobe Photoshop if you have it) to view how the webpage is laid out.

HTML

Create a Basic HTML Page

Create a new webpage in your code editor and begin to layout the necessary HTML tags.

Begin with the necessary HTML tags including the *<!doctype html>*, *<html>*, *<head>*, *<title>*, and *<body>*

It should roughly like this:

```
<!doctype html>
<html>
   <head>
      <title>Tammy's Candy Store </title>
   </head>
   <body>
   </body>
</html>
```



Notice that the *<head>* is closed BEFORE you start the *<body>*. Notice that the *<title>* goes INSIDE of the *<head>* tag.

Save the webpage as *candystore.html*

Format Text

Let's add the text of the webpage next. Included with this lab is a file called *candy-store-text.txt*. Open the text into a text program like Microsoft Word, notepad or Textedit. After loading the document into a program copy and paste the text into your code editor in our *candystore.html* file.


If you saved and preview you'll notice that you page looks like a run-on paragraph, this is because the content in the webpage has no structure. We need to add HTML tags in order that the browser knows the what the content is.

Begin by placing Tammy's Candy Store inside an *<h1>*. The reason it goes inside an *<h1>* is because it is the most important piece of text on the webpage due to it being the name of the business. The *<h1>* tells the browser this text is a primary heading, or very important text.

Next let's tackle that *'About Tammy'* part of the page. The '*About Tammy*' is a heading as it's about the store owner. It's important, but not as important as the title of the website, so it goes inside a secondary heading, or *<h2>* and not an *<h1>*.

Next put the text about Tammy inside a paragraph or *<p>* tag. Save and preview and it should roughly like the image on the right.

Repeat the process for '*About Our Store*'. Save and it should look roughly like the image on the right.









Add Lists and Images

You'll notice in the preview of the wepbage that there is a list of the various candies they sell. This is a list, more specifically an *unordered list*. We should use the unordered list tag or the <ul> tag. Each item in list should be a *list item* or <li>. It should roughly like this:

```
<ul>
   <li> chocolates </li>
   <li> salt water taffies </li>
    ...
</ul>
```





To spice up this layout let's add an image. We have a banner image called *banner.psd*. Unfortunately we can not use a PSD format online, let's convert the image into one of the image formats we can use online, which are JPG, PNG, GIF, WebP or SVG.


Open *banner.psd* into Photopea (or Adobe Photoshop if you have

it). Save the banner as a JPG, PNG or WebP image format. Save the image into same folder as the HTML file you created, this will help with file management.

Add the *<img>* in the code BEFORE the *<h1>*. Coding is procedural, meaning it goes in order. Code at the top is rendered before code underneath.

Your webpage should look roughly the image on the right.

Finally, add the copyright / job information at the page. It should go after your *<ul>* list.



Add HTML Container Structure

It's important to organize and add semantic structure to areas of your HTML page. To do this we will add the *<header>*, *<main>* and *<footer>* HTML tags.

<header> Tag

The header tag is for organizing the elements of a webpage that go at the top of each wevpage. For this lab that will be the banner and the website name.

```
11
12  <header>
13      <img src="banner.jpg">
14      <h1> Tammy's Candy Store </h1>
15  </header>
16
```

<footer> Tag

Next let's add the *<footer>* tag. Remember that the footer is for information that is meant to go on the bottom of each webpage. In this case that would be the legal information and job application text.

```
<footer>
    <p>© copyright Tammy's Candy Store</p>

    <p>  Interested in working for us? Please
    get in touch with the store manager.</p>

</footer>
```

<main> Tag

Next let's put in the *<main>* tag. The *<main>* tag is for the information that will be unique to that webpage. In this case that would be the information about the store and types of candy that they sell.

Save and preview

```
<main>
    <section>
        <h2>About Tammy </h2>
        <p>
            Tammy used to be accountant
            office. Feed up with the ra
```

<section> Tag

Next, let's divide the company information into subsets or sections. To do this we'll use the *<section>* tag. Put the '*About Tammy*' information into one *<section>* and the '*About Us*' into another *<section>*.

Save and Preview


```
<section>
    <h2>About Tammy </h2>
    <p>
        Tammy used to be accountant at a stuffy
        office. Feed up with the rat race she
        dreamed of having her own candy shop like
        those from her youth. In 2018 she
        quit her job and opened up this store!
    </p>
</section>
```

Container Div

Finally, let's organize all of our HTML tags into one main

container. This container holds ALL of our webpage information including images, text, and lists. So let's add a * * that begins BEFORE the banner and ends AFTER the closing of the *<footer>* tag.

This will allow us to control the entire webpage using CSS later in the lab.




CSS


Now that the HTML structure is in place, let's add style using cascading stylesheets (CSS).

Mockup


Begin by opening *mockup.psd* into Photopea (or Adobe Photoshop if you have it). Let's begin sampling the colors and font information we will need to complete this lab.



Once *mockup.psd* is loaded into Photopea we can sample the background page color, container color and the text color using the *Eyedropper tool*. The Eyedropper tool can be found in the toolbox on the left hand side. Click on the deep blue color on the top left to sample the color, this is the background color for the entire webpage. To find out the hexadecimal color value click on the *Foreground Color* tab at the lower left to open the *Color Picker* window. The hexadecimal value for that color will be located at the bottom of the Color Picker window. Use the eyedropper tool to figure out the color values for the entire webpage.



To view text properties in the mockup find the text layer in the *Layers* stack on the right side of Photopea. Open the *Character* panel in Photopea by going to *Window > Charcter.* For example select *'Tammy's Candy Store'* .and you'll see that the type is set to *Courier* and *44px* in size. Use the *Character* panel to figure out the rest of the typography in the mockup, this includes the body text, headings and legal information in the *<footer>*.



Create a CSS Document

Begin by creating a new document in your code editor. Save the document as *style.css*. Make sure the document is saved into the same folder as the HTML file and has the *'.css'* extension.



Connect Your CSS Document

Now that you created a CSS document we need to connect it to *candystore.html*. Go to *candystore.html* and add the *<link>* into the *<head>* section to connect the HTML file to the CSS

document. It would look roughly like this:

```
<link rel="stylesheet" href="style.css">
```

Add Typography CSS

Let's begin by adding by styling the type in our webpage. We'll begin with the title, which we learned from sampling the text in *mockup.psd* is supposed to by *Courier* and *44pt* in size.

Set a CSS rule as follows

```
h1 {

}
```

Now let's set the size of the type by using font-size

```
h1 {
   font-size: 44px;
}
```

Don't forget the *';'* at the end, it's very important.

Now let's use *font-family* to set the typeface we want.


```
h1 {
  font-size: 44px;
  font-family: 'Courier';
}
```



Finally, let's set the font color or *color* property. Sample the color in Photoshop with the Eyedropper tool and you will see that it is black or *#000000*.

```
h1 {
  font-size: 44px;
  font-family: 'Courier';
  color: #000000;
}
```

Save and preview and it should look like the image on the right.



Now set the rest of the typography for the webpage using CSS properties. These will include *color*, *font-size*, *font-family*, *line-height*, *text-align* and *font-style*.

When you are done your page should look roughly like the image on the right.

Add Background CSS

Now that our typography is set, let's set the background colors for the webpage. We'll start with the background to the entire page itself or the *<body>*. We'll use the *background-color* CSS property

and the value we sampled from *mockup.psd* which was *#477282*.

Your code should be as follows:


```
body {
   background-color: #477282;
}
```

Save and preview. Your document should look like the image on the right.



Now apply background color to the container * *.

Your webpage should look look like the image on the right.



Add Box Model CSS


So we now that we have type formatted and colors formatted we need to format the spacing in the webpage. To do that we'll use CSS box-model properties.

Let's begin by adding space between the text content and the edge of the container * *. To do that let's use CSS *padding*.

Set the following:

```
div {
   padding: 25px;
}
```

Save and preview. You should notice the container spaced out just a bit.



Let's set a width for the * *, this will give it an exact width and not be dependent on the width of the browser previewing the webpage. Set your * * width to 800px

```
div {
  padding: 25px;
  width: 800px;
}
```

Save and Preview



Center your webpage



So our webpage is looking pretty good, fairly professionally looking. Finally, let's set it to center itself to the horizontal middle of the webpage. To do this we'll use CSS margins.

```
div {
  padding: 25px;
  width: 800px;
  margin:auto;
}
```

Submit

Rename the lab folder with your name on it. Take the root folder and compress it into a zip file format. Please include all necessary files including HTML, images and CSS files.

Bonus (not required)

Add a navigation bar below the banner that has four navigational links: home / location / store / contact. You can set the links to

* home * to create dummy links.

Put all of the hyperlinks inside a *<nav>* tag. The *<nav>* tag should nested inside the *<header>*.

Use CSS to stylize the default and hover style for the navigational links. The default links should be blue, the hover should be red.