


we have a dublin bike group project, we need to create a shared GitHub repo so that all my group members can commit the code there. how can I do that?

Gotcha — this is a classic group-project setup 🙌 Once it's done once, it's smooth sailing.

Here's the **cleanest, standard way** to create a **shared GitHub repo** so everyone in your Dublin Bikes group can commit.


Step 1: One person creates the repo on GitHub



1. Go to **GitHub** → log in
2. Click + (top-right) → **New repository**
3. Fill in:
 - **Repository name:** e.g. dublin-bikes-group-project
 - **Visibility:**
 - Private (recommended for coursework)
 - Check:
 - ☒ **Add a README**
 - (optional) .gitignore → Python
4. Click **Create repository**

👉 This person becomes the **repo owner**

Step 2: Add your group members as collaborators



In the repo:

1. Go to **Settings**
 2. Click **Collaborators**
 3. Click **Add people**
 4. Enter each teammate's **GitHub username or email**
 5. They **must accept the invite** (GitHub emails them)
- ☒ Once accepted, they can **push / pull / commit**

Step 3: Everyone clones the repo locally

Each group member runs this **once**:

❏ Bash

```
git clone https://github.com/<owner-username>/dublin-bikes-group-project.git
cd dublin-bikes-group-project
```

Check it worked:

❏ Bash

```
git status
```

Step 4: Daily workflow (this matters a lot)

Before you start coding (EVERY time)

❏ Bash

```
git pull origin main
```

After you change code

❏ Bash

```
git status
git add .
git commit -m "Add bike availability preprocessing"
git push origin main
```

⚠ **Rule of survival:**

👉 *Always pull before you start coding*

👉 *Commit small, meaningful changes*

Step 5 (Strongly recommended): Use branches

This avoids chaos when 3 people touch the same file.

Each person:

❏ Bash

```
git checkout -b feature-map-visualisation
```

Work → commit → push:

❏ Bash

```
git push origin feature-map-visualisation
```

Then:

- Open **Pull Request** on GitHub
- Another teammate reviews
- Merge into `main`

This looks 🔥 to lecturers and mirrors real-world dev.

Typical group-project repo structure (example)

```
dublin-bikes/
├── data/
│   ├── raw/
│   └── processed/
├── src/
│   ├── api/
│   ├── preprocessing/
│   └── visualisation/
├── notebooks/
├── README.md
├── requirements.txt
└── .gitignore
```



Common mistakes to avoid 🚫

- 🚫 Everyone committing directly without pulling
- 🚫 No .gitignore → committing CSVs / API keys
- 🚫 One person doing everything “to avoid conflicts”
- 🚫 Huge commits like “final version”

If you want, next I can:

- Help you **decide who should be repo owner**
- Set up a **branching rule for your team**
- Draft a **README.md template** tailored to Dublin Bikes
- Show you how to connect this cleanly in **PyCharm**

Just tell me how many people are in the group 🙏