

		M2-RESOLVER				
		Lynxco: 10168665				
		0.5 mm ² (21 AWG)	+ S	25.0 ft	BK	
+DP-X4		+DP-X4:1	EK:PR1 (A+)	+AJB-X4:1		+AJB-X4
1		+DP-X4:2	WH:PR1 (A-)	+AJB-X4:2		1
2		+DP-X4:3	SHIELD (PAIR 1)	+AJB-X4:3		2
3		+DP-X4:4	EK:PR2 (B+)	+AJB-X4:4		3
4		+DP-X4:5	WH:PR2 (B-)	+AJB-X4:5		4
5		+DP-X4:6	SHIELD (PAIR 2)	+AJB-X4:6		5
6		+DP-X4:7	EK:PR3 (V+)	+AJB-X4:7		6
7		+DP-X4:8	WH:PR3 (V-)	+AJB-X4:8		7
8						8
9		+DP-X4:9	SHIELD (PAIR 3)	+AJB-X4:9		9
10		+DP-X4:10	EK:PR4 (SPARE)	+AJB-X4:10		10
11		+DP-X4:11	WH:PR4 (SPARE)	+AJB-X4:11		11
12		+DP-X4:12	SHIELD (PAIR 4)	+AJB-X4:12		12
13		+DP-X4:13	EK:PR5 (SPARE)	+AJB-X4:13		13
14		+DP-X4:14	WH:PR5 (SPARE)	+AJB-X4:14		14
15		+DP-X4:15	SHIELD (PAIR 5)	+AJB-X4:15		15
16						16
		+DP-X4:16	Shield	+AJB-X4:16		
		EN 50288-7 XLPE IOS Armoured 5 x 2 x 0,5				

		M1-RESOLVER				
		Lynxco: 10168665				
		0.5 mm ² (21 AWG)	+ S	25.0 ft	BK	
+DP-X3		+DP-X3:1	EK:PR1 (A+)	+AJB-X3:1		+AJB-X3
1		+DP-X3:2	WH:PR1 (A-)	+AJB-X3:2		1
2		+DP-X3:3	SHIELD (PAIR 1)	+AJB-X3:3		2
3		+DP-X3:4	EK:PR2 (B+)	+AJB-X3:4		3
4		+DP-X3:5	WH:PR2 (B-)	+AJB-X3:5		4
5		+DP-X3:6	SHIELD (PAIR 2)	+AJB-X3:6		5
6		+DP-X3:7	EK:PR3 (V+)	+AJB-X3:7		6
7		+DP-X3:8	WH:PR3 (V-)	+AJB-X3:8		7
8						8
9		+DP-X3:9	SHIELD (PAIR 3)	+AJB-X3:9		9
10		+DP-X3:10	EK:PR4 (SPARE)	+AJB-X3:10		10
11		+DP-X3:11	WH:PR4 (SPARE)	+AJB-X3:11		11
12		+DP-X3:12	SHIELD (PAIR 4)	+AJB-X3:12		12
13		+DP-X3:13	EK:PR5 (SPARE)	+AJB-X3:13		13
14		+DP-X3:14	WH:PR5 (SPARE)	+AJB-X3:14		14
15		+DP-X3:15	SHIELD (PAIR 5)	+AJB-X3:15		15
16						16
		+DP-X3:16	Shield	+AJB-X3:16		
		EN 50288-7 XLPE IOS Armoured 5 x 2 x 0,5				

















