

		M2-RESOLVER						
		Lynxco: 10168665						
		0.5 mm ² (21 AWG)	+ S	25.0 ft	BK			
+DP-X4		+DP-X4:1	BK:PR1 (A+)	+AJB-X4:1			+AJB-X4	
1		+DP-X4:2	WH:PR1 (A-)	+AJB-X4:2			1	
2		+DP-X4:3	SHIELD (PAIR 1)	+AJB-X4:3			2	
3		+DP-X4:4	BK:PR2 (B+)	+AJB-X4:4			3	
4		+DP-X4:5	WH:PR2 (B-)	+AJB-X4:5			4	
5		+DP-X4:6	SHIELD (PAIR 2)	+AJB-X4:6			5	
6		+DP-X4:7	BK:PR3 (V+)	+AJB-X4:7			6	
7		+DP-X4:8	WH:PR3 (V-)	+AJB-X4:8			7	
8							8	
9		+DP-X4:9	SHIELD (PAIR 3)	+AJB-X4:9			9	
10		+DP-X4:10	BK:PR4 (SPARE)	+AJB-X4:10			10	
11		+DP-X4:11	WH:PR4 (SPARE)	+AJB-X4:11			11	
12		+DP-X4:12	SHIELD (PAIR 4)	+AJB-X4:12			12	
13		+DP-X4:13	BK:PR5 (SPARE)	+AJB-X4:13			13	
14		+DP-X4:14	WH:PR5 (SPARE)	+AJB-X4:14			14	
15		+DP-X4:15	SHIELD (PAIR 5)	+AJB-X4:15			15	
16							16	
		+DP-X4:16	Shield	+AJB-X4:16				
		EN 50288-7 XLPE IOS Armoured 5 x 2 x 0,5						

		M1-RESOLVER						
		Lynxco: 10168665						
		0.5 mm² (21 AWG)	+ S	25.0 ft	BK			
+DP-X3		+DP-X3:1	BK:PR1 (A+)	+AJB-X3:1			+AJB-X3	
1		+DP-X3:2	WH:PR1 (A-)	+AJB-X3:2			1	
2		+DP-X3:3	SHIELD (PAIR 1)	+AJB-X3:3			2	
3		+DP-X3:4	BK:PR2 (B+)	+AJB-X3:4			3	
4		+DP-X3:5	WH:PR2 (B-)	+AJB-X3:5			4	
5		+DP-X3:6	SHIELD (PAIR 2)	+AJB-X3:6			5	
6		+DP-X3:7	BK:PR3 (V+)	+AJB-X3:7			6	
7		+DP-X3:8	WH:PR3 (V-)	+AJB-X3:8			7	
8							8	
9		+DP-X3:9	SHIELD (PAIR 3)	+AJB-X3:9			9	
10		+DP-X3:10	BK:PR4 (SPARE)	+AJB-X3:10			10	
11		+DP-X3:11	WH:PR4 (SPARE)	+AJB-X3:11			11	
12		+DP-X3:12	SHIELD (PAIR 4)	+AJB-X3:12			12	
13		+DP-X3:13	BK:PR5 (SPARE)	+AJB-X3:13			13	
14		+DP-X3:14	WH:PR5 (SPARE)	+AJB-X3:14			14	
15		+DP-X3:15	SHIELD (PAIR 5)	+AJB-X3:15			15	
16							16	
		+DP-X3:16	Shield	+AJB-X3:16				
		EN 50288-7 XLPE IOS Armoured 5 x 2 x 0,5						





















