

SCIENTIFIC AMERICAN

INFORMATION THEORY AND MELODY

Author(s): Richard C. Pinkerton

Source: *Scientific American*, Vol. 194, No. 2 (February, 1956), pp. 77-87

Published by: Scientific American, a division of Nature America, Inc.

Stable URL: <https://www.jstor.org/stable/10.2307/26171737>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at <https://about.jstor.org/terms>



JSTOR

Scientific American, a division of Nature America, Inc. is collaborating with JSTOR to digitize, preserve and extend access to *Scientific American*

INFORMATION THEORY AND MELODY

What is it about simple melodies that makes them so widely appealing? By considering music as a form of communication such questions can now be discussed in mathematical terms

by Richard C. Pinkerton

It is perhaps foolhardy to suggest that a machine might write a poem or compose a song. An artist is likely to exclaim indignantly at the very idea, and a scientist can only approach it with caution. The elusive creative processes of the human mind seem to defy analysis, to say nothing of duplication. And yet it can certainly do no harm to try to find what light we can on the subject. It may, indeed, be quite entertaining, as this article will attempt to show by considering an exercise in the analysis of melody.

Music has always attracted investigation by scientists. The experiments of Helmholtz on the pitch and quality of musical tones are classics in the field of physics. They showed how the choice of scales rests on simple physical relations, why certain combinations of notes sound harmonious and others dissonant, and so on.

Helmholtz described a melody as "a variation of pitch in time." Obviously this definition is only a small part of the story. Not every succession of different notes is a melody. What is it, then, that makes certain sequences of notes sound tuneful—that makes eyes light up and sets feet tapping?

Some years ago the late Joseph Schil-

linger, who was a teacher of mathematics at Columbia University and also a musician, examined these questions in scientific terms. He was an experimenter who believed that art forms could be analyzed by mathematics and synthesized by "the technique of engineering." Schillinger evolved a mathematical system for composing music, and George Gershwin is said to have used this system while composing *Porgy and Bess*. Our aim in this article is something much less ambitious: we shall consider some simple nursery tunes and try to find the properties that make them tuneful.

Suppose we regard music simply as a form of communication. We can then get a great deal of help from modern communication theory [see "The Mathematics of Communication," by Warren Weaver; *SCIENTIFIC AMERICAN*, July, 1949]. In this theory a basically important element is the idea of entropy. Many years ago Sir Arthur Eddington observed that entropy should be placed in the same category with beauty and melody. Entropy is a description of the association between the elements in a system; it applies to the notes in a composition as well as to the molecules in a vessel.

Now entropy is a numerical index of

disorder. If we come upon a situation in which there is a high degree of uncertainty, in which everything is mixed up, we may say that the entropy is high. On the other hand, where there is a great deal of symmetry or patterned arrangement, the entropy is low. For example, a well-managed supermarket has low entropy: we are sure to find the canned vegetables grouped in a certain section, the breakfast food in another section, and so on. But in a store where we were equally likely to find the peas stacked with the waxed paper or heaped on the floor with the laundry soap, we would have to say that the entropy was high.

The higher the entropy, the more information can be conveyed. In a disordered store it might take a clerk days to tell us the location of all the items—i.e., to communicate all the information contained in the situation. Similarly a map showing roads running helter-skelter contains more information than a piece of wallpaper with a monotonously repeated pattern.

We may ask: What is the entropy of nursery tunes? There are certain features common to all "whistling tunes." First of all, they have to sound somewhat familiar: some of the sequences

THE FAR- MER IN THE DELL THE FAR- MER IN THE DELL

ANALYSIS OF TUNES begins by translating their notes into the usual alphabetical symbols, using "O" to represent a rest or the

holdover of a note beyond its initial beat. The colored vertical lines mark off measures (double lines) and beats (single lines).



Keeping in touch with the moon

Radar Diana now tracking moon and planets for Army

It pays to look before you leap—particularly if it's to the moon or to a new earth satellite platform.

The U.S. Army is doing just that—it's finding out more about outer space with a new and giant radar system, called Diana, at its Evans Signal Laboratory in Belmar, N. J.

Designed and built by Radio Engineering Laboratories, Inc., Long Island City, N. Y., for the Signal Corps, radar Diana will track the moon and the planets to help Army scientists conduct radio wave propagation studies.


Next best thing to having a transmitter actually located on the moon or on an artificial satellite, the new radar puts out a continuous wave power of 50 kilowatts on 151.11 megacycles and may be pulse modulated at various pulse widths and repetition rates. The radar receiver has a gain of 170 db (10 million billion times!) and will receive signals as small as twice the theoretical noise level. This tremendous gain is made usable only in the narrow amplified frequency bands (50, 200, or 1000 cycles).

Since the new radar is to observe Doppler shifts up to ± 500 cycles in the received echo, extreme stability is required in both transmitted frequency and in the receiver local oscillators.

Stability, too, is one of the reasons engineers picked Ward Leonard resistors for many applications in this gear. They're seeing service in it as high-voltage bleeders, surge and current limiting resistors and protective meter shunts in high-voltage circuits. Find out how to apply these ultra-reliable resistors in *your* circuit, whether it's a delicate scientific device or a heavy-duty industrial machine. Write for Catalog 15. Ward Leonard Electric Co., 80 South Street, Mount Vernon, N. Y.



6.1




BANAL TUNE-MAKER produces simple, redundant melodies that sound like nursery tunes. A sequence of notes is obtained by following a path through the network, starting at the top, and writing down the note (or rest) attached to each segment traversed. Where there is a choice of paths, a coin is flipped. If it comes up heads, the black path is taken; if tails, the colored path. Broken lines show the path from a junction where there is no choice.

should have been heard before. Secondly, a melody always has certain basic qualities of regularity and symmetry: in terms of communication theory, it is somewhat redundant. Thus the composer of a melody must make the entropy of his music low enough to give it an apparent pattern and at the same time high enough so that it has sufficient complexity to be interesting. The question is, how high should the entropy be, and how can it be measured?

Let us make a statistical analysis of familiar nursery tunes. I selected a representative group of 39 from *The Golden Song Book* by Catherine Tyler Wessells (Simon and Schuster). The first step was to count the frequency with which the various notes of the scale appeared. To simplify matters I put all the songs in the key of C and treated all the notes as if they were in a single octave: thus middle C and C above middle C were both counted simply as C. To the seven different notes of the octave I added an eighth symbol, O, to signify a

rest or the holding of a note for more than one beat. The set of eight symbols then is C, D, E, F, G, A, B and O. Translating "The Farmer in the Dell," for example, into this code, we get G/COCCOC/COOOOD/EOEEOE/-EOOOOO/GOOGOA/GOECOD/EO-EDOD/COOOO. (The song is written in 6/8 time and therefore has six beats per measure.) After writing all the 39 songs in this code, I counted the number of times each note appeared, and from this calculated the probability of occurrence for each. The probabilities are: C — .163; D — .112; E — .132; F — .066; G — .149; A — .045; B — .036; O — .297.

These probabilities are, of course, just what a musician would expect from his knowledge of tonal relations. The most pleasing sequences of notes are those in which the pitch, or number of vibrations per second, of the successive notes is related in the ratio of small whole numbers. Since C is our key note, we should expect G to appear fairly frequently, because it is related to C by the ratio 3/2 (i.e., 396 to 264 v.p.s.). On the other



CATALYST OF INDUSTRY


LITHIUM

the Miracle Element

cat'a-lyst: chem., the causing or accelerating of a chemical change by the addition of a ... (catalytic agent) ...

From air conditioning to welding fluxes, Lithium chemicals are the catalysts of industry. Multi-purpose greases, porcelain enamels, organic chemicals, pharmaceuticals, electric storage batteries, heat treating, glazes, electronic ceramics, metallurgy, brazing fluxes—all boast products made better by the addition of Lithium. Architectural porcelain enamels, porce-

lainized aluminum, low temperature heat treating, cermets, deicing of parked aircraft—these are wholly new fields with an interest in Lithium. Why don't you consider the possibilities Lithium offers for your production process? Investigate the profit potentialities of this wonder metal. We will be glad to discuss it with you.



... trends ahead in industrial applications for Lithium

LCA **LITHIUM CORPORATION
OF AMERICA, INC.**
2685 RAND TOWER
MINNEAPOLIS 2, MINN.

MINES: Keystone, Custer, Hill City, South Dakota • Bessemer City, North Carolina • Cat Lake, Manitoba • Amos Area, Quebec • **BRANCH SALES OFFICES:** New York • Pittsburgh • Chicago • **CHEMICAL PLANTS:** St. Louis Park, Minnesota • Bessemer City, North Carolina • **RESEARCH LABORATORY:** St. Louis Park, Minnesota

	O	C	D	E	F	G	A	B
O	0.38	0.17	0.10	0.10	0.06	0.13	0.03	0.02
C	0.36	0.23	0.13	0.07	0.02	0.10	0.03	0.07
D	0.26	0.20	0.21	0.19	0.03	0.06	0.01	0.05
E	0.22	0.15	0.18	0.16	0.16	0.12	0.01	0.00
F	0.15	0.00	0.14	0.35	0.14	0.20	0.01	0.01
G	0.29	0.14	0.00	0.16	0.06	0.26	0.08	0.00
A	0.17	0.05	0.07	0.00	0.02	0.36	0.15	0.17
B	0.18	0.30	0.12	0.01	0.01	0.08	0.21	0.08

TRANSITION PROBABILITIES show how frequently any note follows any other in the 39 nursery tunes. The first notes of all possible pairs are listed in the column at the left; the second notes, in the row at the top. Thus each number in the table gives the probability that the note at the top of its column will come after the note at the left of its row. The color pattern divides the table between likely transitions (*colored*) and unlikely (*white*).

	O	C	D	E	F	G	A	B
O								
C								
D								
E								
F								
G								
A								
B								


TRANSITION PATTERN CHANGES when account is taken of the position of a note in the measure. This diagram shows the distribution of high (*colored*) and low (*white*) probabilities for the transition from the last note of a measure to the first note of the next.

hand, the note B, related to C by the more complex ratio 15/8, should have a lower probability.

Now we go back to our original question: What is the entropy of the nursery tunes? Obviously the situation of maximum entropy would be that in which all notes had an equal probability of occurring. To the degree that the selection of notes departs from complete randomness, the entropy is lowered. As a first approximation, then, we might estimate the entropy of the tunes from the relative frequency of occurrence of the several notes. There is a formula by which we can calculate the entropy per note when the probabilities are known: it is derived from the famous Boltzmann “H” theorem of thermodynamics. By this calculation, the maximum possible entropy for eight notes would be $\log_{10} 8$, or .903. (For convenience I used logarithms to the base 10 rather than the base 2.) According to their actual probability of occurrence in nursery tunes, the entropy of the notes is .821. This would make the entropy 91 per cent of the possible maximum; or, in other terms, the redundancy would be 9 per cent.


Obviously nursery tunes have a great deal higher redundancy than that. The redundancy of letters in English text is about 50 per cent, and nursery tunes are probably more redundant than our written language. To get an accurate estimate of their redundancy we must do more than merely count the number of times each note appears; we must also consider, among other things, the grouping of notes. Any given note must strongly influence our choice of the next note. For example, because it is easy to strike notes which are next to each other on the piano, adjacent notes have a high probability of following each other; thus once we have struck an F, the probabilities of hitting an E or a G are much higher than before. Again, an F seldom follows a B, because the interval between these two notes (called a diminished fifth) is a difficult one for the human voice to hit accurately.

Taking the same nursery tunes, let us count the number of times specific notes are paired and make a table of these probabilities, or what the mathematicians call a “matrix of transition probabilities” [see table on page 82]. Now from this table we can begin to construct melodies, selecting each successive note by a method which weights the choices according to the probabilities. We may use 12 cards to make the choices. Suppose we start with the note C. The probability is about 4/12 that C



NEW TEAM IMPETUS . . .

adds power to rocket propulsion



First in the American rocket industry, Reaction Motors develops and builds powerplants such as the one above that set a new piloted-aircraft speed record of over 1600 mph in the Air Force Bell X-1A. Working with Marquardt Aircraft and Olin Mathieson Chemical, RMI contributes to a continuous joint technical program to achieve improved rocket and ramjet engines and special fuels.

Now, the modern "weapons system" concept is applied to the development and production of rockets, ramjets, and special liquid and solid propellants. Reaction Motors, Marquardt Aircraft, and Olin Mathieson Chemical combine for the first time as part of an integrated plan both chemical and mechanical experience applicable to high-energy power generation. Coordinated by the OMAR Joint Technical Committee comprised of representatives of the three companies, this applied research program is dedicated to the practical advancement of supersonic aircraft and missile propulsion.

RAM JETS



Marquardt Aircraft Company

PROPELLANTS



Olin Mathieson Chemical Corporation.

ROCKETS



Reaction Motors, Inc.



3527

81

MANAGEMENT
MEMO

Where do we go from here?

During the past few months, this question has been thrown at me by dozens of people who should know better.

Let's get the record straight. I'm no economist and I'd rather listen than talk when it comes to business predictions but I can tell you something of interest about corrosion resistant castings, valves, fittings and pumps.

The trend is definitely toward quality products. In spite of increased competition, price (or "first cost") is taking a back seat to service life and reliability. That's why we're putting our energies behind research and into new, more accurate production line equipment. Our Advanced Know-How series of case studies on difficult stainless castings gives an intimate glimpse of this thinking. Our new XB improved-quality, higher-priced Vanton pump design (which has doubled our pump business while cutting in half the sale of spare parts) is indicative of the same belief. Our stainless steel valve clinics where the emphasis is on quality reflect the same awareness.

If you ask "Where do we go from here?" - and by "we" mean the industry in which Cooper Alloy has pioneered since 1922, there's only one answer - forward, with quality and service taking the lead.

H. A. Cooper
H. A. Cooper
President



TRANSITION	C-O	C-C	C-D	C-E	C-F	C-G	C-A	C-B
PROBABILITY "p"	0.36	0.23	0.13	0.07	0.02	0.10	0.03	0.07
APPROXIMATE "p"	4/12	3/12	2/12	1/12	0	1/12	0	1/12

TRANSITIONS FROM C are listed above. The upper row of probability values is taken from material in the text. In the lower row, these values have been rounded off to 12ths.

will be followed by a pause, so we mark four cards O. There is a 3/12 probability that the note after C will be another C, so three cards are marked C. Similarly two cards are marked D and one card is marked E, one G and one B. Now we shuffle the 12 cards and draw one to choose the note after C. Say we draw G. We go back to the table, make up another set of cards based on the probabilities of the notes following G and choose our next note by drawing one of these cards. We continue this process until we have composed a sequence.

Now we find we are beginning to get somewhere. Snatches and phrases of the sequence sound quite tuneful. But something important is missing. What we have is a kind of be-bop nursery tune, with peculiar misplacements of emphasis due to erratic distribution of the pauses. They may pop up anywhere, even on the first beat of a measure. To construct a true nursery tune we need more redundancy, in the form of rhythm. In a simple tune pauses (O) are used in a rhythmic sense, and they never occur at the beginning of a measure. So we


O	O	O	O
C	C	C	D
D	E	G	B

NOTE AFTER C can be picked out by means of this set of 12 cards. The number of cards bearing each symbol reflects the probability (in 12ths) that the symbol will follow C.



Plastic pump of

TENITE POLYETHYLENE



cuts material and
fabrication costs...
is strong, inert,
corrosion-resisting

Two plastic moldings plus a small stainless steel shaft form this compact, efficient, long-lasting pump. It's a pump that cuts costs for both maker and user.

Inexpensively molded of Tenite Polyethylene, it is simple to fabricate, assemble and attach to an electric motor. Any waste material can be almost completely salvaged.

And because Tenite Polyethylene is so corrosion resisting and so inert, users solve many tough jobs with these tough pumps. On vending machines they are handling sensitive beverages without impairing delicate flavor, color or clarity. In washing machines and other household appliances, they are showing long life despite daily exposure to the corrosive attack of detergents, bleaches and alkali. In photo developing units these pumps are handling water, hypo and acid solutions without affecting sensitive photographic fluids or emulsions. In another application, they are handling anti-freeze at minus 80° F.

Do you have a job for a tough, useful plastic like Tenite Polyethylene? Perhaps one of your products could be given more sales appeal, better performance or longer life if it were made of Polyethylene. If so, make it of Tenite Polyethylene.


For advice and more information about this versatile plastic, write EASTMAN CHEMICAL PRODUCTS, INC., subsidiary of Eastman Kodak Company, KINGSPORT, TENNESSEE.

TENITE
POLYETHYLENE
an Eastman plastic

© 1956 SCIENTIFIC AMERICAN, INC

KOLLMORGEN

**PRECISION
OPTICAL
PRODUCTS**



INDUSTRIAL

Periscopes

Often the answer to remote observation and control. Now in use throughout the nuclear, chemical, aircraft and many other industries.



SNAPLITE Projection Lenses

Superb lenses for professional motion picture projection. First with high speed, f/1.7 35 mm lenses.



Telescopic Rifle Sights


Truly the finest American made rifle scopes. Preferred by sportsmen, famous for brilliance, accuracy and "good hunting."

... and hundreds of other precision optical products including Naval Periscopes, Fire Control Devices, Range Finders, Navigational Instruments and special optical systems for Industry and the Armed Services.

KOLLMORGEN

Optical
CORPORATION

347 King Street, Northampton, Mass.



BANAL TUNE which appears above is one of the melodies contained in the tune-making network on page

must make a whole set of supplementary tables, taking account of the probability of occurrence of notes and pauses in each position of a measure. To make nursery tunes in 6/8 time we need at least six tables.

Just for fun, I have made a set of six such tables and composed a number of tunes from them. (The probabilities were rounded off to convenient fractions so that I could make the choices with a deck of playing cards. Of course other devices could be used—say a roulette wheel with a certain number of positions or even an electronic device hooked up to an electric organ which would play the notes as they turned up.) The melodies produced are sometimes a little startling, but on the whole quite tuneful. They are all "easy to catch on to."

From the six tables I have picked out some of the most common note transitions as a basis for composing tunes. I call it the "banal tune-maker," since it is hardly more inventive than a music box. The transitions have been reduced to a series of binary choices, so that at each step one of the two choices offered can be selected simply by flipping a coin. The diagram on page 78 shows the scheme in a network form. We shall follow the network in the direction of the arrows, and at each junction where we have a choice, we shall flip a coin and choose the black path if it falls heads, the colored path if it falls tails. We start with the note C (at the top of the diagram). For the next beat we have a choice of C or O (a rest). Suppose the coin turns up heads. C, then, is our second note, and the third note also is C, because it is the only choice offered along this pathway. For the fourth note we have a choice of C or G; say the coin falls heads, selecting C. The fifth beat automatically becomes

a rest. For the sixth note, ending the measure, the choice is between D and C; suppose the coin falls heads and selects D. Let us say that this procedure, followed through four measures, yields the following result (H standing for heads, T for tails and a dash for points where there is only a single choice): — H — H — H/ — T H T H T/ — — H T T H/ — — T T H H/. Written out on a musical staff, the four measures are as shown at the top of this page. Our banal tune-maker has produced a tune which is rather reminiscent of "Ride a Cock Horse to Banbury Cross."

If we wanted to, we could construct a network no more complicated than this which would actually duplicate nursery tunes. However, the point of the exercise is not that the tables of probabilities can reproduce nursery tunes but that they indicate the essential rhythmic and harmonic elements that underlie all simple melodies.

Returning to the question of redundancy, how "banal" is our banal tune-maker? We can calculate, from the relative probabilities of the various possible sequences in a measure (30 in this case), that its redundancy is higher than 63 per cent. Its tunes are highly monotonous. Yet many of them are less monotonous than some actual nursery tunes—such as, for one horrible example, "A Tisket, A Tasket."

We can apply a statistical treatment not only to melody (a sequence of notes) but also to harmony (a group of notes sounded simultaneously). Indeed, an 18th-century composer, Jean-Philippe Rameau, made a statistical analysis of harmony similar in spirit to the approach we have used here, and Allen Irvine McHose has analyzed the compositions of Bach by modern techniques. There are high and low probabilities in the

can you qualify for **Rocket Engineering?**

*careers are being born right now at Rocketdyne**

It may surprise you to know you can do this *with or without specific rocket engine experience!* Engineering experience in heating and ventilating, hydraulics, pumps, turbines, combustion devices, controls and engine instrumentation are just a few of the related fields that could open your future at **ROCKETDYNE**.

At its new Canoga Park headquarters, **ROCKETDYNE** is continuing and expanding its pioneering work in the design, development and manufacturing phases of the rocket engine business. And at its test laboratory, **ROCKETDYNE** has complete research and test operations. **ROCKETDYNE** thus offers opportunities in the complete range of rocket engine development from preliminary design to field testing.

ROCKETDYNE not only offers the advantages of a constantly growing and expanding company, but also the stability that comes from its broad range and volume of projects...the stability of rocket engine contracts with all branches of the Armed Services and the guided missile industry. Though it is currently emphasizing the production

of the most powerful large liquid-propellant rocket engines in the Western World, **ROCKETDYNE** is also designing, building, and testing many other types and sizes. For the future, it is carrying on research for even more powerful and startling rocket engines.

So this is your big opportunity to build a career that really has a future. A well-paid career that assures prestige, stability, and selectivity of fascinating work. If you feel you can qualify, you owe it to yourself to contact **ROCKETDYNE** today.

***ROCKETDYNE** is North American's rocket engine division. It has just moved into new ultra-modern headquarters in Canoga Park, located in the beautiful West San Fernando Valley of Los Angeles. This area is famous for its fine residential sections, modern shopping-center convenience, varied recreational and entertainment facilities. Any point in the San Fernando Valley is just minutes drive from the beaches, and the weather is pleasant all year 'round. Many engineers are interested in advance schooling offered by UCLA, only 1/2 hour drive from our laboratory.

THESE POSITIONS NOW OPEN AT ROCKETDYNE:

DESIGN & DEVELOPMENT ENGINEERS

Mechanical, Chemical, Electrical, Standards, Structural and Stress. For rocket engine systems design or development. Turbine, pump, controls and combustion device experience preferred.

DYNAMICS ENGINEERS

To analyze rocket engine control systems utilizing electronic analog and digital computers, B.S., M.E., or B.S.E.E. necessary. Prefer advanced degree. Experience in servomechanisms, systems analysis desired.

COMPUTER APPLICATION ENGINEER

Application of automatic computers to

investigate new methods of numerical analysis.

TEST ENGINEERS

Experienced on engine systems, combustion devices, turbines, pumps and engine instrumentation.

EQUIPMENT DESIGN ENGINEERS

Electrical, mechanical, structural, industrial. For design of facilities, specialized test, and handling equipment.

WEIGHT ENGINEERS

ELECTRONICS TECHNICIANS

SPECIFICATIONS ENGINEERS

ENGINEERING DRAWING CHECKERS

Write Mr. Grant Baldwin, Rocketdyne Engineering Personnel, Dept. 596-SA, 6633 Canoga Ave., Canoga Park, California.

ROCKETDYNE®

A DIVISION OF NORTH AMERICAN AVIATION, INC.





TRANSMITTER



RECORDER



INDICATOR



CONTROLLER (Windtrol†)

...for measuring
wind speed and
direction

Here's a wind measuring system of high accuracy for airport, research and testing use. Indicates and records wind speed and direction. Keeps a permanent log of weather conditions. Used by manufacturers for testing operations in which noise or smoke are involved. Controller actuates operating equipment, signals and alarms.

The Bendix-Friez* Aerovane System is available as a complete package. Or, the individual units may be purchased for use with the transmitter.

TRANSMITTER—Detects wind speed and direction. Electrically sends information to indicator, recorder and controller.

RECORDER—Inks the wind speed and direction on time calibrated chart. Has three speeds for 1½-, 3- or 6-inches per hour. Under normal 3-inch-per-hour setting, recorder operates continuously for two-week period.

INDICATOR—Shows wind speed and direction. Illuminated dials, white over black markings for maximum legibility. Calibrated in degrees of compass and miles per hour.

CONTROLLER—Actuates circuits, turns on alarm system, operates other equipment when wind speed and direction reach pre-determined settings. Wind speed and wind direction dials mounted on face. Automatic time delay device compensates for fluctuating wind direction and speed. Time length is adjustable.

Write today for complete information.

*Reg. U. S. Pat. Off. †Trade-mark

Bendix - Friez

FRIEZ INSTRUMENT DIVISION • BENDIX AVIATION CORPORATION
1422 TAYLOR AVENUE BALTIMORE 4, MARYLAND

Export Sales and Service: Bendix International Division, 205 E. 42nd Street, New York 17, N. Y., U.S.A.

selection of notes for chords as well as for tunes.

Thus melody, rhythm and harmony can all be fitted into a statistical scheme. The clear implication is that we can build machines which will create music. A set of tables could be constructed which would compose Mozartian melodies or themes which would out-Shostakovich Shostakovich. We could get as close as desired to the style of any type of music without actually copying the melodies, and by altering the probabilities, we might evolve whole new styles.


Thinking of our network scheme, it is fun to speculate that a composer's individual style may reflect networks of nerve pathways in his brain. These patterns need not necessarily be derived from the composer's study of music; perhaps they may be formed through some other sense channel. There is actually a piece of music which was composed after the pattern of the New York sky line. I like to think that our own banal tune-maker came by the hexagonal form of its network through its author's staring too long at some hexagonal tiles or inhaling too much benzene.

What has been accomplished by this excursion into music? First of all, we have been able to calculate an entropy, or average information per note, for certain kinds of elementary melody. This gives us an indication of the amount of meaning or information that can be expressed by such melodies. We have demonstrated that a certain amount of redundancy or repetition is necessary in order to have tuneful melodies. It is possible to give a quantitative measure of this redundancy. Viewed as a statistical process, the choice of a melody has certain periodic properties imposed on it by the rhythm. These are reflected in any mechanical or mathematical representation we might make for the process. It is possible to build machines which could make music having any degree of inherent entropy, redundancy and periodicity we might desire. Arrangements are underway to set up a random choice system on an electronic computer which will be capable of turning out thousands of melodies, less banal than those made by the coin-flipping network.

Information theory may well prove generally useful for studying the creative processes of the human mind. I don't think we have to worry that such analysis will make our art more stilted and mechanical. Rather, as we begin to understand more about the property of creativeness, our enjoyment of the arts should increase a thousandfold.

FORD INSTRUMENT QUANTIZES LIGHT

Colored lines or spots on a piece of paper can become a means of conveying information — Rorschach charts, impressionist paintings and survey maps are all visual message carriers. Ford Instrument engineers found it necessary to translate such color information into electrical or mechanical quantities, (quantization) with less distortion than is inherent in the usual photographic techniques. Such quantities can in turn be used as signals that actuate computers, make offset plates, and generally put to use the information implied by the difference between the colors or the distribution of the colors.



The quantization performed by Ford is not restricted to color alone. For example, a black and white photograph represents an aggregate of light and dark areas of varying shades, and this display must frequently be converted into continuous or discrete electrical quantities for various purposes and uses. Ford engineers recently developed equipment which can quantize and record the various degrees of color, or gray areas in photographic negatives, and to correlate this information into usable data. This equipment was developed for a classified project — the equipment is unavailable for general use — however the technical know-how gained by Ford — combined with Ford's superior production and engineering facilities — is available in the creation of light quantizing equipment for you.

Light quantizing is but one of the many facets of Ford Instrument design and development. For more information about Ford's products, services and facilities, write for an illustrated folder. Ford engineers will be happy to discuss your problems of control with you.



FORD INSTRUMENT COMPANY


DIVISION OF SPERRY RAND CORPORATION

31-10 Thomson Avenue, Long Island City 1, New York

Beverly Hills, Cal. • Dayton, Ohio

88

**Ford's capabilities are among
the finest in the country**



Three dimensional cams are used in elaborate computing devices to characterize shell ballistics, magnetic variation, or to solve some basic mathematical function. Precision in 3-D cams is of vital importance. Ford Instrument designed and built a unique machine that can produce extremely accurate cams from a skillfully made master. As many as two thousand data points are end-milled to set precisely the contours of the handcut masters.



Equipment used for defense must undergo rigorous tests for accuracy and dependability in combat. At Ford, environmental testing laboratories reproduce extremes of desert or arctic battle, shock of warship broadside, salt fogs and heavy seas. When flaws have been detected and corrected, equipment is okayed for volume production and use throughout the armed services.



Typical of Ford Instrument's 40 years of experience in precision control is its work in the field of nuclear power. The Company, for example, is building the control rod drive mechanism for the Sea Wolf, second atomic submarine. Reactor designs, sensing mechanisms, control equipment and systems, nuclear calculations, and other specialized equipment and abilities are offered by the Company to this expanding industry.

87