

Practical Tasks Observation Checklist

Name: DK Kleinschmidt Contact ID: 14501972

Course Code: HLTAID009 Workshop Date: 2025-12-02 08:30:00 Instance ID: 2216211

Trainer: Venue: MELBOURNE VIC 3000

Overall Result: C

Task	Element / Sub-element	Result
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	Danger, Response, Send for Help (DRS) - Danger Identify that the casualty has collapsed, that this is a potential emergency, and that the casualty requires first aid treatment	S
	Identify immediate hazards by means of a thorough assessment and verbal confirmation of the hazard present, and at least one control used for each hazard, and declare the status of the scene as safe or unsafe.	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	DRS - Response Confirm the casualty is unresponsive by using 'touch and talk' and/or the 'COWS' method.	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	DRS - Send for Help (000) Make a mock call to 000 themselves if alone, or ask a bystander to make the call	S
	Take control, be confident, and ensure caller clearly explains the situation and location.	S
	Request an AED from a bystander of the scenario	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	Airway and Breathing (AB) - Airway Ensure their response is respectful to the casualty.	S

	Use standard precautions for infection control	S
	Check there is no food or fluid in the mouth of the casualty	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	AB - Breathing Open the airway of the casualty by head tilt and chin lift using a pistol grip.	S
	Use all components of look, listen and feel method for assessing breathing.	S
	Assess agonal or ineffective breathing sounds as not breathing normally	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	CPR and Defibrillation (CD) - Defibrillation Unpack the AED, including the main device, preparation kit, pads and leads	S
	Read the instructions	S
	Locate the on switch and turn the device on	S
	Follow the prompts including preparing the casualty for pad attachment	S
	Locate and Plug in any leads if required	S
	Prepare for, and place the pads correctly	S
	Wait for analysis of rhythm and advisement of shock	S
	Communicate for operators and bystanders to stand clear of casualty in anticipation for shock	S
	Commence CPR when AED instructs it is safe to do so.	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	CD - CPR & Response to Vomiting Kneel in an appropriate position, close to and beside the casualty on the floor	S

	Place one hand in the centre of the chest (using an acceptable method to find the compression point)	S
	Place the other hand (or in support of the first hand)	S
	Maintain straight arms and shoulders over casualty's chest	S
	Execute compressions via applying vertical pressure over sternum 1/3 depth of chest about 5cms or more.	S
	Perform 30 compressions at a rate of approximately 2 per second before attempting rescue breaths	S
	Transfer to position at the casualty's head	S
	Use both hands to maintain an open airway and keep a mask/faceshield in the appropriate positioning.	S
	Deliver 2 effective rescue breaths sufficient for rise of chest	S
	Continue for 5 CPR cycles in ratio of 30 compressions with 2 breaths, sufficient for at least 2 minutes of CPR	S
	Follow the prompts of the training AED device.	S
	Roll the casualty (manikin) carefully into the recovery position and facilitate clearance of airway in response to regurgitation event	S
	Re-assess breathing by using 'look, listen and feel' method	S
	State correct procedure for monitoring secondary assessment of breathing unconscious casualty in recovery position	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	Transition of Operator CPR Commence CPR (correctly)	S
	First operator should instruct second operator to take position for compressions when they	S

	take position for compressions when they transition to breaths position.	
	New compressions operator should take charge and repeat instructions at (b) above to perform another rotation.	S
	Each learner should take over compressions appropriately in accordance with correct instructions given by their partner.	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	Manage Unconscious Breathing Casualty Roll the casualty carefully into the recovery position, ensuring the correct procedure is used.	S
	Assess breathing by 'look, listen and feel' method	S
	Make the casualty comfortable and commence a head to toe visual secondary survey for further injury or illness, whilst continually monitoring breathing.	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	Handover Provide a verbal report to the best of their knowledge	S
	Include in report what happened (as per scenario)	S
	Include in report what treatment has been given and how the casualty responded to this treatment	S
	Include in the report the casualty's name and any relevant casualty history	S
Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	Report to supervisor Verbally explain the reporting requirements (procedure) of the workplace or site.	S
	Explain that privacy of information should be maintained by only reporting directly to the workplace supervisor or authorised person.	S

Practical Task 1 - Adult CPR (DRSABCD) Trainer comment: the student performed Adult CPR for more than 2 minutes at an appropriate depth and rate, all other elements of this task were performed competently.	Review and Debrief Identify at least one way the incident affected them, or could have affected them personally.	S
	Identify at least 3 signs and symptoms to look out for to determine psychological impact.	S
	Identify that it could take some time for signs and symptoms to show up after the incident.	S
	Explain at least 3 options (one being professional help) for how to manage psychological impacts.	S
	Explain at least one thing that went well and at least one thing that could have been done differently.	S
	(For HLTAID012 only) - Knows the requirements regarding submitting a report to regulatory authorities.	S
Practical Task 2 - Infant CPR Trainer comment: the student performed competently at all elements of this task.	Danger, Response, Send for Help (DRS) - Danger Identify that this is a potential emergency, and that the infant requires first aid treatment	S
	Identify immediate hazards by means of a thorough assessment and verbally conveying the hazard present and management.	S
	Ensure their response is respectful to the casualty and its parents, and providing reassurance.	S
	Ask the parent to place the infant on their back on a firm surface for assessment, assist if necessary.	S
Practical Task 2 - Infant CPR Trainer comment: the student performed competently at all elements of this task.	DRS - Response Confirm the casualty is unresponsive by using 'touch and talk' by talking to and giving little tickle, and checking grip.	S
Practical Task 2 - Infant CPR Trainer comment: the student performed competently at all elements of this task.	DRS - Send for Help Make a mock call themselves to 000 if alone, or ask a bystander to make the call if available	S
	Take control, be confident, and clearly explain they need the ambulance for an unresponsive infant casualty.	S

Practical Task 2 - Infant CPR Trainer comment: the student performed competently at all elements of this task.	Airway & Breathing (AB) - Check Open the airway by ensuring the infant's head is in neutral position and open mouth, checking for obstructions.	S
	Apply the 'look, listen and feel' approach to assess for breathing	S
	Look for rise and fall of the chest, Listen for breathing sounds, feel for air escaping.	S
	Assess agonal or ineffective breathing sounds as not breathing normally	S
Practical Task 2 - Infant CPR Trainer comment: the student performed competently at all elements of this task.	CPR - Compressions and Breaths Position the infant on its back on a flat firm surface.	S
	Adopt an appropriate body position, close to and beside the infant casualty	S
	Place two fingers (or thumbs) in the centre of the chest.	S
	Place the other hand (if using two fingers) to supports the infant and maintains neutral position.	S
	For the two finger method: maintain straight arm and execute compressions 1/3 depth of chest about 4cms.	S
	For the two thumb method: Stand in line with the infant, execute compressions 1/3 depth of chest about 4cm.	S
	Perform 30 compressions at a rate of approximately 2 per second before attempting rescue breaths	S
	Transfer to position at the casualty's head	S
	Use both hands to maintain an open airway and mask/faceshield.	S
	Maintain neutral head position and chin lift.	S
	Cover both mouth and nose of infant with rescuers mouth prior to delivering rescue breath/puff	S
	Deliver 2 rescue breaths/puffs with air just sufficient for rise of chest.	S
	Continue for 5 CPR cycle's in ratio of 30	S

	compressions with 2 breaths, sufficient for at least 2 minutes of CPR.	
	Continually assess for signs of breathing or response	S
	Once told that the infant has commenced breathing, position the infant in the recovery position, continue to assess, and reassure.	S
	Carefully pick up the infant, supporting its head and neck and position it into the infant recovery position.	S