
CHERRY



MX LOW PROFILE 2.0 RED

DATASHEET

CHERRY MX LOW PROFILE 2.0 RED

THE CHERRY MX LOW PROFILE RGB RED HAS A PARTICULARLY LOW OVERALL HEIGHT. THE LINEAR SWITCHING CHARACTERISTIC COMBINED WITH THE LOW SPRING RESISTANCE TRIGGERS DIRECTLY. THANKS TO THE 35 PERCENT LOWER HEIGHT, THE CHERRY LOW PROFILE RGB RED ENABLES A SLIM KEYBOARD DESIGN AND ERGONOMIC WORKING. THEREBY, IT MAINTAINS THE BALANCED TYPING FEEL OF THE CHERRY MX RED AND HELPS TO REACT QUICK-WITTEDLY IN GAMING SESSIONS.

QUICK-WITTED, SMOOTH AND DIRECT

Original CHERRY MX is the world's leading precision technology for mechanical keyboard switches. The CHERRY Gold Crosspoint contact mechanism and the "Made in Germany" manufacturing quality are unique. The CHERRY MX LOW PROFILE is a high-precision CHERRY MX switch, specially designed for notebook and desktop applications with a low profile.

TECHNICAL DATA

SWITCH

Switch serie	MX Low Profile
IP protection class	40
RGB	yes
Warranty	2 years warranty
Stem color	red
Cover colour	transparent
Actuator travel	3.2 mm
Pre-Travel	1.2 mm
Actuation characteristic	linear
Actuation force	45 cN
Initial force	30 cN
Final force	100 cN
Contact resistance	200 mΩ
Bounce time	5 ms
Total Height	11.9 mm
Width	15 mm
Depth	15 mm
Hotswap	no

PRODUCT INFORMATION

Dimensions and weight (without packaging)	1.4 g

Dimensions and weight (including packaging)	240 mm × 240 mm × 110 mm | 1.4 g


PRODUCT VARIANTS


PART NUMBER	RGB
MX2B-L2NA	yes

MX LOW PROFILE 2.0 RED [MX2B-L2NA]

RGB: yes

Part number	MX2B-L2NA
EAN	4025112116933





SWITCH

Switch serie	MX Low Profile
IP protection class	40
RGB	yes
Warranty	2 years warranty
Stem color	red
Cover colour	transparent
Actuator travel	3.2 mm
Pre-Travel	1.2 mm
Actuation characteristic	linear
Actuation force	45 cN

Initial force	30 cN
Final force	100 cN
Contact resistance	200 mΩ
Bounce time	5 ms
Total Height	11.9 mm
Width	15 mm
Depth	15 mm
Hotswap	no

PRODUCT INFORMATION

Dimensions and weight (without packaging)	1.04 g
Dimensions and weight (including packaging)	240 mm × 240 mm × 110 mm | 1.4 g

© Cherry Europe GmbH

Cherrystraße 2 · 91275 Auerbach/OPf. · Germany

cherry-world.com · cherry.de

Sales Support · Technischer Support · eHealth Support

+49 9643 - 2061 - 100

www.cherry.de/de-de/kontakt

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products.