


Performance overview



Mapping of Raw files to their short names  
Mapping source: automatic  
(automatic shortening of names was not sufficient – see 'best effort')

| original                      | short<br>name | best<br>effort   |
|-------------------------------|---------------|------------------|
| HL_540_CR_E1_A_03.raw.thermo  | file 01       | ..E1_A_03.r..mo  |
| HL_540_CR_R1_B_02.raw.thermo  | file 02       | ..R1_B_02.r..mo  |
| HL_540_CR_E2_B_03.raw.thermo  | file 03       | ..E2_B_03.r..mo  |
| HL_540_CR_R2_A_02.raw.thermo  | file 04       | ..R2_A_02.r..mo  |
| HL_540_CR_RE1_A_03.raw.thermo | file 05       | ..RE1_A_03.r..mo |
| HL_540_CR_R2_B_01.raw.thermo  | file 06       | ..R2_B_01.r..mo  |
| HL_540_CR_RE2_B_03.raw.thermo | file 07       | ..RE2_B_03.r..mo |
| HL_540_CR_R1_A_01.raw.thermo  | file 08       | ..R1_A_01.r..mo  |
| HL_540_CR_C1_A_03.raw.thermo  | file 09       | ..C1_A_03.r..mo  |
| HL_540_CR_C2_B_03.raw.thermo  | file 10       | ..C2_B_03.r..mo  |
| HL_540_CR_E1_B_01.raw.thermo  | file 11       | ..E1_B_01.r..mo  |
| HL_540_CR_RE2_B_02.raw.thermo | file 12       | ..RE2_B_02.r..mo |
| HL_540_CR_RE1_A_02.raw.thermo | file 13       | ..RE1_A_02.r..mo |
| HL_540_CR_E2_A_01.raw.thermo  | file 14       | ..E2_A_01.r..mo  |
| HL_540_CR_R2_A_03.raw.thermo  | file 15       | ..R2_A_03.r..mo  |
| HL_540_CR_E2_B_02.raw.thermo  | file 16       | ..E2_B_02.r..mo  |
| HL_540_CR_RE1_B_01.raw.thermo | file 17       | ..RE1_B_01.r..mo |
| HL_540_CR_R1_B_03.raw.thermo  | file 18       | ..R1_B_03.r..mo  |
| HL_540_CR_RE2_A_01.raw.thermo | file 19       | ..RE2_A_01.r..mo |
| HL_540_CR_E1_A_02.raw.thermo  | file 20       | ..E1_A_02.r..mo  |
| HL_540_CR_C2_B_02.raw.thermo  | file 21       | ..C2_B_02.r..mo  |
| HL_540_CR_C1_A_02.raw.thermo  | file 22       | ..C1_A_02.r..mo  |
| HL_540_CR_C1_B_01.raw.thermo  | file 23       | ..C1_B_01.r..mo  |
| HL_540_CR_C2_A_01.raw.thermo  | file 24       | ..C2_A_01.r..mo  |

Mapping of Raw files to their short names  
Mapping source: automatic  
(automatic shortening of names was not sufficient – see 'best effort')

| original                      | short<br>name | best<br>effort   |
|-------------------------------|---------------|------------------|
| HL_540_CR_C2_B_01.raw.thermo  | file 25       | ..C2_B_01.r..mo  |
| HL_540_CR_C1_A_01.raw.thermo  | file 26       | ..C1_A_01.r..mo  |
| HL_540_CR_C1_B_02.raw.thermo  | file 27       | ..C1_B_02.r..mo  |
| HL_540_CR_C2_A_02.raw.thermo  | file 28       | ..C2_A_02.r..mo  |
| HL_540_CR_RE2_B_01.raw.thermo | file 29       | ..RE2_B_01.r..mo |
| HL_540_CR_E1_B_02.raw.thermo  | file 30       | ..E1_B_02.r..mo  |
| HL_540_CR_R1_A_03.raw.thermo  | file 31       | ..R1_A_03.r..mo  |
| HL_540_CR_E2_A_02.raw.thermo  | file 32       | ..E2_A_02.r..mo  |
| HL_540_CR_RE1_A_01.raw.thermo | file 33       | ..RE1_A_01.r..mo |
| HL_540_CR_R2_B_03.raw.thermo  | file 34       | ..R2_B_03.r..mo  |
| HL_540_CR_RE1_B_02.raw.thermo | file 35       | ..RE1_B_02.r..mo |
| HL_540_CR_E2_B_01.raw.thermo  | file 36       | ..E2_B_01.r..mo  |
| HL_540_CR_E1_A_01.raw.thermo  | file 37       | ..E1_A_01.r..mo  |
| HL_540_CR_RE2_A_02.raw.thermo | file 38       | ..RE2_A_02.r..mo |
| HL_540_CR_C2_A_03.raw.thermo  | file 39       | ..C2_A_03.r..mo  |
| HL_540_CR_C1_B_03.raw.thermo  | file 40       | ..C1_B_03.r..mo  |
| HL_540_CR_R1_B_01.raw.thermo  | file 41       | ..R1_B_01.r..mo  |
| HL_540_CR_RE2_A_03.raw.thermo | file 42       | ..RE2_A_03.r..mo |
| HL_540_CR_R2_A_01.raw.thermo  | file 43       | ..R2_A_01.r..mo  |
| HL_540_CR_RE1_B_03.raw.thermo | file 44       | ..RE1_B_03.r..mo |
| HL_540_CR_R2_B_02.raw.thermo  | file 45       | ..R2_B_02.r..mo  |
| HL_540_CR_E2_A_03.raw.thermo  | file 46       | ..E2_A_03.r..mo  |
| HL_540_CR_R1_A_02.raw.thermo  | file 47       | ..R1_A_02.r..mo  |
| HL_540_CR_E1_B_03.raw.thermo  | file 48       | ..E1_B_03.r..mo  |

## PAR: parameters

| parameter                      | value               | parameter                       | value  |
|--------------------------------|---------------------|---------------------------------|--------|
| Advanced ratios                | True                | MS/MS deisotoping tolerance ..  | ppm    |
| Advanced site intensities      | True                | MS/MS dependent losses (FTMS..  | True   |
| Calculate peak properties      | False               | MS/MS dependent losses (ITMS..  | True   |
| Combined folder location       |                     | MS/MS dependent losses (TOF)    | True   |
| Da interval. (FTMS)            | 100                 | MS/MS dependent losses (Unkn..  | True   |
| Da interval. (ITMS)            | 100                 | MS/MS higher charges (FTMS)     | True   |
| Da interval. (TOF)             | 100                 | MS/MS higher charges (ITMS)     | True   |
| Da interval. (Unknown)         | 100                 | MS/MS higher charges (TOF)      | True   |
| Date of writing                | 10/30/2025 16:44:15 | MS/MS higher charges (Unknown.. | True   |
| Decoy mode                     | revert              | MS/MS recalibration (FTMS)      | False  |
| Disable MD5                    | False               | MS/MS recalibration (ITMS)      | False  |
| Discard unmodified counterpa.. | False               | MS/MS recalibration (TOF)       | False  |
| Epsilon score for mutations    |                     | MS/MS recalibration (Unknown..  | False  |
| Evaluate variant peptides se.. | True                | MS/MS tol. (FTMS)               | 20 ppm |
| Find dependent peptides        | False               | MS/MS tol. (ITMS)               | 0.5 Da |
| Fixed andromeda index folder   |                     | MS/MS tol. (TOF)                | 40 ppm |
| iBAQ                           | False               | MS/MS tol. (Unknown)            | 20 ppm |
| iBAQ log fit                   | False               | MS/MS water loss (FTMS)         | True   |
| Include contaminants           | True                | MS/MS water loss (ITMS)         | True   |
| Label min. ratio count         | 2                   | MS/MS water loss (TOF)          | True   |
| Machine name                   | c192m1536-n3710     | MS/MS water loss (Unknown)      | True   |
| Main search max. combination.. | 200                 | Peptides used for protein qu..  | Razor  |
| Match between runs             | False               | Protein FDR                     | 0.01   |
| Match unidentified features    | False               | PSM FDR                         | 0.01   |
| Max mods in site table         | 3                   | PSM FDR Crosslink               | 0.01   |
| Max. peptide length for unsp.. | 25                  | Razor protein FDR               | True   |

/data/dnb12/galaxy\_db/files/f/2/0/dataset\_f20bbc11-a63a-4ec4-8fee-5cb50740e7b0.dat


## PAR: parameters

| parameter                      | value                                    | parameter                      | value                  |
|--------------------------------|------------------------------------------|--------------------------------|------------------------|
| Max. peptide mass [Da]         | 4600                                     | Require MS/MS for LFQ compar.. | True                   |
| Min. delta score for modifie.. | 6                                        | Second peptides                | True                   |
| Min. delta score for unmodif.. | 0                                        | Separate LFQ in parameter gr.. | False                  |
| Min. peptide Length            | 7                                        | Site FDR                       | 0.01                   |
| Min. peptide length for unsp.. | 8                                        | Site tables                    | Oxidation (M)Sites.txt |
| Min. peptides                  | 1                                        | Stabilize large LFQ ratios     | True                   |
| Min. razor peptides            | 1                                        | Top MS/MS peaks per Da inter.. | 12                     |
| Min. score for modified pept.. | 40                                       | Top MS/MS peaks per Da inter.. | 8                      |
| Min. score for unmodified pe.. | 0                                        | Top MS/MS peaks per Da inter.. | 10                     |
| Min. unique peptides           | 0                                        | Top MS/MS peaks per Da inter.. | 12                     |
| Modifications included in pr.. | Oxidation (M)<br>Acetyl (Protein N-term) | Use delta score                | False                  |
| MS/MS ammonia loss (FTMS)      | True                                     | Use Normalized Ratios For Oc.. | True                   |
| MS/MS ammonia loss (ITMS)      | True                                     | Use only unmodified peptides.. | True                   |
| MS/MS ammonia loss (TOF)       | True                                     | User name                      | galaxy                 |
| MS/MS ammonia loss (Unknown)   | True                                     | Variation mode                 | None                   |
| MS/MS deisotoping (FTMS)       | True                                     | Version                        | 2.0.3.0                |
| MS/MS deisotoping (ITMS)       | False                                    | Write accumulatedMsmsScans t.. | True                   |
| MS/MS deisotoping (TOF)        | True                                     | Write allPeptides table        | True                   |
| MS/MS deisotoping (Unknown)    | True                                     | Write DIA fragments quant ta.. | False                  |
| MS/MS deisotoping tolerance .. | 7                                        | Write DIA fragments table      | False                  |
| MS/MS deisotoping tolerance .. | ppm                                      | Write ms3Scans table           | True                   |
| MS/MS deisotoping tolerance .. | 0.15                                     | Write msmsScans table          | True                   |
| MS/MS deisotoping tolerance .. | Da                                       | Write msScans table            | False                  |
| MS/MS deisotoping tolerance .. | 0.01                                     | Write mzRange table            | True                   |
| MS/MS deisotoping tolerance .. | Da                                       | Write pasefMsmsScans table     | True                   |
| MS/MS deisotoping tolerance .. | 7                                        |                                |                        |

/data/dnb12/galaxy\_db/files/f/2/0/dataset\_f20bbc11-a63a-4ec4-8fee-5cb50740e7b0.dat


# PG: PCA of 'raw intensity'

(excludes contaminants)




# PG: PCA of 'lfq intensity'


(excludes contaminants)




# EVD: Top5 Contaminants per Raw file



## Protein




## Abundance class




# EVD: peptide intensity distribution

RSD 1.6% (expected < 5%)



# EVD: peptide intensity distribution


RSD 1.6% (expected < 5%)



# PG: intensity distribution

RSD 1.6% (w/o zero int.; expected < 5%)


RSD 3% [high RSD --> few peptides]



## PG: intensity distribution

RSD 1.6% (w/o zero int.; expected < 5%)


RSD 3% [high RSD --> few peptides]



# PG: LFQ intensity distribution

RSD 0.5% (w/o zero int.; expected < 5%)


RSD NaN% [high RSD --> few peptides]




# PG: LFQ intensity distribution

RSD 0.5% (w/o zero int.; expected < 5%)


RSD NaN% [high RSD --> few peptides]




# MSMS: Missed cleavages per Raw file (excludes contaminants)




# MSMS: Missed cleavages per Raw file (excludes contaminants)




EVD: charge distribution




EVD: charge distribution




# PG: Contaminant per condition




# MSMSscans: TopN over RT




# MSMSscans: TopN over RT




# MSMSScans: TopN over RT




# MSMSscans: TopN over RT




# MSMSscans: TopN over RT




# MSMSscans: TopN over RT




# MSMSscans: TopN over RT




# MSMSscans: TopN over RT




# EVD: IDs over RT




# EVD: IDs over RT




## EVD: IDs over RT




# EVD: IDs over RT




# EVD: IDs over RT




# EVD: IDs over RT




# EVD: IDs over RT




# EVD: IDs over RT




EVD: Peak width over RT




EVD: Peak width over RT




EVD: Peak width over RT




EVD: Peak width over RT




EVD: Peak width over RT




EVD: Peak width over RT




EVD: Peak width over RT




EVD: Peak width over RT




# MSMSscans: Ion Injection Time over RT




# MSMSscans: Ion Injection Time over RT




# MSMSscans: Ion Injection Time over RT




## MSMSscans: Ion Injection Time over RT




# MSMSscans: Ion Injection Time over RT




# MSMSscans: Ion Injection Time over RT




# MSMSscans: Ion Injection Time over RT




# MSMSScans: Ion Injection Time over RT




# [experimental] MSMSscans: MS/MS intensity




# [experimental] MSMSscans: MS/MS intensity




# [experimental] MSMSscans: MS/MS intensity




# [experimental] MSMSscans: MS/MS intensity




## EVD: Oversampling (MS/MS counts per 3D-peak)




## EVD: Oversampling (MS/MS counts per 3D-peak)




# EVD: Uncalibrated mass error




# EVD: Uncalibrated mass error




# EVD: Calibrated mass error




# EVD: Calibrated mass error




# MSMS: Fragment mass errors per Raw file




# MSMS: Fragment mass errors per Raw file




# MSMS: Fragment mass errors per Raw file




# MSMS: Fragment mass errors per Raw file




# MSMS: Fragment mass errors per Raw file




# SM: MS/MS identified per Raw file




# MSMSScans: TopN




# MSMSScans: TopN




# MSMSScans: TopN




# MSMSScans: TopN




# MSMScans: TopN




# MSMSscans: TopN % identified over N




# MSMSScans: TopN % identified over N




# MSMSScans: TopN % identified over N



# MSMSscans: TopN % identified over N





# MSMSScans: TopN % identified over N




# [experimental] EVD: Non-Missing Peptides

compared to all peptides seen in experiment







# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values




# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values




# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values







# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values




# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values




# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values




# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values



# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values




# [experimental] EVD: Imputed Peptide Intensity Distribution of Missing Values



## EVD: Peptide ID count



## EVD: Peptide ID count



## EVD: ProteinGroups count



## EVD: ProteinGroups count



