

TABELLA PARAMETRI

```
=====
SIMULAZIONE DISCO.....STANDARD...ADE.....80 TR 2 s.
=====

DEVICE LOGICO ..... C
DEVICE FISICO - drive [0/3] ..... 3
size [5/8"] ..... 5
sides [1/2] ..... 2
density ..... D
track stepping rate [3/6/12/20/30ms]..... 12
    (dipende dal drive fisico che si usa)
Tracks [128 max] ..... 80
sectors / track [128 max] ..... 10
bytes / sector [128/256/512/1024]..... 512
side management [c/s] ..... C
directory track [ 3 min. for system]..... 2
block size [1/2/4/8k]..... 2
files [n* 64/256 max]..... 128
skew [128 max] ..... 2
complemented data [y/n]..... N

DATA AGGIORNAMENTO .....
```

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO.....*STANDARD*...*ADE*...*40 TR.*

=====

DEVICE LOGICO	<i>B</i>
DEVICE FISICO - drive [0/3]	<i>1</i>
size [5/8"]	<i>5</i>
sides [1/2]	<i>2</i>
density	<i>0</i>
track stepping rate [3/6/12/20/30ms].....	<i>12</i>
(dipende dal drive fisico che si usa)	
Tracks [128 max]	<i>40</i>
sectors / track [128 max]	<i>10</i>
bytes / sector [128/256/512/1024].....	<i>512</i>
side management [c/s]	<i>C</i>
directory track [3 min. for system].....	<i>3</i>
block size [1/2/4/8k].....	<i>2</i>
files [n* 64/256 max].....	<i>128</i>
skew [128 max]	<i>2</i>
complemented data [y/n].....	<i>N</i>

DATA AGGIORNAMENTO *7/8/83*

TABELLA PARAMETRI

```
=====
SIMULAZIONE DISCO.....HCR.....
=====

DEVICE LOGICO ..... B
DEVICE FISICO - drive [0/3] ..... 1
size [5/8"] ..... 5
sides [1/2] ..... 2
density ..... D
track stepping rate [3/6/12/20/30ms]..... 12
    (dipende dal drive fisico che si usa)
Tracks [128 max] ..... 40
sectors / track [128 max] ..... 8
bytes / sector [128/256/512/1024]..... 512
side management [c/s] ..... 5
directory track [ 3 min. for system]..... 3
block size [1/2/4/8k]..... 2
files [n* 64/256 max]..... 64 (128)
skew [128 max] ..... 1
complemented data [y/n]..... N

DATA AGGIORNAMENTO .....
```


TABELLA PARAMETRI

=====

SIMULAZIONE DISCO.....*DIGITAL-*.....

=====

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"]

sides [1/2] *1*

density *D*

track stepping rate [3/6/12/20/30ms]..... *12*

(dipende dal drive fisico che si usa)

Tracks [128 max] *80*

sectors / track [128 max] *10*

bytes / sector [128/256/512/1024]..... *512*

side management [c/s]

directory track [3 min. for system]..... *2 ✓*

blok size [1/2/4/8k]..... *2 ✓*

files [n* 64/256 max]..... *128 ✓*

skew [128 max] *2*

complemented data [y/n]..... *N*

DATA AGGIORNAMENTO

TABELLA PARAMETRI

```
=====
SIMULAZIONE DISCO.....SINGOLA FACCIA.....S. DENSITA 8"
=====

DEVICE LOGICO ..... B
DEVICE FISICO - drive [0/3] ..... 1
size [5/8"] ..... 8
sides [1/2] ..... 1
density ..... 5
track stepping rate [3/6/12/20/30ms]..... 7
      (dipende dal drive fisico che si usa)
Tracks [128 max] ..... 77
sectors / track [128 max] ..... 26
bytes / sector [128/256/512/1024]..... 128
side management [c/s] .....
directory track [ 3 min. for system]..... 2
block size [1/2/4/8k]..... 1
files [n* 64/256 max]..... 64
skew [128 max] ..... 6
complemented data [y/n].....

DATA AGGIORNAMENTO .....
```

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO.....*DIGITAL-*.....

=====

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"]

sides [1/2] 1

density D

track stepping rate [3/6/12/20/30ms]..... 12

(dipende dal drive fisico che si usa)

Tracks [128 max] 80

sectors / track [128 max] 10

bytes / sector [128/256/512/1024]..... 512

side management [c/s]

directory track [3 min. for system]..... 2 ✓

blok size [1/2/4/8k]..... 2 ✓

files [n* 64/256 max]..... 128 ✓

skew [128 max] 2

complemented data [y/n]..... N

DATA AGGIORNAMENTO

TABELLA PARAMETRI

=====	
SIMULAZIONE DISCO.....	<i>SAGA F9 80 track</i>
=====	
DEVICE LOGICO	
DEVICE FISICO - drive [0/3]	<i>5" 80 track</i>
size [5/8"]	<i>5</i>
sides [1/2]	<i>2</i>
density	<i>D</i>
track stepping rate [3/6/12/20/30ms].....	<i>12</i>
(dipende dal drive fisico che si usa)	
Tracks [128 max]	<i>80</i> <i>40</i>
sectors / track [128 max]	<i>10</i>
bytes / sector [128/256/512/1024].....	<i>512</i>
side management [c/s]	<i>C</i>
directory track [3 min. for system].....	<i>1</i>
block size [1/2/4/8k].....	<i>8</i>
files [n* 64/256 max].....	<i>256</i> <i>64</i>
skew [128 max]	<i>2</i> <i>2</i>
complemented data [y/n].....	<i>Y</i>
DATA AGGIORNAMENTO	<i>15/10/83</i>

TABELLA PARAMETRI

SIMULAZIONE DISCO *SAGA BIP 40 tracce*

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

5" 40 tracce

size [5/8"]

5

sides [1/2]

2

density

0

track stepping rate [3/6/12/20/30ms]

12

~LOAAZM1MK (dipende dal drive fisico che si usa)

tracks [128 max]

40

sectors / track [128 max]

10

bytes / sector [128/256/512/1024]

512

side management [c/s]

C

directory track [3 min. for system]

1

block size [1/2/4/8k]

2

files [n* 64/256 max]

64

skew [128 max]

2

complemented data [y/n]

Y

DATA AGGIORNAMENTO

26-2-86

B: Drive Characteristics
 3120: 128 Byte Record Capacity
 390: Kilobyte Drive Capacity
 64: 32 Byte Directory Entries
 64: Checked Directory Entries
 256: Records/ Extent
 16: Records/ Block
 40: Sectors/ Track
 2: Reserved Tracks

40 tracce

A>

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO.....*STANDARD*.....*ANE*.....*8"*

=====

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"] *8*

sides [1/2] *2*

density *D*

track stepping rate [3/6/12/20/30ms]..... *3*

(dipende dal drive fisico che si usa)

Tracks [128 max] *77*

sectors / track [128 max] *8*

bytes / sector [128/256/512/1024]..... *1024*

side management [c/s] *C*

directory track [3 min. for system]..... *1*

block size [1/2/4/8k]..... *2*

files [n* 64/256 max]..... *128*

skew [128 max] *3*

complemented data [y/n]..... *N*

DATA AGGIORNAMENTO

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO... *L'EMMECI* *DF DD*

=====

DEVICE LOGICO	<i>1</i>
DEVICE FISICO - drive [0/3]	<i>0</i>
size [5/8"]	<i>8</i>
sides [1/2]	<i>2</i>
density	<i>D</i>
track stepping rate [3/6/12/20/30ms].....	<i>3</i>
(dipende dal drive fisico che si usa)	
Tracks [128 max]	<i>77</i>
sectors / track [128 max]	<i>26</i>
bytes / sector [128/256/512/1024].....	<i>256</i>
side management [c/s]	<i>C</i>
directory track [3 min. for system].....	<i>1</i>
block size [1/2/4/8k].....	<i>2</i>
files [n* 64/256 max].....	<i>128</i>
skew [128 max]	<i>1</i>
complemented data [y/n].....	<i>N</i>

DATA AGGIORNAMENTO

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO..... *ED1 8" S. Facca Dappu Nantu*

=====

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"] *8*

sides [1/2] *1*

density *D*

track stepping rate [3/6/12/20/30ms]..... *3*

(dipende dal drive fisico che si usa)

Tracks [128 max] *77*

sectors / track [128 max] *16*

bytes / sector [128/256/512/1024]..... *512*

side management [c/s]

directory track [3 min. for system]..... *2*

block size [1/2/4/8k]..... *4*

files [n* 64/256 max]..... *128*

skew [128 max] *1*

complemented data [y/n]..... *H*

DATA AGGIORNAMENTO *8/12/83*

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO... IBM... CPM 86... 5D

=====

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"] 5

sides [1/2] 1

density 0

track stepping rate [3/6/12/20/30ms]..... 12
(dipende dal drive fisico che si usa)

Tracks [128 max] 40

sectors / track [128 max] 8

bytes / sector [128/256/512/1024]..... 512

side management [c/s] 5

directory track [3 min. for system]..... 1

block size [1/2/4/8k]..... 1 2

files [n* 64/256 max]..... 64

skew [128 max] 1 1

complemented data [y/n]..... 0

DATA AGGIORNAMENTO 18/12/83

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO... *IBM* ... *CPH 86* ... *DD* ... *5"*

=====

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"] *5*

sides [1/2] *2*

density *D*

track stepping rate [3/6/12/20/30ms]..... *12*
(dipende dal drive fisico che si usa)

Tracks [128 max] *40*

sectors / track [128 max] *8*

bytes / sector [128/256/512/1024]..... *512*

side management [c/s] *5*

directory track [3 min. for system]..... *1*

block size [1/2/4/8k]..... *2*

files [n* 64/256 max]..... *64*

skew [128 max] *1*

complemented data [y/n]..... *N*

DATA AGGIORNAMENTO *18/2/85*

TABELLA PARAMETRI

SIMULAZIONE DISCO... *OLIVETTI ETV 300* ...

DEVICE LOGICO

40 Tracce

DEVICE FISICO - drive [0/3]

size [5/8"]

5

sides [1/2]

1

density

D

track stepping rate [3/6/12/20/30ms].....
(dipende dal drive fisico che si usa)

12

Tracks [128 max]

40

sectors / track [128 max]

18

bytes / sector [128/256/512/1024].....

256

side management [c/s]

=

directory track [3 min. for system].....

2

block size [1/2/4/8k].....

1

files [n* 64/256 max].....

64

skew [128 max]

2

complemented data [y/n].....

N

DATA AGGIORNAMENTO

3/2/84

B: UCADN35 CSD : FATTUR9 CSD : DISTINTA
ADS

660.800

A: Drive Characteristics
3600: 128 Byte Record Capacity
450: Kilobyte Drive Capacity
96: 32 Byte Directory Entries
96: Checked Directory Entries
128: Records/Extent
16: Records/Block
48: Sectors/Track
2: Reserved Tracks

77.41.128

(95)

SK 0

B: Drive Characteristics
1944: 128 Byte Record Capacity
243: Kilobyte Drive Capacity
64: 32 Byte Directory Entries
64: Checked Directory Entries
128: Records/Extent
8: Records/Block
26: Sectors/Track
2: Reserved Tracks

ALTOS SF DD

TABELLA PARAMETRI

```
=====
SIMULAZIONE DISCO... ALTO5 ... SF. D.D .....
=====

DEVICE LOGICO ..... 2
DEVICE FISICO - drive [0/3] .....
size [5/8"] ..... 8
sides [1/2] ..... 1
density ..... D
track stepping rate [3/6/12/20/30ms]..... 3
      (dipende dal drive fisico che si usa) ..... 72
Tracks [128 max] .....
sectors / track [128 max] ..... 48
bytes / sector [128/256/512/1024]..... 128
side management [c/s] ..... - S
directory track [ 3 min. for system]..... 2
block size [1/2/4/8k]..... 2
files [n* 64/256 max]..... 128 [result 96]
skew [128 max] ..... 0 H4
complemented data [y/n]..... N

DATA AGGIORNAMENTO .....
```

TABELLA PARAMETRI

=====	
SIMULAZIONE DISCO.....	MONROE CPM 86 n.f.....
=====	
DEVICE LOGICO	2
DEVICE FISICO - drive [0/3]	B
size [5/8"]	5
sides [1/2]	2
density	D
track stepping rate [3/6/12/20/30ms].....	12
(dipende dal drive fisico che si usa)	
Tracks [128 max]	80
sectors / track [128 max]	8
bytes / sector [128/256/512/1024].....	512
side management [c/s]	C
directory track [3 min. for system].....	1
block size [1/2/4/8k].....	2
files [n* 64/256 max].....	128
skew [128 max]	1
complemented data [y/n].....	NO
DATA AGGIORNAMENTO	

TABELLA PARAMETRI

```
=====
SIMULAZIONE DISCO... QUARK ..... 80 bruci 5"
                      CPM
=====
```

```
DEVICE LOGICO .....
DEVICE FISICO - drive [0/3] .....
size [5/8"] ..... 5
sides [1/2] ..... 2
density ..... 0
track stepping rate [3/6/12/20/30ms]..... 12
      (dipende dal drive fisico che si usa)
Tracks [128 max] ..... 80
sectors / track [128 max] ..... 512 q
bytes / sector [128/256/512/1024]..... 512
side management [c/s] ..... C
directory track [ 3 min. for system]..... 1
block size [1/2/4/8k]..... 4
files [n* 64/256 max]..... 128
skew [128 max] ..... 2
complemented data [y/n].....
```

```
DATA AGGIORNAMENTO .....
```


TABELLA PARAMETRI

=====

SIMULAZIONE DISCO..... ~~QUARK~~ 80 bmu 5" CPM

=====

DEVICE LOGICO C

DEVICE FISICO - drive [0/3] ϕ

size [5/8"] 5

sides [1/2] 2

density D

track stepping rate [3/6/12/20/30ms]..... 12
(dipende dal drive fisico che si usa)

Tracks [128 max] 80

sectors / track [128 max] ~~512~~ 46

bytes / sector [128/256/512/1024]..... ~~512~~ 256

side management [c/s] C

directory track [3 min. for system]..... 1

block size [1/2/4/8k]..... 4

files [n* 64/256 max]..... 128

skew [128 max] 2

complemented data [y/n]..... N

DATA AGGIORNAMENTO

TABELLA PARAMETRI

=====

SIMULAZIONE DISCO

=====

DEVICE LOGICO 3

DEVICE FISICO - drive [0/3] 8

size [5/8"] 2

sides [1/2] 2

density D

track stepping rate [3/6/12/20/30ms] 3

(dipende dal drive fisico che si usa)

Tracks [128 max] 72

sectors / track [128 max] 26

bytes / sector [128/256/512/1024] 256

side management [c/s] 5

directory track [3 min. for system] 2

block size [1/2/4/8k] 4

files [n* 64/256 max] 128

skew [128 max] 3 3 3

complemented data [y/n] H

=====

DATA AGGIORNAMENTO

TABELLA PARAMETRI

=====

SCHIATTI COMPUPRO

SIMULAZIONE DISCO

=====

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"] 5

sides [1/2] 2

density 0

track stepping rate [3/6/12/20/30ms] 12
(dipende dal drive fisico che si usa)

Tracks [128 max] 80

sectors / track [128 max] 5

bytes / sector [128/256/512/1024] 1024

side management [c/s] C ~~8~~

directory track [3 min. for system] 2

block size [1/2/4/8k] #2

files [n* 64/256 max] 256

skew [128 max] #2

complemented data [y/n]

DATA AGGIORNAMENTO

TABELLA PARAMETRI

SIMULAZIONE DISCO.....

DEVICE LOGICO

DEVICE FISICO - drive [0/3]

size [5/8"]

sides [1/2]

density

track stepping rate [3/6/12/20/30ms].....

(dipende dal drive fisico che si usa)

Tracks [128 max]

sectors / track [128 max]

bytes / sector [128/256/512/1024].....

side management [c/s]

directory track [3 min. for system].....

block size [1/2/4/8k].....

files [n* 64/256 max].....

skew [128 max]

complemented data [y/n].....

DATA AGGIORNAMENTO