

My Notes:

2026.02 Ordered from Grainger: toughGuy swivel pad holder product.
- benchmark & evaluate strength, materials, geometry.

The following document organizes the technical data for the 3M Doodlebug product into a clean, editable format. This content is designed to be copied directly into a Word document or technical specification sheet.

Technical Data Sheet: 3M™ Doodlebug™ Pad Holder 6472

1. Product Identification

- **Product Name:** 3M™ Doodlebug™ Pad Holder 6472
- **Manufacturer:** 3M
- **Product Number:** 6472
- **3M ID:** 7000002232
- **UPC:** 50048011085420
- **Case Quantity:** 4/Case (Standard)

2. Technical Specifications

Feature	Specification
Overall Length (Imperial)	8.937 in
Overall Length (Metric)	227 mm
Overall Width (Imperial)	3.74 in
Overall Width (Metric)	95 mm
Pad Compatibility	Holds 4.625" x 10" (117mm x 254mm) pads
Product Color	Orange

Material	Durable Plastic
Attachment Mechanism	Hook & Loop (Grippers)
Handle Compatibility	Standard U.S. Threaded Broom Handle
Swivel Mechanism	360-degree multi-directional swivel
Application	Hard Floors, Grout, Stone, Tile, Vinyl

3. Design & Functional Description

The **3M™ Doodlebug™ Pad Holder 6472** is a utility cleaning tool designed for reaching confined or hard-to-access areas such as baseboards, stairs, and corners.

- **Swivel Design:** The holder features a durable swivel joint that twists and turns 360 degrees, allowing the operator to maneuver the pad into difficult angles without losing contact with the surface.
- **Gripper Technology:** The underside of the orange plastic holder is engineered with special "hook" grippers that firmly secure the cleaning pad in place, preventing slippage during vigorous scrubbing.
- **Threaded Socket:** The unit connects to any standard U.S. threaded broom handle (sold separately), allowing for floor or ceiling work without the need for ladders or bending.
- **Kit Configuration:** Standard kits typically include the 6472 holder along with:
 - *White Cleansing Pad 8440:* For delicate surfaces like glass or ceramic tile.
 - *Brown Scrub 'n Strip Pad 8541:* For heavy-duty stripping of wax and finish.

4. Certification

- **Green Seal® Certified:** Certified for Environmental Innovation based on a design that significantly improves initial performance compared to competitive products, extending the useful life of the floor pad and reducing solid waste generation.

5. Reference Images

To view high-resolution images for design study, please utilize the links below:

- **Primary Product Image (Holder + Pads):** [View Image](#)


- **Underside/Gripper Detail:** [View Image](#) (See official 3M product carousel)
- **Swivel Mechanism Detail:** [View Image](#)

Images

Image from 3M



Image from Grainger, PN 6472



Benchmark 2



Figure 1 Tough Guy 280194 - swivel pad holder

Price: 7.61

Distributor: Grainger

Price: \$7.61

Model: 280194

Description: Baseboard cleaning holders allow workers to clean baseboards without stooping or kneeling. They attach to Acme-thread broom handles while handheld baseboard cleaning tools have a handle to provide control and reduce hand fatigue.

What types of pads are compatible with the doodlebug mop and similar? (example pad data below)

3M™ Doodlebug™ White Cleaning Pad 8440

Technical Data

July 2017

Description:

This product is a floor maintenance buffing pad made of polyester fibre in an open-web construction. Polishing particles are dispersed throughout and bonded to the non-woven construction with a durable resin system that permeates the entire pad. The pads are nominally one inch thick and sized to fit standard swivel pad holder.

Applications:

This product is used dry, with water, or with detergent solutions for cleaning and light scrubbing of delicate surfaces such as glass, ceramic-tile walls, floors and swimming pools. The pads are designed for use with the swivel pad holder system to reach floor areas not accessible to standard floor machines.

This product fits 3M™ Doodlebug™ Pad Holder 6472 or 3M™ Doodlebug™ Handblock Pad Holder 6473

Features and Benefits:

Uniform coating throughout every 3M™ Doodlebug™ pad reduces the number of knots and clumps, which eliminates scratching of floors while providing greater consistency and extended pad life.

Pads are reversible and will not be significantly affected by water, detergents, or cleaners normally used for floor maintenance.

Typical Physical Properties and Performance Characteristics

3M™ Doodlebug™ White Cleaning Pad 8440		Test Method
Fiber Type	Polyester	
Fiber Size	Mixture of Sizes	
Color	White	
Weight (4" by 6")	18.6 g	
Thickness	1" Nominal	SB 66
Wear (Weight Loss)	28%	SB 2.0
Packaging Recycle Content	50-100% post-consumer recycled material in packaging	

Important Notice to User:

The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.



3M Commercial Solutions Division
PO Box 5757
1840 Oxford Street East
London, ON N6A 4T1
Phone 1-800-364-3577
Web: 3M.ca

© 3M 2017. All rights reserved. 3M and Doodlebug are trademarks of 3M Company. Used under license in Canada.

Related Categories

Baseboard Cleaning Pads & Holders



Mops & Floor Finish Applicators



Cleaning Supplies

Product Categories / Cleaning and Janitorial / Cleaning Supplies / Mops & Floor Finish Applicators /

Baseboard Cleaning Pads & Holders / TOUGH GUY Swivel Pad Holder: 9 in...



TOUGH GUY Swivel Pad Holder: 9 in Overall Lg, 4 in Overall Wd, Plastic, Blue

Item 6XE76 Mfr. Model 280194

Your Price i

\$7.61 / each

Qty
1

Add to Cart

 Setup Auto Reorder Ship Pickup

Expected to arrive Mon. Feb 09.

Ship to 77802 | Change

Shipping Weight 0.4 lbs

[Ship Availability Terms](#)[Add to List](#)

Product Details

Catalog Page [1481](#)Brand **TOUGH GUY**Manufacturer Part Number **280194**Product Type **Swivel Pad Holder**Overall Length **9 in**Overall Width **4 in**Color **Blue**Material **Plastic**Includes **Pad Holder Only**Resistance Properties **Chemical Resistant**Series **Tough Guy**Display Qty **1**Display Sell UOM **EA**UNSPSC **47131605**Country of Origin **China (subject to change)**

Product Description

Baseboard cleaning holders allow workers to clean baseboards without stooping or kneeling. They attach to Acme-thread broom handles while handheld baseboard cleaning tools have a handle to provide control and reduce hand fatigue.



G Compatible Products

Essential



GRAINGER Broom Handle: Tapered, Fiberglass, 60 in Lg, 1 in Dia, Spray Coating, White, Fixed Handle

Item 1VAC8

Your Price *i*

\$16.12 / each

Qty
1

Add to Cart



TOUGH GUY Cleaning Pad: 10 in Overall Lg, 4 1/2 in Overall Wd, Poly Blend, Black, 5 PK

Item 6XE71

Your Price *i*

\$13.91 / pkg. of 5

Qty
1

Add to Cart



TOUGH GUY Pad: 10 in Overall Lg, 4 1/2 in Overall Wd, Poly Blend, Blue, 5 PK

Item 6XE72

Your Price *i*

\$9.69 / pkg. of 5

Qty
1

Add to Cart



TOUGH GUY Pad: 10 in Overall Lg, 4 1/2 in Overall Wd, Poly Blend, Brown, 5 PK

Item 6XE73




Your Price *i*

\$12.74 / pkg. of 5

Qty
1

Add to Cart

Choose the right floor pad for the job.

Maintenance Operation	Equipment Speed	First Choice	Alternate Choices
Stripping To remove finish, sealer and contaminants from the floor surface.	Rotary or Automatic Low Speed 175–600 RPM	 3M™ High Productivity Pad 7300 Our most aggressive stripping pad. Unique open construction resists loading and clogging. For fast removal of finish and proven consistent stripping.	 3M™ Black Stripper Pad 7200 Standard of the industry. Consistent proven performance. Long pad life.
Scrubbing To provide a fresh new surface for finishing.	Rotary or Automatic Low Speed 175–600 RPM	 Scotch-Brite™ Surface Preparation Pad Plus Long-lasting, high performance scrubbing pad for top coat removal prior to recoating.	 Scotch-Brite™ Surface Preparation Pad Heavy-duty scrubbing for top coat removal prior to recoating.
Cleaning To remove light soil and other contaminants.	Rotary or Automatic Low Speed 175–600 RPM	 Scotch-Brite™ Clean & Shine Pad 2-in-1 daily cleaning pad for low-speed scrubbers that gradually increases shine with repeated use.	 3M™ TopLine Autoscubber Pad 5000 Scrubs and cleans. Open construction resists clogging. Ideal for autoscrubbers.
Buffing To remove scuffs and black heel marks and enhance floor appearance.	Rotary Low Speed 175–600 RPM	 3M™ White Super Polish Pad 4100 Ideal for removing soil and scuff marks with minimal dulling. Also used to polish wood floors.	 3M™ Red Buffer Pad 5100 Designed for everyday cleaning and light scrubbing to remove light soil, scuff marks and black heel marks.
Burnishing To remove scuffs and marks, repair finish and improve gloss and image clarity.	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above	 3M™ Eraser Burnish Pad 3600 Removes black marks and returns gloss in fewer passes than other pads while producing less dust. Ideal for harder finishes and high traffic areas. Excellent durability and minimal finish removal.	 3M™ Natural Blend Tan Pad 3500 Blend of natural and synthetic fibers. Ideal for harder finishes and high traffic conditions. Removes marks and scuffs while polishing.
Best Gloss	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above	 3M™ TopLine Speed Burnish Pad 3200 Optimizes UHS burnishing on a wide variety of finishes. Combines black mark removal and gloss generation in one pad.	 3M™ Natural Blend White Pad 3300 Blend of natural and synthetic fibers. Excellent results on a wide variety of finishes and traffic conditions. Consistent high gloss with minimal swirl marks.
Soft Finish	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above	 3M™ Sky Blue Hi-Performance Burnish Pad 3050 Restores gloss to dull floors. Designed for frequent burnishing with less dust, point buildup and burning.	 3M™ Aqua Burnish Pad 3100 Good gloss improvement with exceptional durability and life. The soft finish problem solver.
Stone Floor Conditioning To clean and condition worn and dull stone floors.	Rotary, Automatic, Electric, Battery or Propane Low to Ultra High Speed 175–1500 RPM & Above	 Scotch-Brite™ Sienna Diamond Floor Pad Plus Diamond-coated floor pads clean and condition worn and dull marble, terrazzo, slate and polished concrete, bringing it to a medium gloss.	Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property. Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.
Stone Floor Polishing To clean and polish stone floors with medium shine in good condition.	Rotary, Automatic, Electric, Battery or Propane Low to Ultra High Speed 175–1500 RPM & Above	 Scotch-Brite™ Purple Diamond Floor Pad Plus Diamond-coated floor pads further enhance the appearance of terrazzo, slate and polished concrete.	Greener Solutions The polyester fiber used to make a range of floor pads' contains a minimum of 50% post-consumer recycled content. The recycled polyester fiber used is third-party certified for post-consumer recycled content. *3M™ Brand Floor Pad families include: 3200, 3300, 3400, 3500, 3600, 5000 and 5100.

1-800-GRAINGER (472-4643)

CLEANING & JANITORIAL

Baseboard Cleaning Holders/Pads & Floor Finish Applicators/Pads



Baseboard Cleaning Pad Holders & Pads

Holders and pads clean dirt, scuff marks, and grime from baseboards and toe kicks. **Holders** attach to a broom handle to allow workers to clean baseboards without stooping or kneeling, while handheld baseboard cleaning tools have a handle to provide control and reduce hand fatigue. **Pads** have a rough surface that removes surface dirt, rust, and stains.

Swivel holders and pads are for hard-to-reach areas. 3U097 and 2FXP7 are threaded for attachment to standard broom handles. 2FXP7 also has a concave design to handle curved surfaces. 6XE76 and 6XE75 accept threaded, tapered, or straight 15/16" broom handles (Handles sold separately on page 1486).

Overall Length	Overall Width	Color	Series	Brand	Item No.	Pkg. Qty.	
Baseboard Cleaning Pad Holders							
Swivel Pad Holders	3 1/4 in	Orange	Doodlebug	3M	3U097	1	
9 in	4 in	Blue	Tough Guy	Grainger	15MF540	1	
—	4 in	Blue	Tough Guy	Grainger	6XE76	1	
9 1/4 in	4 in	Gray	Scotch	3M	1UXT3	1	
12 1/2 in	7 in	Gray	Scotch-Brite	Scotch-Brite	2FXP7	1	
Baseboard Cleaning Pads							
9 in	4 in	Melamine	Pad Abrasive	Brand	Item No.	Pkg. Qty.	
9 in	4 in	—	White	Grainger	6DNA9	6	
10 in	4 1/2 in	Poly Blend	Brown	Ability One	4ZA82	5	
10 in	4 1/2 in	Poly Blend	White	Grainger	6XE74	5	
10 in	4 1/2 in	Poly Blend	Blue	Grainger	6XE72	5	
10 in	4 1/2 in	Poly Blend	Black	Grainger	6XE71	5	
10 in	4 1/2 in	Poly Blend	Brown	Grainger	6XE73	5	
10 in	4 5/8 in	Nylon/Polyester	Blue	3M	3U098	5	
10 in	4 5/8 in	Polyester Fiber	White	3M	3U099	5	
10 in	4 5/8 in	Nylon	Black	3M	3U100	10	
10 in	4 5/8 in	Fiber	Maroon	3M	12R430	20	
10 in	—	—	Brown	Ability One	55MR07	5	
Baseboard Cleaning Kits							
Handheld Pad Holders	Overall Length	Overall Width	Material	Includes	Series	Brand	
9 in	4 in	Nylon/Polyester	Brown Holder, White Cleansing Pad (8440), Brown Scrub 'n Strip Pad (8541)	Doodlebug	3M	1CJ79	1
10 in	4 1/2 in	Poly Blend	Blue Holder, White Pad, Brown Pad	Tough Guy	Grainger	6XE77	1
Swivel Pad Holders							
9 in	4 in	—	Gray Holder, Blue Scrubbing Pad, Brown Stripping Pad, White Polishing Pad	—	Ability One	4ZA83	1
10 in	4 1/2 in	Poly Blend	Blue Holder, White Pad, Brown Pad	Tough Guy	Grainger	6XE75	1

**3M Bona®****Plasticover™**


Floor Finish Applicators & Pads

Applicators and pads apply finishes or protective coatings to wood, stone, concrete, and synthetic flooring. They have a smooth, wide head that evenly spreads finishes and coatings for consistent coverage.

Applicator evenly distributes coats of finish on flooring. **Applicator Kit** applies coats of floor finish and protectors to flooring and includes compatible required accessories. Pouch **Applicator Pads** fit on floor finish applicator heads to apply finishes

evenly and consistently across floors. **Sponge Floor Coater Sleeves** apply water-based wood floor finishes. **Floor Coater Heads** attach to floor finish applicator handles and apply finishes to flooring. The **Carpet Film Applicator** dispenses and adheres a protective barrier film directly onto carpeted areas during renovations, repairs, or construction. The adjustable dispenser accommodates three film roll sizes. Find compatible Plasticover brand Carpet Protection Films on page 1554.

Overall Width	Material	Color	Includes	Brand	Item No.	Pkg. Qty.	
Floor Finish Applicator							
18 in	Metal, Plastic	Silver	Finish Applicator Tool	Diversey	3FTT6	1	
Floor Finish Applicator Kit							
16 in	—	Gold Handle, Black Grip, Pad Holder, and Backpack, Blue Pads	(2) Washable Flat Microfiber Mop Pads, 16 in Frame, Backpack and Tubing, Aluminum Handle, Reusable Plastic Pouch	3M	6XU16	1	
Replacement Reusable Pouches							
For Use With 6XU16	Overall Length	Material	Color	Brand	Item No.	Pkg. Qty.	
4 in	9 in	Foam	White	Bona	1YNV4	12	
—	17 in	Polyester	White	Diversey	3FTT7	12	
5 in	18 in	Microfiber	White	Rubbermaid	2U652	1	
—	18 in	Microfiber	White/Yellow	3M	6XU17	10	
—	24 in	Microfiber	White/Yellow	3M	6XU18	10	
18 in	18 in	Microfiber	Blue	3M	6CTP9	2	
Overall Width							
Overall Length							
Sponge Floor Coater Sleeves							
18 in	18 in	Foam	Yellow	Floor Coater Sleeve	Bona	1YNU6	6
Carpet Film Applicator							
24 in, 36 in, 4 ft	—	Steel	Blue	(3) Steel Roller Tubes	Plasticover	18F254	1



Sign in to **Grainger.com®** to see YOUR Pricing and MORE

1481



Product Description

Scotch-Brite™ Surface Preparation Pad is a floor maintenance deep scrubbing pad made of nylon fiber in an open textured, non-woven construction. Specialized abrasive particles are dispersed throughout and bonded to the non-woven construction with a durable resin system that permeates the entire pad. Provides aggressive deep scrubbing performance while leaving a smooth surface to re-coat. Unique abrasives and construction scuff surface to create optimal bonding of finish while diffusing scratches and conforming to uneven surfaces.

- Designed to remove soiled top layers of floor finish using water or neutral cleaner instead of harsh stripping chemicals
- For use on standard, low speed automatic scrubbers and rotary floor machines (175 - 600 rpm)

Applications

This product is used with neutral cleaner or water to remove layers of soiled or damaged floor finish without the slippery surface and harsh chemicals associated with standard floor strippers. The product is intended for use on standard, low speed automatic scrubbers and rotary floor machines. For use on finish-coated flooring such as wood, sheet vinyl, vinyl tile, marble, terrazzo or concrete.

Features and Benefits

Uniform coating throughout every 3M™ floor pad reduces the number of knots and clumps, which eliminates scratching of floors while providing greater consistency and extended pad life.

Pads are reversible and will not be significantly affected by water, detergents, or cleaners normally used for floor maintenance.

Exacting standards for quality mean thickness uniformity from edge to edge and pad to pad are exceptional, resulting in consistent performance without pad wobble or machine vibration. The precise center-hole placement and roundness of the pads also contributes to the smooth operation which extends pad life and may help reduce operator fatigue.

Quick Links

[Facilities Website](#)
[Safety Data Sheets \(SDS\)](#)

Some of these links lead to web-based resources that are not product-specific.

Packaging and Marking

Each carton shall be labeled to identify the contents by product name, size, quantity and manufacturer. Each pad shall be printed with the manufacturer's name.

Standard Sizes

Circular discs and other shapes are available in a variety of common sizes. Pads are nominally one-half inch thick.

Pad Use and Cleaning

Dust mop or sweep floors prior to scrubbing with neutral cleaner or water and floor pad. Scotch-Brite™ Surface Preparation Pad can be used on automatic scrubbers or rotary floor machines with a flexible backer floor pad such as the 3M™ Red Buffer Pad 5100 used to hold it. Pick up dirty solution with a mop, wet vacuum, or automatic scrubber. Rinse floor and let dry prior to recoating or opening to traffic.

Pads may be hosed out using a pressure spray nozzle to remove soil. Pads may be soaked in detergent or diluted stripping solution to dissolve caked soil or finish prior to hosing out.

Storage

Store indoors in original packaging and under normal facility conditions.



Scotch-Brite™ Surface Preparation Pad is certified by Green Seal® for Environmental Innovation based on a design for significantly improved mid-life performance compared to competitive products, extending the useful life of the floor pad and reducing solid waste generation. GreenSeal.org.

Product Characteristics

ScotchBrite™ Surface Preparation Pad		Test Method
Fiber Type	Nylon	N/A
Weight (4 in. by 6 in.)	18.6 g	CCD0015
O.D. Dimension	Designated Size ±1/16 in.	CCD0004
Thickness	0.5 in. nominal	CCD0002
Alkali Resistance (Tensile Retention)	NA	CCD0005,6

ScotchBrite™ Surface Preparation Pad		Test Method
Aggressiveness	4.0 g	CCD0020
Packaging Recycle Content	50-100% recycled content	N/A

Explanation of Signal Word Consequences**⚠ DANGER**

Indicates a hazardous situation which, if not avoided, will result in serious injury or death.

⚠ WARNING

Indicates a hazardous situation which, if not avoided, could result in serious injury or death.

⚠ DANGER

To reduce the risks associated with inhalation of or exposure to contaminants:

- DO NOT use this product on any asbestos-containing material.

⚠ WARNING

To reduce the risks associated with inhalation of or exposure to contaminants:

- Ensure this product is used in the recommended applications with the suggested equipment.
- Do not allow this product to be used by untrained operators.
- Always follow standard safety practices, including wearing appropriate protective apparel and eye protection, while using this product.

Health and Safety**⚠ CAUTION**

When handling any chemical products, read the manufacturers' container labels and the Safety Data Sheets (SDS) for important health, safety and environmental information. To obtain SDS sheets for 3M products go to 3M.com/SDS, or by mail or in case of an emergency, call 1-888-364-3577 or 1-651-737-6501.

When using any equipment, always follow the manufacturers' instructions for safe operation.

Technical Information

Technical information and data, recommendations, and other statements provided by 3M are based on information, tests, or experience which 3M believes to be reliable, but the accuracy or completeness of such information is not guaranteed. Such technical information and data are intended for persons with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. The typical values shown should not be used for the purpose of specification limits. If you have questions about this Product, contact the **Customer Service Department at 1-800-852-9722**.

Product Use

Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty

3M warrants that each 3M product will be free from defects in material and manufacture for 90 days from the date of purchase from 3M's authorized distributor. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Limited Remedy

If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

No Extension of Warranty

In the case of an approved warranty claim, the replacement Product will carry only the remaining term of the original warranty period.

Limitation of Liability

Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted.

Commercial Solutions

3M Center, Building 220-12E-04
St. Paul, MN 55144

1-800-852-9722
3M.com/Facility

© 3M 2020. All rights reserved.
3M and Scotch-Brite are trademarks of 3M.
Used under license in Canada.
All other trademarks are property of their respective owners.
Revision B, May 2020 Please recycle.

3M Science.
Applied to Life.™

Technical Data

3M™ Doodlebug™ Blue Scrub Pad 8242

Description

This product is a floor maintenance scrubbing pad made of polyester and nylon fibers in an open-web construction. Abrasive particles are dispersed throughout and bonded to the non-woven construction with a durable resin system that permeates the entire pad. The pads are nominally one inch thick and sized to fit standard swivel pad holder.

Applications

This product is used with water or detergent solutions for cleaning and medium-duty scrubbing of hard surface floors, baseboards and stairs. The pads are designed for use with the swivel pad holder system to reach floor areas not accessible to standard floor machines.

This product fits 3M™ Doodlebug™ Pad Holder 6472 or 3M™ Doodlebug™ Handblock Pad Holder 6473

Features and Benefits

Uniform coating throughout every 3M™ Doodlebug™ pad reduces the number of knots and clumps, which eliminates scratching of floors while providing greater consistency and extended pad life.

Pads are reversible and will not be significantly affected by water, detergents, or cleaners normally used for floor maintenance.

Packaging and Marking

Each carton shall be labeled to identify the contents by product name, size and manufacturer.

- 5 pads per box
- 4 boxes per case

Standard Sizes

Pads are nominally one inch thick, 10 inches long and 4-5/8 inches wide.

Pad Use and Cleaning

Dust mop or sweep floors prior to scrubbing. Pick up dirty solution with a mop or wet vacuum. Rinse floor and let dry prior to recoating or opening to traffic.

Pads may be hosed out using a pressure spray nozzle to remove soil. Pads may be soaked in detergent or diluted stripping solution to dissolve caked soil or finish prior to hosing out.

Storage

Store indoors in original packaging and under normal facility conditions.

Typical Physical Properties and Performance Characteristics

	3M™ Doodlebug™ Blue Scrub Pad 8242	Test Method
Fiber Type	Nylon/Polyester Blend	
Fiber Size	Mixture of Sizes	
Color	Blue	
Weight (4" by 6")	21.2 g	
Thickness	1" Nominal	SB 66
Aggressiveness	1.2 g	SB 3.0
Wear (Weight Loss)	10%	SB 2.0
Packaging Recycle Content	50-100% post-consumer recycled material	

3M Branch Sales Offices

ANCHORAGE

11151 Calaska Circle
Anchorage, AK 99515

Telephone: 907/522-5200
Facsimile 907/522-1645

HONOLULU

4443 Malaai Street
Honolulu, HI 96818
Mail to: P.O. Box 30048
Honolulu, HI 96820

Telephone: 808/422-2721
Facsimile 808/422-9557

CONTINENTAL UNITED STATES

Customer Service Department
3M Center Building 223-5S-07
St. Paul, MN 55144-1000

Order Entry 1-800-852-9722
Facsimile 1-800-447-0408

CANADA

1840 Oxford Street East
London, Ontario, Canada
N5V 3G2
Mail to: P.O. Box 5757
London, Ontario, Canada
N6A 4T1

Telephone: 800/364-3577
Facsimile: 800/479-4453

Important Notice to User

Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty and Limited Remedy: 3M warrants that each 3M product will be free from defects in material and manufacture for 90 days from the date of purchase from 3M's authorized distributor. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. **Limitation of Liability:** Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted.



Building and Commercial
Services Division
St. Paul, MN 55144-1000
1-800-852-9722
www.3M.com/facility

3M and Doodlebug are trademarks of
3M Company.
Used under license in Canada.
© 3M 2013. All rights reserved.