


[12.31 Tech Notes]

Honeywell Filters

	<u>type</u>	<u>W</u>	<u>L</u>	<u>T</u>
HPA 200	prefilter	285	340	~3mm
HPA 300	prefilter	360	440	~3mm
Both	HEPA	163	258	40





THE DOCTOR'S CHOICE TRUE HEPA ALLERGEN REMOVER AIR PURIFIERS

For Models: HPA090 series, HPA100 series,
HPA200 series & HPA300 series

IMPORTANT SAFETY INSTRUCTIONS

READ AND SAVE THESE SAFETY INSTRUCTIONS BEFORE USING THIS AIR PURIFIER

When using electrical appliances, basic precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

1. Read all instructions before operating the air purifier.
2. Place air purifier where it is not easily knocked over by persons in the household.
3. Always turn the air purifier controls to the **OFF** position and unplug from the wall outlet when not in use.
4. To disconnect the air purifier, make sure the unit is powered **OFF** then grip the plug and pull it from the wall outlet. Never pull by the cord.
5. Do not use any product with a damaged cord or plug or if product malfunctions, is dropped or damaged in any manner. Keep the cord away from heated surfaces.
6. Do not use air purifier outdoors.
7. Never use air purifier unless it is fully assembled.
8. Do not run power cord under carpets, and do not cover with throw rugs. Arrange cord such that it will not be tripped over.

9. Do not use air cleaner where combustible gases or vapors are present.
10. Do not expose the air purifier to rain, or use near water, in a bathroom, laundry area or other damp location.
11. The air purifier must be used in its upright position.
12. Do not allow foreign objects to enter ventilation or exhaust opening as this may cause electric shock or damage to the air purifier. Do not block air outlets or intakes.
13. Locate air purifier near the outlet and avoid using an extension cord.
14. This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of shock, this plug is intended to fit only one way in a polarized outlet. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician.
DO NOT attempt to defeat this safety feature.
15. A loose fit between the AC outlet (receptacle) and plug may cause overheating and a distortion of the plug. Contact a qualified electrician to replace loose or worn outlet.
16. Do not sit, stand or place heavy objects on the air purifier.
17. Disconnect power supply before servicing.
18. **SAVE THESE INSTRUCTIONS.**

WARNING: To Reduce The Risk of Fire or Electric Shock, Do Not Use This Air Purifier With Any Solid-State Speed Control Device.

HPA090 series

Control Panel



Front Grille



Type **R** True HEPA Filter (1)



Type **A** Odor Reducing Pre-Filter or
Type **A** Household Gas & Odor Reducing Pre-Filter



HPA100 series, HPA200 series, HPA300 series


Control Panel



Front Grille



Type **A** Odor Reducing Pre-Filter or
Type **A** Household Gas & Odor Reducing Pre-Filter




Type **R** True HEPA Filters

HPA100



HPA200



HPA300




HOW YOUR AIR PURIFIER WORKS

This model air purifier incorporates a 2-stage cleaning system to help clean the air that passes through the filter in the unit (Fig. 1).

Stage 1: Odor Reducing Pre-Filter

Stage 2: True HEPA Filter that captures particles as small as 0.3 microns or larger



SET-UP

- Select a firm, level and flat location.
- When operating, large volumes of air are drawn toward the air purifier. Surrounding areas should be cleaned and/or vacuumed frequently to prevent build-up of dust and other contaminants. This may also help prolong the life of the filter. If the unit is placed on a light colored carpet, a small mat or rug should be used underneath to prevent permanent staining. This is especially important in homes with contamination from smoking, fireplaces, or where candles are burned.
- Ensure the front of the unit faces away from the closest wall or furniture.
- Ensure no grilles are blocked.

INSTALL TRUE HEPA FILTERS AND ODOR REDUCING PRE-FILTER

The True HEPA Filters and Odor Reducing Pre-Filter are supplied within the air purifier. New air purifiers have their filters wrapped to ensure purity, and are labeled to help identify the proper replacement filter. (Type **R** True HEPA Filter; Type **A** Odor Reducing Pre-Filter or **A⁺** Household Gas & Odor Reducing Pre-Filter)

- Before using your new air purifier you must remove the wrappers covering the filters and Pre-Filter. Make sure the air purifier is OFF and unplugged. Press the two hand symbols (👉) on the front grille to release it from the unit and pull the grille toward you to remove it (see Fig. 2). Grasp the sides of the filter frame near its top end and pull outward. Repeat for the second and third filter if applicable.
- Remove protective wrap from the filters (including the Pre-Filter) that have been supplied with your air purifier.
- Place the HEPA filter(s) into the air purifier housing. Ensure that the removal “pull” tabs are facing outward (this will facilitate filter removal later). Place the Pre-Filter on top of the HEPA filter(s). Tuck the edges of the Pre-Filter into the tabs that are located around the edges of where the HEPA filter(s) are inserted. This will hold the Pre-Filter securely in place.
- Replace the front grille by placing the tabs on the bottom of the grille into the slot(s) on the unit. Gently push the top of the grille into place by pressing on the hand symbols (👉) to secure in place.



Fig. 2

OPERATION



This product earned the ENERGY STAR rating by meeting strict energy efficiency guidelines set by the U.S. EPA. The U.S. EPA does not endorse any manufacturer claims of healthier indoor air from the use of this product.

Portable air purifiers are more effective in rooms where all doors and windows are closed. In general, it is recommended that you run your air purifier while you are at home to clean the air.

HPA090 Series Operation:

- Once the filters have been unwrapped and replaced in the unit, ensure the air purifier's control knob is turned to the OFF position and plug the power cord into a working electrical outlet.
- Select the desired cleaning level by turning the knob to General Clean, Allergen or Turbo setting (**Fig. 3**).
- The Turbo setting will operate the air purifier at the highest speed. This setting will maximize the unit's ability to help reduce odors and will help clean the air quickly if you have a specific air quality issue that needs to be addressed.
- The Allergen setting will effectively help reduce airborne allergen from the air that passes through the filter.




Fig. 3 HPA090 Control Panel

HPA100, 200, 300 Series Operation:

- Once the filters have been unwrapped and replaced in the unit, plug the power cord into a working electrical outlet.
- Select the desired cleaning level by simply TAPPING the power symbol (🔌) to toggle through the setting options. A blue LED light will illuminate the selected setting: Germ, General Clean or Allergen.



Fig. 4 HPA100, HPA200, HPA300 Control Panel

TAP POWER (🔌) for on/off & cleaning level selection.

ALLERGEN optimizes allergen capturing performance during allergen season.

GENERAL CLEAN for general, everyday air cleaning.

GERM optimizes germ capturing performance. Use during cold & flu season.

TAP TURBO (🌀) for power cleaning or fast odor reduction.

- The Turbo setting operates the unit at the highest speed. This setting will maximize the unit's ability to help reduce odors and will help clean the air quickly. To select the Turbo setting the unit must already be running at one of the 3 cleaning settings, TAP the Turbo icon (🌀). The Turbo LED will illuminate. TAPPING the Turbo icon (🌀) again will return the air purifier to the previous cleaning setting. To shut OFF, tap the Power symbol (🔌) until the air purifier shuts off.

Using the Timer Option (Not available on the HPA090 Series):

The Timer Option (🕒) allows you to select how long the air purifier will run before it automatically shuts off. There are three pre-set run times: 2, 4, and 8 hours. Do not use this option if you want the unit to run continuously.

- To set the unit for Automatic Shut Off, TAP the Auto-off Timer icon (🕒).
- Continue to TAP to toggle through to the desired time setting.
- An LED light will illuminate to indicate the selected run time (**Fig. 5**).
- The unit will automatically shut off after the indicated run time.



Fig. 5 Timer Function

Using the Dimmer Option (Not available on the HPA090 Series)

The Dimmer Option (☼) allows you to adjust the brightness of the LED displays on the control panel (Fig. 8). You may wish to adjust the brightness depending on the room where the unit is placed. The unit always turns on with the brightness on HIGH.

To adjust brightness:

- TAP the Dimmer icon (☼) once to dim the lights to LOW.
- TAP the Dimmer icon (☼) twice and it will shut the lights OFF. (the air purifier will not shut off).
- TAPPING the Dimmer icon (☼) a third time will return the brightness to HIGH.



Fig. 6 Dimmer Function

ELECTRONIC FILTER CHANGE REMINDER

These air purifier models each have two electronic filter checks to remind you when to check and replace the True-HEPA filters and the Odor Reducing Pre-Filters based on the air cleaner's hours of use.

When the True HEPA filter(s) and/or the Pre-Filter need to be replaced, the "Check Filter" or "Check Pre-Filter" light will illuminate (Fig. 7).

You should periodically check these filters. Depending on operating conditions, the True-HEPA filters should be replaced every 12 months, and the Odor Reducing Pre-Filters every 3 months, especially if there have been heavy odors and particles in the home.




Fig. 7 Will illuminate when it is time to change HEPA filters

To RESET Either Electronic Filter Check:

After you have replaced the appropriate filter(s) the "Check Filter" or "Check Pre-Filter" light will remain on until it is reset. With the unit powered on, press the lighted button and hold for approximately 2 seconds until the light turns off. The electronic filter check is now reset. Depending on individual usage (environment and hours used), you may need to replace filters more or less frequently.

NOTE: If you change the Pre-Filter or Filter before the Electronic Filter Check lights are illuminated, it is possible to re-set the light indicators. With the unit plugged in, but NOT powered on, press and hold each button individually for at least 5 seconds. This will illuminate the indicator light. After the light turns on, individually press and hold the "Check Filter" or "Check Pre-Filter" button until each light goes off. At this point, the filter indicator will be re-set to its original "clean" status.

These cleaning intervals are intended as guidelines only. Performance of any filter media is dependent upon the concentration of contaminants going through the system. High concentrations of contaminants such as dust, pet dander and smoking will reduce the useful performance of the filter.

NOTE: None of the filters are washable. Do not immerse them in water.

REPLACING THE TRUE-HEPA FILTERS

See INSTALLATION INSTRUCTIONS on page 3 of this manual.

You may be able to purchase Honeywell replacement True-HEPA filter **R** for your air purifier at the store where you purchased your air purifier or they can be ordered directly from Kaz USA, Inc., the licensee of Honeywell air purifiers at www.replacementfilters.com. If you have any questions, contact Kaz Consumer Services at 1-800-477-0457.

Please note that each model series takes a different number of HEPA filters: HPA090 and HPA100 Series use 1 HEPA **R** Replacement Filter, HPA200 Series use 2 HEPA **R** Replacement Filters, HPA300 Series use 3 HEPA **R** Filters

ODOR REDUCING PRE-FILTER MAINTENANCE

The odor reducing pre-filter not only helps reduce odors, but also helps capture large airborne particles that enter the grille. This Pre-Filter should be replaced every 3 months, as it will become covered with particles and fibers that will reduce filtration performance.

Use the specially designed Type **A** Odor Reducing Pre-filter or the Type **A** Household Gas & Odor Reducing Pre-filter, available where the True HEPA filters are sold and from Kaz at:

www.replacementfilters.com or by calling Kaz Consumer Relations at **1-800-477-0457**.

CLEANING AND STORAGE

We recommend that you clean the air purifier at least once every 3 months and before extended storage. Use only a dry cloth to wipe the external surfaces of the air purifier.

DO NOT USE WATER, WAX POLISH, OR ANY CHEMICAL SOLUTION.

If your Air Purifier will not be used for more than 30 days, we recommend that you:

- Remove the True-HEPA Filters from the unit.
- Wrap the True-HEPA Filters in an air tight plastic bag.
- Remove the Odor Reducing Pre-filter and place it in an air tight plastic bag.

FREQUENTLY ASKED QUESTIONS

My Air Purifier is starting to make noise and the air output is less. What's wrong?

The filters may be dirty. High amounts of contaminants can block the pores in the filter and stop the air from moving through it. Replace the Filters.

How long should I run my Air Purifier?

In general, the unit will be most effective when doors and windows are closed. It is recommended that you run your air purifier while you are at home to clean the air.

Can I wash any of the filters in my Air Cleaner?

No. Washing either filter will ruin it.

ACCESSORIES AND REPLACEMENT FILTERS

If you would like your air purifier to remain effective at reducing household odors, and/or household gases (VOCs) and to operate most effectively, you should replace the Odor Reducing Pre-Filter once every 3 months. This Pre-Filter is available as the Odor Reducing Pre-Filter **A** model HRF-AP1 or you may use model HRF-APP1 **A** for Household Gas & Odor Reduction.

To order replacement filters for your air purifier, go to **www.replacementfilters.com** or call **1-800-477-0457**.

- True-HEPA filter **R** Model HRF-R1 (single pack) or HRF-R2 (2 pack) or HRF-R3 (3 pack)
- Odor Reducing Pre-Filter model **A** HRF-AP1 or Household Gas & Odor Reducing Pre-Filter **A** model HRF-APP1

CONSUMER RELATIONS

Mail questions or comments to:

Kaz USA, Inc.
Consumer Relations Dept.
250 Turnpike Road
Southborough, MA 01772

Call us toll-free at: **1-800-477-0457**

E-mail: consumerrelations@kaz.com

Or visit our website at: **www.kaz.com**

Please be sure to specify a model number.

NOTE: IF YOU EXPERIENCE A PROBLEM, PLEASE CONTACT CONSUMER RELATIONS FIRST OR SEE YOUR WARRANTY. DO NOT RETURN TO THE UNIT TO THE ORIGINAL PLACE OF PURCHASE. DO NOT ATTEMPT TO OPEN THE MOTOR HOUSING YOURSELF, DOING SO MAY VOID YOUR WARRANTY AND CAUSE DAMAGE TO THE AIR PURIFIER OR PERSONAL INJURY.

5 YEAR LIMITED WARRANTY

You should first read all instructions before attempting to use this product.

A. This 5 year limited warranty applies to repair or replacement of product found to be defective in material or workmanship. This warranty does not apply to damage resulting from commercial, abusive, unreasonable use or supplemental damage. Defects that are the result of normal wear and tear will not be considered manufacturing defects under this warranty. **KAZ USA, INC. IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE. ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY.** Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights which vary from jurisdiction to jurisdiction. This warranty applies only to the original purchaser of this product from the original date of purchase.

B. At its option, Kaz USA, Inc. will repair or replace this product if it is found to be defective in material or workmanship. Defective product should be returned to the place of purchase in accordance with store policy. Thereafter, while within the warranty period defective product may be returned to Kaz.

C. This warranty does not cover damage resulting from any unauthorized attempts to repair

or from any use not in accordance with the instruction manual.

D. This warranty DOES NOT cover the washable Pre-Filter or the HEPA filters, except for material or workmanship defects.

E. Return defective product to Kaz USA, Inc. with a brief description of the problem. Include proof of purchase and a \$10 US/\$15.50 CAN check or money order for handling, return packing and shipping charges. Please include your name, address and a daytime phone number. You must prepay shipping charges. Send to:

In U.S.A.:

Kaz USA, Inc.
Attn: Returns Department
4755 Southpoint Drive
Memphis, TN 38118
USA

In Canada:

Kaz Canada, Inc.
Attn: Returns Department
510 Bronte Street South
Milton, ON L9T 2X6
Canada

Please go to **www.kaz.com** and register your product under the Customer Care Center and receive product information updates and new promotional offers.

TRUE HEPA ALLERGEN REMOVER AIR PURIFIERS

For Models: HPA090 series, HPA100 series,
HPA200 series, HPA300 series

IMPORTANT SAFETY INSTRUCTIONS

READ AND SAVE THESE SAFETY INSTRUCTIONS BEFORE USING THIS AIR PURIFIER

When using electrical appliances, basic precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

1. Read all instructions before operating the air purifier.
2. Place air purifier where it is not easily overturned by persons in the household.
3. **ALWAYS** turn the air purifier controls to the **OFF** position and unplug from the wall outlet when not in use.
4. To disconnect the air purifier, make sure the unit is powered **OFF** then grip the plug and pull it from the wall outlet. **NEVER** pull by the cord.
5. **DO NOT** use any product with a damaged cord or plug, any product that malfunctions, or any product that has been dropped or damaged in any manner. Keep the cord away from heated surfaces.
6. **DO NOT** use air purifier outdoors.
7. **NEVER** use air purifier unless it is fully assembled.
8. **DO NOT** run power cord under carpets, and **DO NOT** cover with throw rugs. Arrange cord such that it will not be a tripping hazard.



9. **DO NOT** use air purifier where combustible gases or vapors are present.
10. **DO NOT** expose the air purifier to rain, or use near water, in a bathroom, laundry area, or other damp location.
11. The air purifier must be used in its upright position.
12. **DO NOT** allow foreign objects to enter ventilation or exhaust opening as this may cause electric shock or damage to the air purifier. **DO NOT** block air outlets or intakes.
13. Locate air purifier near the outlet and avoid using an extension cord or power strip.
14. This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit only one way in a polarized outlet. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. **DO NOT** attempt to defeat this safety feature.
15. A loose fit between the AC outlet (receptacle) and plug may cause overheating and a distortion of the plug. Contact a qualified electrician to replace loose or worn outlet.
16. **DO NOT** sit, stand, or place heavy objects on the air purifier.
17. Disconnect power supply before servicing.
18. **SAVE THESE INSTRUCTIONS.**

For FCC compliance information, please see last page of this manual.

 **WARNING: To Reduce The Risk of Fire or Electric Shock, DO NOT Use This Air Purifier With Any Solid-State Speed Control Device.**

YOUR AIR PURIFIER

HPA090 series

Control Panel



Front Grille



Type **R** True HEPA Filter (1)



Type **A** Odor Reducing Pre-filter




HPA100 series, HPA200 series, HPA300 series

Control Panel



Front Grille



Type **A** Odor Reducing Pre-filter




Type **R** True HEPA Filters

HPA100



HPA200



HPA300



HOW YOUR AIR PURIFIER WORKS


This model air purifier incorporates a 2-stage cleaning system to help clean the air that passes through the filter in the unit (Fig. 1).

Stage 1: Odor Reducing Pre-filter

Stage 2: True HEPA Filter that captures particles as small as 0.3 microns or larger

Fig. 1

2-Stage Cleaning System



SET-UP

- Select a firm, level and flat location.
- When operating, large volumes of air are drawn toward the air purifier. Surrounding areas should be cleaned and/or vacuumed frequently to prevent build-up of dust and other contaminants. This may also help prolong the life of the filter. If the unit is placed on a light colored carpet, a small mat or rug should be used underneath to prevent staining. This is especially important in homes with contamination from smoking, fireplaces, or where candles are burned.
- Ensure the front of the unit faces away from the closest wall or furniture.
- Ensure no grilles are blocked.

INSTALL TRUE HEPA FILTERS AND ODOR REDUCING PRE-FILTER

The True HEPA Filters and Odor Reducing Pre-filter are supplied within the air purifier. New air purifiers have their filters wrapped to ensure purity, and are labeled to help identify the proper replacement filter. (Type **R** True HEPA Filter; Type **A** Odor Reducing Pre-filter)

- Before using your new air purifier you must remove the wrappers covering the filters and pre-filter. Make sure the air purifier is OFF and unplugged. Press the two hand symbols (👉) on the front grille to release it from the unit and pull the grille toward you to remove it (see Fig. 2). Grasp the sides of the filter frame near its top end and pull outward. Repeat for the second and third filter if applicable.
- Remove protective wrap from the filters (including the pre-filter) that have been supplied with your air purifier.
- Place the HEPA filter(s) into the air purifier housing. Ensure that the removal “pull” tabs are facing outward (this will facilitate filter removal later). Place the pre-filter on top of the HEPA filter(s). Tuck the edges of the pre-filter into the tabs that are located around the edges of where the HEPA filter(s) are inserted. Model HPA300 has velcro strips on the housing where the pre-filter should be attached.
- Replace the front grille by placing the tabs on the bottom of the grille into the slot(s) on the unit. Gently push the top of the grille into place by pressing on the hand symbols (👉) to secure in place.



Fig. 2

OPERATION



This product earned the ENERGY STAR® rating by meeting strict energy efficiency guidelines set by the U.S. EPA. The U.S. EPA does not endorse any manufacturer claims of healthier indoor air from the use of this product.

Portable air purifiers are more effective in rooms where all doors and windows are closed. It is recommended that you run your air purifier while you are at home to help clean the air.

HPA090 Series Operation:

- Once the filters have been unwrapped and replaced in the unit, ensure the air purifier's control knob is turned to the OFF position and plug the power cord into a working electrical outlet.
- Select the desired cleaning level by turning the knob to General Clean, Allergen or Turbo setting (Fig. 3).



Fig. 3 HPA090 Control Panel

- The Turbo setting will operate the air purifier at the highest speed. This setting will maximize the unit's ability to help reduce odors and will help clean the air quickly if you have a specific air quality issue that needs to be addressed.
- The Allergen setting will effectively help reduce airborne allergens from the air that passes through the filter.

HPA100, 200, 300 Series Operation:

- Once the filters have been unwrapped and replaced in the unit, plug the power cord into a working electrical outlet.
- Select the desired cleaning level by simply TAPPING the power symbol (🌀) to toggle through the cleaning levels. A blue LED light will illuminate the selected setting: Germ, General Clean or Allergen.

TAP POWER (🌀) for on/off & cleaning level selection.

ALLERGEN optimizes allergen capturing performance during allergen season.

GENERAL CLEAN for general, everyday air cleaning.

GERM optimizes germ capturing performance. Use during cold & flu season.

TAP TURBO (🌀) for power cleaning or fast odor reduction.



Fig. 4 HPA100, HPA200, HPA300 Control Panel

- The Turbo setting operates the unit at the highest speed. This setting will maximize the unit's ability to help reduce odors and will help clean the air quickly. To select the Turbo setting the unit must already be running at one of the 3 cleaning settings, TAP the Turbo icon (🌀). The Turbo LED will illuminate. TAPPING the Turbo icon (🌀) again will return the air purifier to the previous cleaning setting. To shut OFF, tap the Power symbol (🌀) until the air purifier shuts off.

Using the Timer Option (Not available on the HPA090 Series):

The Timer Option (🕒) allows you to select how long the air purifier will run before it automatically shuts off. There are three pre-set run times: 2, 4, and 8 hours. Do not use this option if you want the unit to run continuously.

- To set the unit for Automatic Shut Off, TAP the Auto-off Timer icon (🕒).
- Continue to TAP to toggle through to the desired time setting.
- An LED light will illuminate to indicate the selected run time (Fig. 5).
- The unit will automatically shut off after the indicated run time.



Fig. 5 Timer Function

Using the Dimmer Option (Not available on the HPA090 Series):

The Dimmer Option (💡) allows you to adjust the brightness of the LED displays on the control panel (Fig. 6). You may wish to adjust the brightness depending on the room where the unit is placed. The unit always turns on with the brightness on HIGH.

To adjust brightness:

- TAP the Dimmer icon (💡) once to dim the lights to LOW.
- TAP the Dimmer icon (💡) twice and it will shut the lights OFF. (the air purifier will not shut off).
- TAPPING the Dimmer icon (💡) a third time will return the brightness to HIGH



Fig. 6 Dimmer Function

ELECTRONIC FILTER CHANGE REMINDER

These air purifier models each have two electronic filter checks to remind you when to check and replace the True-HEPA filters and the Odor Reducing Pre-filters based on the air purifier's hours of use.

When the True HEPA filter(s) and/or the Pre-Filter need to be replaced, the "Check Filter" or "Check Pre-filter" light will illuminate (Fig. 7).

You should periodically check these filters. Depending on operating conditions, the True-HEPA filters should be replaced every 12 months, and the Odor Reducing Pre-filters every 3 months, especially if there have been heavy odors and particles in the home.

To RESET Either Electronic Filter Check:

After you have replaced the appropriate filter(s) the "Check Filter" or "Check Pre-filter" light will remain on until it is reset. With the unit powered on, press the lighted button and hold for approximately 2 seconds until the light turns off. The electronic filter check is now reset. Depending on individual usage (environment and hours used), you may need to replace filters more or less frequently.

NOTE: If you change the pre-filter or filter before the Electronic Filter Check lights are illuminated, it is possible to re-set the light indicators. With the unit plugged in, but NOT powered on, press and hold each button individually for at least 5 seconds. This will illuminate the indicator light. After the light turns on, individually press and hold the "Check Filter" or "Check Pre-filter" button until each light goes off. At this point, the filter indicator will be re-set to it's original "clean" status.

These cleaning intervals are intended as guidelines only. Performance of any filter media is dependent upon the concentration of contaminants going through the system. High concentrations of contaminants such as dust, pet dander and smoking will reduce the useful performance of the filter.

NOTE: None of the filters are washable. **DO NOT** immerse them in water.



Fig. 7 Will illuminate when it is time to change HEPA filters

REPLACING THE TRUE-HEPA FILTERS

Remove and dispose of used filters

See INSTALLATION INSTRUCTIONS on page 2 of this manual.

Please note that each model series takes a different number of HEPA filters: HPA090 and HPA100 Series use 1 HEPA **R** Replacement Filter, HPA200 Series use 2 HEPA **R** Replacement Filters, HPA300 Series use 3 HEPA **R** Filters

See ACCESSORIES AND REPLACEMENT FILTERS section on page 6 of this manual to find out where to get filters. There are stickers inside your air purifier near the filter cavity that note the Filter Type needed for your model.

REPLACING THE ODOR REDUCING PRE-FILTER

The Odor Reducing Pre-filter not only helps reduce odors, but also helps capture large airborne particles that enter the grille. This pre-filter should be replaced every 3 months, as it will become covered with particles and fibers that will reduce filtration performance.

See INSTALLATION INSTRUCTIONS on page 3 of this manual.

Use the specially designed Type **A** Odor Reducing Pre-filter.

To purchase additional **A** pre-filters, see Accessories and Replacement Filters section on page 6.

CLEANING AND STORAGE

We recommend that you clean the air purifier at least once every 3 months and before extended storage. Use only a dry cloth to wipe the external surfaces of the air purifier.

DO NOT USE WATER, WAX POLISH, OR ANY CHEMICAL SOLUTION.

If your Air Purifier will not be used for more than 30 days, we recommend that you:

- Remove the True-HEPA Filters from the unit.
- Wrap the True-HEPA Filters in an air tight plastic bag.
- Remove the Odor Reducing Pre-filter and place it in an air tight plastic bag.

ACCESSORIES AND REPLACEMENT FILTERS

You may purchase Honeywell replacement True HEPA filter **R** and Honeywell Odor Reducing Pre-filter **A** at the store where you purchased your air purifier or, order directly from www.replacementfilters.com. To ensure stated product performance, use only Genuine Honeywell Replacement Filters. You have the option to use the Honeywell Household Gas & Odor Reducing Pre-filter **A™** instead of the Odor Reducing **A** Pre-filter. It is also available at many retailers and on www.replacementfilters.com.

If you have any questions, please call 1-800-477-0457 or email consumerrelations@kaz.com.

Product Name	Model Number	Replacement Period*	HPA090 Series	HPA100 Series	HPA200 Series	HPA300 Series
Pre-filters						
Odor Reducing Pre-filter A or	HRF-AP1	every 3 months 4x/yr	✓ or	✓ or	✓ or	✓ or
Household Gas & Odor Reducing Pre-filter A™	HRF-APP1	every 3 months 4x/yr	✓	✓	✓	✓
HEPA Filters						
True HEPA Replacement Filter R - 1 pack	HRF-R1	every 12 months 1x/yr	✓	✓		
True HEPA Replacement Filter R - 2 pack	HRF-R2	every 12 months 1x/yr			✓	
True HEPA Replacement Filter R - 3 pack	HRF-R3	every 12 months 1x/yr				✓

*Filter replacement period is intended as a guideline only. Performance of any filter media is dependent upon concentration of contaminants going through the system.

FREQUENTLY ASKED QUESTIONS

My Air Purifier is starting to make noise and the air output is less. What's wrong?

The filters may be dirty. High amounts of contaminants can block the pores in the filter and stop the air from moving through it. Replace the filters.

How long should I run my Air Purifier?

In general, the unit will be most effective when doors and windows are closed. It is recommended that you run your air purifier while you are at home to help clean the air. If desired or conditions warrant, you may run your air purifier 24 hours a day.

Can I wash any of the filters in my Air Purifier?

No. Washing any of the filters will ruin them.

CONSUMER RELATIONS

We are here to help. Call us toll-free at: 1-800-477-0457 E-mail: consumerrelations@kaz.com

Or visit our website at: www.HoneywellPluggedIn.com

Please be sure to specify the model number.

NOTE: IF YOU EXPERIENCE A PROBLEM, PLEASE CONTACT CONSUMER RELATIONS FIRST OR SEE YOUR WARRANTY. DO NOT RETURN TO THE ORIGINAL PLACE OF PURCHASE. DO NOT ATTEMPT TO OPEN THE MOTOR HOUSING YOURSELF, DOING SO MAY VOID YOUR WARRANTY AND CAUSE DAMAGE TO THE AIR PURIFIER OR PERSONAL INJURY.

5 YEAR LIMITED WARRANTY

You should first read all instructions before attempting to use this product.

- A.** This 5 year limited warranty applies to repair or replacement of product found to be defective in material or workmanship. This warranty does not apply to damage resulting from commercial, abusive, unreasonable use or supplemental damage. Defects that are the result of normal wear and tear will not be considered manufacturing defects under this warranty. **KAZ IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY.** Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long

an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights which vary from jurisdiction to jurisdiction. This warranty applies only to the original purchaser of this product from the original date of purchase.

- B.** At its option, Kaz will repair or replace this product if it is found to be defective in material or workmanship.
- C.** This warranty does not cover damage resulting from any unauthorized attempts to repair or from any use not in accordance with the instruction manual.
- D.** This warranty does not cover the True HEPA filters or pre-filters except for material or workmanship defects.

Estos intervalos de limpieza sirven sólo como una guía. El desempeño de cualquier filtro depende de la concentración de contaminantes que van a través del sistema. Las altas concentraciones de contaminantes como el polvo, caspa de mascota y fumar reducirán el rendimiento útil del filtro.

NOTA: Ninguno de los filtros son lavables. **NO** los sumerja en agua.

REEMPLAZAR LOS AUTÉNTICOS FILTROS HEPA

Retire y deseche los filtros usados.

Consulte las INSTRUCCIONES DE INSTALACIÓN en la página 9 de este manual.

Por favor tenga en cuenta que cada modelo de las series lleva un número diferente de filtros HEPA: Las Series HPA090 y HPA100 usan 1 Filtro HEPA **R** de reemplazo, las Series HPA200 usan 2 Filtros HEPA **R** de reemplazo, y las Series HPA300 usan 3 Filtros HEPA **R**.

Consulte la sección de ACCESORIOS Y FILTROS DE REEMPLAZO en la página 11 de este manual para saber donde adquirir los filtros. Hay etiquetas adhesivas dentro de su purificador de aire cerca de la cavidad del filtro para especificar el Tipo de Filtro que su modelo necesita.

REEMPLAZAR EL PREFILTRO REDUCTOR DE OLORES

El Prefiltro Reductor de Olores no sólo le ayuda a reducir los malos olores, sino que también ayuda a capturar grandes partículas en el aire que entran en la rejilla. Este prefiltro debe reemplazarse cada 3 meses, ya que se cubrirá de partículas y fibras que reducirán el desempeño de la filtración.

Use el especialmente diseñado Prefiltro Reductor de Olores Tipo **A**.

Para comprar prefiltros **A** adicionales, consulte la siguiente sección de Accesorios y Filtros de Reemplazo.

LIMPIEZA Y ALMACENAMIENTO

Le recomendamos que limpie el purificador de aire al menos una vez cada 3 meses y antes de un almacenamiento prolongado. Use sólo un paño seco para limpiar las superficies externas del purificador de aire.

NO USE AGUA, CERA ABRILLANTADORA, O NINGUNA SOLUCIÓN QUÍMICA.

Si su Purificador de Aire no se usará por más de 30 días, le recomendamos que:

- Retire los Auténticos Filtros HEPA de la unidad.
- Envuelva los Auténticos Filtros HEPA en una bolsa hermética de plástico.
- Retire el Prefiltro Reductor de Olores Domésticos y colóquelo en una bolsa hermética de plástico.

PREGUNTAS MÁS FRECUENTES

Mi Purificador de Aire está empezando a hacer ruido y la salida de aire es menor. ¿Qué pasa?

Los filtros puede estar sucios. La alta concentración de agentes contaminantes pueden bloquear los poros del filtro y evitar que el aire pase. Cambie los Filtros.

¿Cuánto tiempo debo operar mi Purificador de Aire?

En general, la unidad será más eficaz cuando las puertas y ventanas estén cerradas y debe operarse cuando esté en casa. Si lo desea o las condiciones lo justifica, puede operar su purificador de aire las 24 horas del día.

¿Puedo lavar los filtros de mi Purificador de Aire?

No. Lavar cualquiera de los filtros lo arruinará.

ACCESORIOS Y FILTROS DE REEMPLAZO

Usted puede comprar el reemplazo del Filtro **R** Auténtico HEPA de Honeywell y el Prefiltro **A** Reductor de Olores de Honeywell en la tienda donde compró su purificador de aire o, los puede ordenar directamente en línea en www.replacementfilters.com. Para garantizar el rendimiento del producto indicado, utilice sólo los Filtros de Reemplazo Originales de Honeywell. Usted tiene la opción de utilizar el Prefiltro **A*** Reductor de Olores y Gases en el Hogar de Honeywell en lugar del Prefiltro **A** Reductor de Olores. También disponible en la mayoría de las tiendas o en www.replacementfilters.com.

Si tiene alguna pregunta, por favor llame al 1-800-477-0457 o mande un correo electrónico a consumerrelations@kaz.com.

Nombre del Producto	Número de Modelo	Período de Reemplazo*	Series HPA090	Series HPA100	Series HPA200	Series HPA300
Prefiltros						
Prefiltro A Reductor de Olores o	HRF-AP1	cada 3 meses 4 veces/año	✓ o	✓ o	✓ o	✓ o
Prefiltro A* Reductor de Olores y Gases en el Hogar	HRF-APP1	cada 3 meses 4 veces/año	✓	✓	✓	✓
Filtros HEPA						
Filtro R Auténtico HEPA de Reemplazo - Paquete con 1	HRF-R1	cada 12 meses 1 vez/año	✓	✓		
Filtro R Auténtico HEPA de Reemplazo - Paquete con 2	HRF-R2	cada 12 meses 1 vez/año			✓	
Filtro R Auténtico HEPA de Reemplazo - Paquete con 3	HRF-R3	cada 12 meses 1 vez/año				✓

El período de reemplazo del filtro está diseñado únicamente como una guía. El rendimiento de cualquier filtro depende de la concentración de contaminantes que pasa a través del sistema.

SERVICIO AL CLIENTE

Estamos aquí para ayudar. Llame lada gratuita al: **1-800-477-0457** E-mail: consumerrelations@kaz.com
O visite nuestro sitio web: www.HoneywellPluggedIn.com

Asegúrese de especificar el número de modelo.

NOTA: EN CASO DE PROBLEMA, CONTACTE PRIMERO SERVICIO AL CONSUMIDOR O CONSULTE LA GARANTÍA. NO DEVUELVA LA UNIDAD AL LUGAR DONDE LO COMPRÓ. NO INTENTE ABRIR LA CARCASA DEL MOTOR USTED MISMO, HACERLO PUEDE ANULAR LA GARANTÍA Y CAUSAR DAÑO EN EL PURIFICADOR DE AIRE O PROVOCAR LESIONES PERSONALES.

GARANTÍA LIMITADA DE 5 AÑOS

Antes de usar este producto, por favor lea completamente las instrucciones.

- A.** La presente garantía limitada de 5 años cubre la reparación o reemplazo del producto si éste presenta un defecto de fábrica o de mano de obra. Esta garantía excluye todo daño resultante del uso comercial, abusivo o inadecuado del producto, o de daños asociados. Los defectos resultantes del desgaste normal no se consideran defectos de fábrica en virtud de la presente garantía. **KAZ NO SERÁ CONSIDERADA RESPONSABLE DE DAÑOS FORTUITOS O INDIRECTOS DE NINGÚN TIPO. TODA GARANTÍA IMPLÍCITA DE CALIDAD COMERCIAL O DE CONVENIENCIA CON UN FIN ESPECÍFICO RELACIONADA CON ESTE PRODUCTO TENDRÁ LA MISMA VIGENCIA QUE LA PRESENTE GARANTÍA.** En ciertos lugares no se permite la exclusión o limitación de daños fortuitos o indirectos, ni los límites de duración aplicables a una garantía implícita. Por consiguiente, es posible que estas limitaciones o exclusiones no se apliquen en su caso. Esta garantía le confiere ciertos

derechos legales específicos. Es posible que usted también tenga otros derechos legales, los que varían según la jurisdicción. La presente garantía sólo es válida para el comprador inicial del producto a partir de la fecha de compra.

- B.** A su discreción, Kaz reparará o reemplazará el presente producto si se constata que presenta un defecto de fábrica o de mano de obra.
- C.** Esta garantía no cubre los daños ocasionados por tentativas de reparación no autorizadas o por todo uso que no esté en concordancia con el presente manual.
- D.** Esta garantía no cubre los Auténticos filtros HEPA o los prefiltros, con la excepción de defectos de material o de mano de obra.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio TV technician for help.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

REMARQUE : Cet appareil a été soumis aux tests d'usage et déclaré conforme aux limites établies pour appareils numériques de classe B, conformément à la partie 15 du règlement de la Commission fédérale des communications des États-Unis (FCC). Ces limites ont pour but de procurer une protection raisonnable contre les interférences préjudiciables dans une installation résidentielle. L'appareil génère, utilise et peut émettre de l'énergie radio électrique ; s'il n'est pas installé et employé conformément aux instructions, il peut provoquer des interférences nuisibles aux communications radio. Rien ne garantit que des interférences ne se produiront pas dans certaines installations. Si l'appareil cause des interférences nuisibles à la réception radiophonique ou télévisuelle – ce qui peut être établi en le mettant hors tension puis sous tension – l'utilisateur devrait essayer d'y remédier en adoptant une ou plusieurs des mesures suivantes :

- modifier l'orientation ou la position de l'antenne réceptrice ;
- augmenter l'écart entre l'appareil et le récepteur ;
- brancher l'appareil sur un circuit autre que celui sur lequel est connecté le récepteur ; ou enfin
- consulter le détaillant ou bien un spécialiste en radio et télévision expérimenté.

Avertissement : tous changements ou toutes modifications apportés, quels qu'ils soient, n'étant pas expressément approuvés par la partie responsable de la conformité pourrait annuler l'autorisation de l'utilisateur à employer l'appareil.

Cet appareil est conforme aux normes d'exemption de licence RSS d'Industrie Canada. Le fonctionnement est assujéti aux deux conditions suivantes : (1) l'appareil ne doit pas causer d'interférence préjudiciable et (2) il doit endurer toute interférence reçue, y compris les interférences pouvant causer son fonctionnement indésirable.

NOTA: Este equipo ha sido probado y cumple con los límites correspondientes para un dispositivo digital Clase B, según la Parte 15 de las Normas de la FCC (Comisión Federal de Comunicaciones de EE.UU.). Estos límites están diseñados para proporcionar protección razonable contra interferencias perjudiciales en una instalación residencial. Este equipo genera, utiliza y puede emitir energía de frecuencias de radio y, si no es instalado y usado de acuerdo a las instrucciones, puede causar interferencias perjudiciales en las comunicaciones de radio. Sin embargo, no hay garantía de que no ocurrirán las interferencias en una instalación determinada. Si este equipo causa interferencias perjudiciales en la recepción de radio o televisión, que se pueden identificar encendiendo y apagando el equipo, recomendamos al usuario que intente solucionar las interferencias tomando una o más de las siguientes medidas:

- Cambiar la orientación o posición de la antena receptora.
- Aumentar la separación entre el equipo y el receptor.
- Conectar el equipo a un tomacorriente de un circuito diferente del que está conectado el receptor.
- Consultar al proveedor o a un técnico de radio TV con experiencia para recibir ayuda.

Advertencia: Cambios o modificaciones hechos a esta unidad que no hayan sido expresamente aprobados por la parte responsable del cumplimiento pueden anular la autoridad del usuario para utilizar el equipo.

Honeywell is a trademark of Honeywell International Inc., used under license by Helen of Troy Limited. Honeywell International Inc. makes no representation or warranties with respect to this product.

The ENERGY STAR® name and mark are registered trademarks owned by the U.S. EPA.

© 2018 All rights reserved.

Kaz USA, Inc., a Helen of Troy Company
400 Donald Lynch Blvd., Suite 300, Marlborough, MA 01752

Distributed in Canada by: Kaz Canada, Inc., a Helen of Troy Company
6700 Century Avenue, Suite 210, Mississauga, Ontario L5N 6A4

Contact us at 1-800-477-0457 or www.HoneywellPluggedIn.com

For Responsible recycling, please visit:

RECYCLE  NATION

www.RecycleNation.com

Honeywell est une marque de commerce de Honeywell International, Inc. qu'utilise Helen of Troy Limited sous licence. Honeywell International Inc. ne fait aucune assertion et n'offre aucune garantie en ce qui concerne ce produit.

Le nom et la marque ENERGY STAR® sont des marques déposées propriété de l'EPA des États-Unis

© 2018 Tous droits réservés.

Kaz USA, Inc., a Helen of Troy Company
400 Donald Lynch Blvd., Suite 300, Marlborough, MA 01752

Distribué au Canada par : Kaz Canada, Inc., une société de Helen of Troy
6700 Century Avenue, Suite 210, Mississauga, Ontario L5N 6A4

Pour nous joindre : Composez le 1 800 477-0457 ou visitez notre site Web à www.HoneywellPluggedIn.com

Honeywell es una marca registrada de Honeywell International Inc., utilizada bajo licencia por Helen of Troy Limited. Honeywell International Inc. no hace representaciones o garantías con respecto a este producto.

El nombre y la marca ENERGY STAR® son marcas registradas propiedad de U.S. EPA

© 2018 Todos los derechos reservados.

Kaz USA, Inc., una Empresa de Helen of Troy
400 Donald Lynch Blvd., Suite 300, Marlborough, MA 01752

Distribuido en Canada por Kaz Canada, Inc., una Empresa de Helen of Troy
6700 Century Avenue, Suite 210, Mississauga, Ontario L5N 6A4

Contáctenos al teléfono 1-800-477-0457 o al sitio web www.HoneywellPluggedIn.com

Para reciclar responsablemente, por favor visite:

RECYCLE  NATION

www.RecycleNation.com

A002470R1
020618

Helen of Troy

CREATIVE DEPARTMENT ARTWORK SPECIFICATIONS

Brand: Honeywell
Category: Air Purifiers

Model: **HPA090 HPA100**
HPA200 HPA300 Series

Artwork Part #: A002470R1
Die Line Part #: NA

Subject: Owners Manual

Region: US/Canada
Flat Size: IN: W 11 x H 8

Folded Size: W 5.5 x H 8

Scale: 1/1
Material: 70# Matte Text

Page count: 24

Revision: 1

Date: **06FEB18**

Release Date: **11JAN18**
Rerelease Date:

Colors:

Dielines (Do not print)

Black
100%



**Quality Requirement of Artwork and Quality
Clarification Process of Artwork Printing:
Meet Eng-QS-06&02**

Kaz USA, Inc., a Helen of Troy Company
Creative Services
Marlborough, MA 01752, USA
+1 508 490 7000