

PRODUCT MANUAL

IWD SERIES

HEAVY DUTY INDENT CRIMPING TOOL

FOR DEUTSCH CLOSED BARREL TERMINAL, SOLID CONTACTS

Model IWD-12,



Etched: (on tool)

↳ for 12 gage closed barrel terminals

↳ contact size 12

stopper positions: 7

GENERAL INFORMATION

FEATURES

- Typical 4-Indents, 8-Impressions crimper with smooth ratcheting mechanism.
- Upgraded internal structure ensures the stability and power equality on the pins and sockets, brings solid and tight crimps.
- High quality guarantees durability and long term wearability and the adjustable crimping force improves adaptability.
- Adjustable crimping force improves adaptability to different hardness terminals.

BASIC PARAMETERS

Capacity: IWD-12 for 12 Gage Closed Barrel Terminals
IWD-16 for 14, 16 & 18 Gage Closed Barrel Terminals
IWD-20 for 20 & 22 Gage Closed Barrel Terminals



Length: 6.50 inch

Weight: 0.64 lbs




IWD serie crimpers work with deutsch closed barrel terminals found on motorcycles, trucks, construction equipment, race cars, agricultural equipment, heavy duty vehicles and other vehicles and equipment subject to excessive vibration.

CRIMPING DISPLAY



Model NO.	Size	Deutsch Solid Contacts		Amphenol Solid Contacts	
IWD-12	12	0460-204-12XX	0462-203-12XX	AT60-204-12141 AT60-204-12141	AT62-203-12141 AT62-210-1231
		0460-211-12XX	0462-210-12XX		
		0460-220-12XX	0462-214-12XX		
		0460-235-12XX	0462-215-12XX		
		0460-258-12XX			
		0460-256-12XX			
IWD-16	16	0460-002-16XX	0462-004-16XX	AT60-202-16141 AT60-215-16141	AT62-201-16141 AT62-209-1614
		0460-202-16XX	0462-007-16XX		
		0460-211-16XX	0462-209-16XX		
		0460-215-16XX	0462-201-16XX		
		0460-230-16XX	0462-214-16XX		
		0460-235-16XX	0462-221-16XX		
		0460-247-16XX	0462-222-16XX		
		0460-264-16XX			
IWD-20	20	0460-010-20XX	0462-005-20XX	AT60-202-20141	AT60-202-20141 AT62-201-20141
		0460-202-20XX	0462-201-20XX		


OPERATION GUIDANCE




1. Squeeze the handles together until the crimper automatically and fully opens.



2. Insert Detusch / Amphenol terminals into the cavity and make sure the barrel end facing out.




3. Insert the stripper wire to the proper length in the barrel and of the terminal.



4. Squeeze the handles together until the crimper automatically opens.

HOW TO ADJUST THE TOOL



FINE TUNE function available for different hardness and thickness of pins.

Default standard crimping force is set on numeric3, simple push the gear to change the crimping force.



The force of different setting is tiny, for this kind of small size pin large difference in crimping force isn't applicable, possible to destroy the pins.

MANUFACTURER:

ZHEJIANG IWISS ELECTRIC CO.,LTD
(IWISS TOOLS CO.,LTD)

Add: No. 2789, Liule Road, Yueqing, Zhejiang, 325600, China.

Rebrand Notice

Both IWISS® and iCrimp® brands are known as members of Zhejiang IWISS Electric Co.,Ltd. We're pleased to inform you that the company is now taking the opportunity to consolidate two brands into one(iCrimp) in order to better communicate the breadth of expertise that the company represents.

Behind the new look we are still the same company and team dedicated to providing you the best possible quality and solution.