A verified outcome.
A repeatable demonstration.

Extend the existing HostedAgent operator. Continue through implementation, diagnosis, fixes, target verification and full rehearsal. A plan, a Ready flag or source tests alone do not complete delivery.

Required delivery gates

D01	Existing operator extended through a new protected profile, with old behavior preserved
D02	An owner applies one small approved YAML file and the composer prepares all dedicated resources
D03	A fresh invocation loads the reviewed skill and knowledge, uses the approved model, and obtains the approved MCP result
D04	Unauthorized callers, tools, bindings and unsafe workloads are denied
D05	Direct paths cannot bypass the approved boundary
D06	Expiry, revocation and partial failure fail closed; normal retirement and recreation are safe
D07	The selected target can build and run from approved internal inputs
D08	A presenter can repeat a truthful live demonstration of the delivered revision
D09	The receiving engineer can operate and repeat the result

Evidence stays tied to the actual target and final revision. Required blocked or skipped gates are not passes. Native claims require native proof; a standalone Job is a different execution path.

What you need to provide.

You do not need to write the implementation YAML. The agent handles discovery, reuse, builds, manifests, tests, fixes and rehearsal. Supply the access and platform decisions only the relevant owners can provide.

Source transfer	Download the repository ZIP and copy secure-byo-agent-composition/ and agent-platform-four-crds/ into the permitted work repository
Target and authority	Approved cluster/context and namespaces, work checkout location, existing delivery process, allowed change scope and platform contact
Runtime choice	Confirm whether work must remain no-Substrate or already has an approved compatible native runtime
Internal artifacts	Internal registry/build service and an owner who can import missing approved images, charts, binaries and dependencies
Model and content access	Approved model route/model ID, Secret/CA references and an accessible reviewed content repository/ref
Identity and demo scope	Intended callers, Kubernetes-token or Entra requirement, identity owner, demo audience and approved failure/drill scope

Content bootstrap

If still outstanding, ensure the reviewed sample files are committed and accessible in the permitted repository. Give the agent its URL/ref and approved read access. The agent resolves the exact revision and verifies hashes.

No public pulls from work. Reuse compatible existing builds. Give Secret/CA references through the approved private mechanism, never token or password values.

Target / scope: _____

Owner / access reference: _____

Runtime path / decision: _____

Rehearse the whole story.

Plan 8 to 12 minutes in a dedicated approved POC scope. Run against the final delivered revision. Do not show credentials or present historical evidence as live execution.

1. Explain the boundary	Existing operator or approved KRO profile, runtime path, owner authority and platform prerequisites
2. Apply one request	Submit the reviewed owner YAML under the restricted owner identity
3. Use the agent	Invoke with the approved identity and supplied synthetic documentation case
4. Reject unsafe changes	Present an admitted control, then forbidden binding/privilege and copied-identity cases
5. Deny the wrong caller and direct path	Wrong principal or audience, forbidden operation and bypass attempts
6. Revoke and recover	Revoke current approval, deny fresh authority, explain already-dispatched work, then independently restore approval
7. Retire and recreate	Remove the dedicated request, retain shared prerequisites, and reject stale same-name approval
8. Compare and close	Explain KRO versus the existing HostedAgent extension and leave the agreed stable state

Fix and repeat

If rehearsal fails, retain the failed receipt, fix its cause and repeat the full rehearsal. Reapprove recreated objects and repeat acceptance. Leave the agreed stable state.

Report verified-demo-ready only when every required target gate and the full rehearsal pass. If blocked, record the exact owner/input and continue independent work. Save a private WORK-STATE checkpoint if a session must hand over.

Supporting guide only. The existing-operator port, workplace execution and demo are not implied complete. Entra, renewal, cold import, live ephemeral admission and exposure requirements need target evidence.