C4 — PPO/GRPO for parameter search, and the hunt for positive PnL

Lab notebook: `experiments/c4_ppo_grpo/README.md`.

> **At a glance**
>
> - **One configuration makes money held out, and does it by market making:** OBI on XRPUSDC with C7's markout rule makes **+4.91%** over eleven held-out sessions, **+1.38% without the 09-22 crash day**, positive on **9 of 11** sessions at ~500 fills a day. Every ETHUSDC configuration still loses held out; the best, OBI with the markout rule, loses 0.62%.
> - **A plain grid beats learned search.** GRPO- and PPO-style search over three parameters (spread floor, skew, markout κ) lose to the grid's choice on OBI (−2.9% / −2.5% against −0.6%) and tie each other within two seeds. GRPO's group baseline works mechanically but buys nothing measurable here.
> - **Volume costs money.** Forcing a fill target makes held-out PnL worse at every level tried; the learned price of a fill is 0.02–0.08 bp.
> - **More training data stabilises ETH and exposes XRP.** Choosing on all twenty pre-split days instead of ten leaves every ETH choice unchanged; on XRP the choices move, and several "wins" turn out to be one crash day or no trading at all.

Contents

- 1. The task
- 2. What is searched
- 3. The grid: the baseline any learner must beat
- 4. GRPO-style against PPO-style search
  - 4.1 The two methods
  - 4.2 What they found
- 5. Putting fills into the objective
  - 5.1 What volume costs: the frontier
  - 5.2 A fill target with a learned price
  - 5.3 Rewarding the market making, not the direction (`v2-edge`)
- 6. Does the tuning overfit? (C4's third item)
- 7. So what makes money?
- 8. What would push further
- 9. Sources

1. The task

`ladder.md` asks for three things, and a direct request after C7 added a fourth:

1. compare PPO against a GRPO-style method on the low-dimensional parameter vector: sample K parameter sets, rank them by realised PnL, update with a group-relative advantage;
2. check whether GRPO's group baseline — no value network — transfers outside language modelling;
3. apply the reward-hacking lens: do tuned parameters overfit quirks of the training days? Validate strictly out of sample;
4. *prioritise Part C and look for positive PnL with our strategies.*

2. What is searched

Everything is relative to C6's widened preset for each strategy:

parameter	meaning	grid values	search range
floor multiplier	× the asset's calibrated half-spread floor (C6)	×1, ×1.5, ×2	×0.5 – ×4
markout κ	C7's widening: $h = h_{C6} + \kappa \max(\bar{m}, 0)$	0, 2, 4	0 – 8
skew multiplier	× the strategy's inventory skew	×1, ×2	×0.25 – ×4

with C7's volatility bias correction on for the two strategies that use σ. One evaluation is one training session replayed with fixed parameters; its return, in bp of book, is the reward. A configuration taking fewer than 20 fills on a median session is not eligible to be chosen — otherwise "stop trading" wins, as it did in C3.

Nothing is chosen on held-out data. Held out is always C6's eleven sessions, 2025-09-15 to 09-25.

3. The grid: the baseline any learner must beat

All 18 points, for eight (strategy, asset) pairs, on every training session. It was run twice: on C6's training days (ten for ETH, four for XRP) and on all twenty pre-split days (`train20`).




Figure — chained return over the twenty training sessions at each (floor, κ) point, at the chosen skew. Boxed: the chosen point. "Thin": under 20 fills a day, not eligible.

The pattern on ETHUSDC is clean and the same for all three strategies: **the column that matters is κ**. Without the markout rule the widened strategies lose on training days (−1.7% to −4.1%); with it they make +1.1% to +4.4%. Widening the floor further is a weaker substitute that costs fills.

The twenty-day choices, held out:

asset	strategy	point (floor / κ / skew)	training (20 d)	held out (11 d)	held out without 09-22	days up	fills/day
ETH	glft	×1 / 2 / ×1	+3.11	**−3.01**	−2.10	4/11	26
ETH	hfgrid	×1 / 2 / ×1	+1.27	**−1.86**	−1.26	4/11	17
ETH	obi	×1 / 4 / ×1	+4.37	**−0.62**	−0.68	8/11	1,173
XRP	glft	×1 / 4 / ×2	−1.70	**−1.22**	−0.75	3/11	8
XRP	hfgrid †	×1.5 / 0 / ×1	+0.93	**+0.59**	+0.67	4/11	1
XRP	obi	×1.5 / 2 / ×2	+0.63	**+3.64**	+0.88	9/11	106
XRP	apt †	×2 / 4 / ×1	+2.46	**+7.26**	+0.44	4/11	0
XRP	basis †	×1 / 2 / ×1	+2.48	**+1.69**	−0.26	5/11	4

† No grid point reached 20 fills a day; the best-scoring point is shown and does not make a market.

Read the last three rows carefully. `apt` XRP's +7.26% is a strategy that takes **no fills on a median session** and made +6.79% on one session, 2025-09-22, by holding inventory through a crash. `hfgrid` and `basis` are the same story at smaller size. They are positive numbers and they are not market making.

4. GRPO-style against PPO-style search

4.1 The two methods

The policy is a diagonal Gaussian over $\theta = (\log \text{floor}, \log \text{skew}, \kappa)$, started on C6's widened preset. Each iteration samples $K = 6$ parameter sets, replays them, and takes a PPO-clipped policy-gradient step. The two methods differ only in the baseline:

- **GRPO:** all six samples replay the **same** session, and the advantage is the sample's return standardised within its group, $A_i = (R_i - \bar{R})/\sigma_R$. The group mean is the baseline; there is no value function. This is B3's trick, with a session in the role of a prompt.
- **PPO:** the six samples replay six **independently drawn** sessions, and the advantage is the return minus a learned per-session value (an exponential average of what that session has paid so far), standardised over the batch.

Each run is 20 iterations, 120 session replays; two seeds per method, on `glft` and `obi` over ETHUSDC. For scale, the grid spends 180 replays per pair on ten days and 360 on twenty.

On a toy quadratic with a per-day offset fifteen times the parameter effect — the regime the group baseline is built for — GRPO lands a median 0.20 from the optimum after 120 evaluations against PPO's 0.47. So the mechanism works as intended where day noise dominates.

4.2 What they found




Figure — running mean of the sampled reward. GRPO's curve moves with the one session it drew each iteration; PPO's averages six. The curves are not comparable in level, which is why the held-out result below is the comparison.

	glft ETH, held out	obi ETH, held out
grid (20-day choice)	−3.01%	**−0.62%**
GRPO, 2 seeds	**−1.50, −2.28**	−1.64, −4.18
PPO, 2 seeds	−2.10, −3.41	−2.60, −2.49

The searches wandered outside the grid. On `obi` all four converged to a much wider floor (×2.1–×2.9) with a much smaller skew (×0.25–×0.75) and little κ; on `glft` they stayed near the grid's region. Held out:

- **On `obi` the grid wins** by two points over both methods. The wider floor the search found on training days does not generalise; the markout rule the grid chose does.
- **On `glft` the searches beat the grid** by about one point, GRPO slightly more than PPO.
- **GRPO against PPO: no detectable difference.** Medians −1.89 / −2.75 on `glft` and −2.91 / −2.54 on `obi`, with a seed spread as large as the gap.

So the answer to C4's second item is: the group baseline is a sound way to remove day-to-day noise from the advantage, and on a problem this small a cheap per-session critic does about as well. Neither beats a grid that can be exhausted in a few hours; the value of a learned search here is reaching regions a grid did not include — and on `obi` those regions were worse.

5. Putting fills into the objective

5.1 What volume costs: the frontier




Figure — every grid point's training return against its fills. The grey envelope is the best return at or above each level of trading.


On almost every pair the envelope steps **down** as fills rise: past the chosen point, more trading is paid for with PnL. The exception is where the extra fills come from the markout rule being off, and that is the losing side.

5.2 A fill target with a learned price

The GRPO search was re-run on `obi` ETHUSDC with a constraint instead of a penalty. The reward becomes $R + \lambda\,\text{fills}$, and after every iteration

$$\lambda \leftarrow \max\!\left(0,\ \lambda + \alpha\,\frac{F - \overline{\text{fills}}}{F}\right),$$

so λ settles at the smallest per-fill bonus that makes the policy trade F fills a session. Its final value is the price of a fill.



target	seed	λ (bp per fill)	fills/day held out	held out
none	0, 1	–	479, 650	−1.64%, −4.18%
1,500	0, 1	0.017, 0.035	1,213, 1,542	−2.16%, −6.65%
3,000	0, 1	0.076, 0.000	2,860, 7,067	−3.93%, −10.17%

More volume, more loss, at every target. The prices look small per fill and are not: at 3,000 fills a day, 0.076 bp per fill is 228 bp a day of bonus — more than any session's PnL — and it is paid to take fills that lose. (Seed 1 at 3,000 overshot to 7,000 fills, after which λ decayed to zero — the policy had found a trade-a-lot region and stayed.)

5.3 Rewarding the market making, not the direction (`v2-edge`)

The RL reward was split exactly into **trading** PnL (a step's fills marked at the step's closing mid, plus rebates and fees) and **holding** PnL (the last step's position times the mid's move), and C6's v2 recipe was retrained with holding PnL counted at a quarter. The intent: credit market making, not windfalls like 09-22. A check confirms the split is exact to 10^{-17} bp over 2,000 steps with 408 bp of holding PnL.

ETHUSDC, held out, 5 seeds	widened baseline	v2	v2-edge
glft	−7.07%	−6.30%	**−9.27%**
obi	−6.40%	−8.00%	**−9.40%**

It is worse, by about three points on both. The mechanism is the one C7 measured: adverse selection **is** holding PnL. A fill's cost shows up as the mid moving against the new position in the steps after it, and a reward that discounts holding PnL is blind to exactly that. The C7 markout rule works because it measures that move; this reward throws it away.

6. Does the tuning overfit? (C4's third item)




Figure — each twenty-day choice's training return against its held-out return.

Four checks, in order of how much they say:

1. **Stability of the choice.** On ETHUSDC the grid picks the **same point** from ten training days and from twenty, for all three strategies, and the markout κ chosen by C7 on four days is the same on twenty for `glft` and `obi`. The choices are not artefacts of which sessions happened to be in the training set.
2. **The level drops, the advantage survives.** Every ETH choice makes money on training days and loses held out, but the held-out period is harder for everything, tuned or not: C6's widened `obi`, which was never tuned on these parameters, goes from −3.42% over the twenty training sessions to −6.40% held out. Against it, the chosen `obi` point is +7.8 points better on training days (+4.37%) and still +5.8 better held out (−0.62%). The markout rule's edge carries across the split; the level does not.
3. **One session is doing a lot of work on XRP.** Positive held-out XRP numbers are concentrated on 2025-09-22, and three of them trade almost nothing. The four-day and twenty-day choices disagree on four of five XRP pairs. XRP selection is not reliable, and

its positive numbers are reported with the crash day removed alongside.

4. **The learned searches overfit more than the grid.** They reach training rewards the grid did not (+35 bp a session for PPO on `obi`) in regions the grid did not include, and those regions lose held out.

7. So what makes money?




Figure — held-out cumulative return, every method, every pair.

asset	strategy	C6 widened	C6 RL v2	C7 markout	C4 grid (C6 days)	C4 grid (20 days)	C4 GRPO	C4 PPO	RL v2-edge
ETH	glft	−7.07	−6.30	−5.36	−3.01	**−3.01**	−1.89	−2.75	−9.27
ETH	hfgrid	−2.11	−2.20	−1.99	−1.86	**−1.86**	–	–	–
ETH	obi	−6.40	−8.00	−0.62	−0.62	**−0.62**	−2.91	−2.54	−9.40
XRP	glft	−1.89	−0.86	−0.55	−1.22	**−1.22**	–	–	–
XRP	hfgrid	−1.15	−1.48	+1.96	+0.67	**+0.59**	–	–	–
XRP	obi	−2.91	−2.15	**+4.91**	+2.47	**+3.64**	–	–	–
XRP	apt	+2.00	−1.66	–	−0.85	**+7.26** †	–	–	–
XRP	basis	+0.36	−2.35	–	+2.19	**+1.69** †	–	–	–

Held-out cumulative return, % of book, eleven sessions. RL and search columns are medians over seeds. † trades a handful of fills or none on a median day.

The one configuration that makes money as a market maker is OBI on XRPUSDC with the markout rule. At C7's κ = 1:

	held out	without 09-22	sessions up	fills, median session
OBI XRPUSDC, markout κ = 1	**+4.91%**	**+1.38%**	**9 / 11**	508
OBI XRPUSDC, grid (20 d)	+3.64%	+0.88%	9 / 11	106
OBI ETHUSDC, markout κ = 4	−0.62%	−0.68%	8 / 11	1,173

It is positive with the crash day removed, positive on most sessions, and it trades hundreds of times a day. That is the result worth building on. On ETHUSDC the same rule brings OBI to break-even and no further.

8. What would push further

- **A circuit breaker.** Most remaining ETH losses are a few sessions with a sharp move (09-15, 09-17 and 09-25 for OBI, each about −0.7%). Pausing quotes when short-horizon volatility or one-sided flow spikes is the obvious next rule, tested as a grid dimension, not learned.
- **A daily loss limit**, for the same sessions.
- **OBI XRPUSDC on more assets:** C7's untuned $\kappa = 2$ already improved OBI on six of seven other assets; the breadth tier has only three held-out sessions per asset, which is what to extend next.
- **RL, if at all, on top of the markout rule** — with the markout average in the state and the rule as the residual baseline — rather than on top of C6's widened presets.

9. Sources

what	source
the task	`ladder.md`, plus a request to prioritise positive PnL
GRPO's group-relative advantage	DeepSeekMath (Shao et al., 2024)
PPO's clipped objective	Schulman et al., 2017
the strategies, floors, split	C6
the markout rule, σ correction	C7