

# Technical Cybersecurity

Sabotage

# Sabotage

## MORE AND MORE COMMON

---

- ▶ Stuxnet
- ▶ BlackEnergy

## HIGH VALUE TARGETS HARD TO ACCESS

---

- ▶ Still use typical windows malware to get access to industrial control command & control channels
- ▶ Can be hard to trigger events

# Stuxnet

## ATTACKED URANIUM ENRICHMENT FACILITIES

---

- ▶ Spun the centrifuges too fast
- ▶ camouflaged real data (false data injection attack)
- ▶ Intermittent

# BlackEnergy

## ATTACKED UKRAINIAN POWER DISTRIBUTION

---

- ▶ Piggybacked on black market DDOS tool
- ▶ Extra code, extra payloads
- ▶ Active recon inside infrastructure
- ▶ Stole credentials, destroyed hardware

# CrashOverride

TIED TO BLACKENERGY, FOUND IN UKRAINE

---

- ▶ Implant used in tandem with BlackEnergy
- ▶ Initial infection vector unknown
- ▶ Submits C&C data using international industrial control protocols
- ▶ Extensible, able to act with little control

# Hatman

## ATTACKED SAFETY SYSTEMS IN SAUDI ARABIA

---

- ▶ Windows component injects code into safety system
- ▶ Safety system receives commands via specially-crafted packets
- ▶ Written in python with specific PowerPC binaries injected into the controllers
- ▶ Second malware **ever** to manipulate actual ICS code (Stuxnet was the first)

Let's talk about attack  
analysis next.