

ESEIAAT



Cubesat Constellation Astrea

Report

Degree: Aerospace Engineering Course: Engineering Projects

Group: G4 EA-T2016

Delivery date: 22-12-2016

Students:

Cebrián Galán, Joan Fontanes Molina, Pol Foreman Campins, Lluís Fraixedas Lucea, Roger Fuentes Muñoz, Óscar González García, Sílvia Herrán Albelda, Fernando Kaloyanov Naydenov, Boyan Martínez Viol, Víctor Morata Carranza, David

Pla Olea, Laura Pons Daza, Marina

Puig Ruiz, Josep Maria Serra Moncunill, Josep Maria

Tarroc Gil, Sergi Tió Malo, Xavier

Urbano González, Eva María

Customer: Pérez Llera, Luís Manuel



Contents

Li	st of	Table	5	ii
Li	st of	Figure	es	iii
1	Exa	mple		1
	1.1	Exam	ple	1
		1.1.1	Example	1
			1.1.1.1 Example	1
2	Sate	ellite d	lesign	2
	2.1	Electr	ical Power System	2
		2.1.1	Solar arrays	2
		2.1.2	Batteries	2
		2.1.3	Power management	2
		2.1.4	Study of the commercial available options	2
	2.2	Comm	nunication module	3

LIST OF TABLES



_	• ,	C		1 1	•
•	.1ct	α t	' l 'n	h	Δc
\perp	ist	\mathbf{OI}	ıа	IJ.	LCS

LIST OF FIGURES



List	α f	Figures
LISU	$\mathbf{O}_{\mathbf{I}}$	riguics



1 Example

Example

1.1 Example

Example

1.1.1 Example

Example

1.1.1.1 Example

Example



2 Satellite design

2.1 Electrical Power System

The Electric Power System of the satellite must provide and manage the energy generated efficiently in order to have all the systems operating under normal conditions. The Electrical Power System of a Cubesat is, probably, the most fundamental requirement of the satellite payload, since a failure of it results in a mission failure. High level functions of the EPS are to control and distribute power to the Cubesat, to suppy a continuous source of electrical power for the duration of the mission or the service provided by Astrea, to protect the satellite against bus failures and to monitor and communicate the system status to the on-board computer. The role of the EPS is very diverse and the following subsystems have to be analyzed in detail.




Figure 2.1: Basic schematics of the EPS [?]

2.1.1 Solar arrays

The primary source of electrical power has to be photovoltaic cells, given the size of the CubeSat.

2.1.2 Batteries

2.1.3 Power management

2.1.4 Study of the commercial available options

Several commercial options have to be studied. The table provided below organizes some information about the different options purchased.

Brand and model	Features and description	Money (€)
Solar Panels		
Fabricant 1	Descripcio dEL BICHOOOOO	2000000



Chuscas 1	Descripcio del BICHOOOO	20000
Truñaas 1	Descripcio del BICHOOOO	20000
Cuescas 1	Descripcio del BICHOOOO	20000

Table 2.1: Options studied

Of all the options in 2.1, we have chosen the following options.

2.2 Communication module

100kbps:

1mbps:

¿solo 9600bps?:

Links interesantes universidades: