

Операционные системы

Редактор Emacs

Ниамби Давид Бени

2026-04-09

Цели и задачи работы

Процесс выполнения лабораторной работы

Выводы по проделанной работе


1. Цели и задачи работы


Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором Emacs.

1 Изучить возможности редактора Emacs

2. Процесс выполнения лабораторной работы

1. Откроем Emacs.






The image shows a screenshot of a GNU Emacs editor window. The title bar reads "hello.sh - GNU Emacs at davidniambi". The menu bar includes "File", "Edit", "Options", "Buffers", "Tools", "Sh-Script", and "Help". The toolbar contains icons for opening, saving, undo, redo, and search. The main text area displays a shell script with the following content:

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
```

The status bar at the bottom shows "---- hello.sh All L11 (Shell-script[bash])".

Рисунок 2: Новый файл



hello.sh - GNU Emacs at davidniambi


File Edit Options Buffers Tools Sh-Script Help

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
echo $HELLO
hello
}
```

-:*** hello.sh All L23 (Shell-script[bash])

Mark set

Рисунок 3: Операция вставка



The image shows a screenshot of the GNU Emacs editor window titled "hello.sh - GNU Emacs at davidniambi". The window has a menu bar with "File", "Edit", "Options", "Buffers", "Tools", "Sh-Script", and "Help". Below the menu bar is a toolbar with icons for file operations and editing. The main text area contains a shell script with the following content:

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello

}
echo $HELLO
hello


}
echo $HELLO
hello

}
echo $HELLO
hello

}
echo $HELLO
hello
```

A yellow rectangular highlight covers a block of code, specifically the lines from the first closing brace of the function to the next closing brace of the function, including the lines: `} echo $HELLO hello`, `} echo $HELLO hello`, `} echo $HELLO hello`, and `} echo $HELLO hello`. The status bar at the bottom of the window displays " -:***- hello.sh All L11 (Shell-script[bash])".

Рисунок 4: Выделение блока



The screenshot shows the GNU Emacs editor interface. The title bar reads "hello.sh - GNU Emacs at davidniambi". The menu bar includes "File", "Edit", "Options", "Buffers", "Tools", "Sh-Script", and "Help". The toolbar contains icons for opening, saving, undo, redo, and search. The main text area displays the following shell script:

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello

}
echo $HELLO
hello

}
echo $HELLO
hello

}
echo $HELLO
hello

}
echo $HELLO
hello

}
echo $HELLO
hello

}
echo $HELLO
hello
```

The status bar at the bottom shows the current buffer is "hello.sh", the cursor is at line 33 (L33), and the major mode is "(Shell-script[bash])".

Рисунок 5: Копирование блока




Рисунок 6: Удаление блока




Рисунок 7: Горизонтальное разделение




Рисунок 8: Переключение буфера




Рисунок 9: Закроем буфер

A screenshot of the GNU Emacs editor window titled "hello.sh - GNU Emacs at davidniambi". The interface includes a menu bar with File, Edit, Options, Buffers, Tools, Sh-Script, and Help. Below the menu is a toolbar with icons for saving, undoing, redoing, and searching. The main editing area contains a shell script with the following code:

```
#!/bin/bash  
HELLO=Hello  
function hello  
{  
    local HELLO=World  
    echo $HELLO  
}  
echo $HELLO  
hello  
  
}  
echo $HELLO  
hello  
  
}  
echo $HELLO  
hello  
  
}  
echo $HELLO  
hello  
  
}  
echo $HELLO  
hello  
  
}  
echo $HELLO  
hello
```

The status bar at the bottom shows the file path as "-:***- hello.sh", the current line as "Top L12", and the buffer name as "(Shell-script[bash])". A mouse cursor is visible over the script text.




Рисунок 11: Четыре буфера




Рисунок 12: Режим поиска

3. Выводы по проделанной работе

В данной работе мы познакомились с еще одним редактором операционной системой Linux. Получили практические навыки работы с редактором Emacs.