# The Complete Guide to Facebook Scraper — How to Scrape Facebook Posts, Pages, Groups & Public Data in 2026 published

11 min read · Jan 3, 2026

A Anadil Khalil Follow

Listen Share

## The Complete Guide to Facebook Scraper: Extract Posts, Pages, Groups & Public Data

Facebook remains the world's largest social network with billions of users generating massive amounts of public data daily. For researchers, marketers, and data analysts, extracting this information is crucial for understanding trends, monitoring brand sentiment, and conducting social media research. This is where a **facebook scraper** becomes essential — automating the collection and structuring of public Facebook data for analysis.

## What is a Facebook Scraper?

A **facebook scraper** is a specialized data extraction tool designed to collect publicly available information from Facebook. Whether you need to **scrape facebook posts**, **scrape facebook groups**, or **scrape facebook pages**, these tools transform unstructured social media content into structured, analyzable datasets without requiring manual copy-pasting or tedious browsing.

## Understanding Facebook Data Extraction

When you **scrape facebook**, you're collecting various types of public information:

- **Posts:** Text content, timestamps, media URLs, hashtags
- **Comments:** User comments, replies, reaction counts
- **Pages:** Page info, follower counts, post history

- **Groups:** Public group discussions, member posts
- **Profiles:** Public profile information and activity
- **Engagement Metrics:** Likes, shares, comments, reactions

## How to Scrape Facebook: Methods and Approaches

Understanding **how to scrape facebook** requires knowledge of different extraction methods:

### 1. Browser-Based Scraping

Modern tools **scrape facebook public data** using browser automation:

**Process Flow:**

1. **Launch Browser:** Start automated Chrome/Firefox instance
2. **Navigate to Facebook:** Load target pages programmatically
3. **Wait for Content:** Allow JavaScript to render dynamic content
4. **Scroll & Load:** Trigger infinite scroll to load more posts
5. **Extract Data:** Parse HTML elements for desired information
6. **Structure Output:** Convert raw data to JSON/CSV formats

**Advantages:**

- Works with dynamic JavaScript content
- Can handle complex page interactions
- Mimics genuine user behavior
- No API keys required

### 2. HTML Parsing Approach

For simpler use cases, **scrape facebook data** through direct HTML parsing:

```
from bs4 import BeautifulSoup
import requests
```

```
def scrape_facebook_page(url):
    response = requests.get(url)
    soup = BeautifulSoup(response.content, 'html.parser')

    posts = soup.find_all('div', class_='post-content')

    extracted_data = []
    for post in posts:
        extracted_data.append({
            'text': post.get_text(),
            'timestamp': post.find('time')['datetime'],
            'likes': extract_likes(post)
        })

    return extracted_data
```

### 3. Graph API (Official Method)

Facebook's official API for authorized data access:

**Limitations:**

- Requires app approval
- Limited to approved use cases
- Rate limited
- Doesn't provide full public data access

**When to Use:**

- For official business integrations
- When you need guaranteed API stability
- For applications requiring Facebook approval

## Facebook Scraper Web: The Complete Solution

The Facebook Scraper Web project provides production-grade **facebook scraping** capabilities:

## Core Features

### 1. Scrape Facebook Posts

Extract complete post information with a **facebook posts scraper**:

**Data Collected:**

- Post text and content
- Publication timestamps
- Author information
- Media attachments (images, videos, links)
- Engagement metrics (likes, shares, comments)
- Post URLs and unique IDs

**Implementation:**

```
from facebook_scraper import FacebookScraper
```

```
scraper = FacebookScraper()

# Scrape recent posts from a page
posts = scraper.scrape_page_posts(
    page_url='https://www.facebook.com/TargetPage',
    num_posts=50
)

for post in posts:
    print(f"Post: {post['text'][:100]}...")
    print(f"Likes: {post['likes']}, Comments: {post['comments']}")
    print(f"Posted: {post['timestamp']}")
    print("---")
```

### 2. Scrape Facebook Pages

**Facebook page scraper** functionality extracts:

- Page name and description
- Category and verification status
- Follower and like counts
- Contact information
- Operating hours

- Reviews and ratings
- Recent posts timeline

**Page Data Structure:**

```
{
  "page_id": "123456789",
  "page_name": "Example Business",
  "category": "Local Business",
  "verified": true,
  "followers": 45230,
  "likes": 43890,
  "description": "Your local trusted business since 1995",
  "website": "https://example.com",
  "phone": "+1-555-0123",
  "address": "123 Main St, City, State",
  "rating": 4.7,
  "review_count": 892
}
```

### 3. Scrape Facebook Groups

**Facebook group scraper** for public group content:

**Group Data:**

- Group name and description
- Member count and growth
- Public posts and discussions
- Member interactions
- Rules and guidelines
- Admin information

**Scraping Strategy:**

```
def scrape_facebook_group(group_id):
    scraper = FacebookScraper()
```

```
    # Get group metadata
    group_info = scraper.get_group_info(group_id)

    # Scrape recent posts
    posts = scraper.scrape_group_posts(
        group_id=group_id,
        days_back=30,
        max_posts=200
    )

    # Extract engagement patterns
    engagement = analyze_group_engagement(posts)

    return {
        'info': group_info,
        'posts': posts,
        'engagement': engagement
    }
```

#### 4. Scrape Facebook Comments

**Facebook comments scraper** extracts complete conversation threads:

**Comment Data:**

- Comment text and content
- Commenter information
- Comment timestamps
- Reply threads (nested comments)
- Reaction counts
- Comment likes

**Thread Extraction:**

```
def scrape_facebook_comments(post_url):
    scraper = FacebookScraper()

    comments = scraper.scrape_post_comments(
        post_url=post_url,
        include_replies=True,
        max_comments=500
    )
```

```
    # Structure nested replies
    comment_tree = build_comment_tree(comments)

    return comment_tree
```

**Comment Structure:**

```
{
  "comment_id": "987654321",
  "user": "John Doe",
  "text": "Great post! Very informative.",
  "timestamp": "2026-01-04T10:30:00Z",
  "likes": 12,
  "replies": [
    {
      "user": "Jane Smith",
      "text": "I agree completely!",
      "timestamp": "2026-01-04T11:15:00Z",
      "likes": 3
    }
  ]
}
```

### 5. Scrape Facebook Profiles

**Facebook profile scraper** for public profile data:

**Public Profile Information:**

- Name and username
- Profile and cover photos
- Bio and description
- Work and education history
- Location information
- Public posts and activity
- Friend count (if visible)

**Privacy Note:** Only scrape publicly visible information accessible without login.

### 6. Scrape Facebook Public Data

Focus on **scrape facebook public data** to ensure compliance:

Get Anadil Khalil's stories in your inbox

Join Medium for free to get updates from this writer.

Enter your email

Subscribe

Remember me for faster sign in

**Public Data Includes:**

- Public posts from pages
- Public group discussions
- Public comments
- Visible profile information
- Page reviews and ratings
- Public events

**Private Data to Avoid:**

- Friend lists (unless public)
- Private messages
- Restricted posts
- Personal photos in albums
- Non-public group content

## Technical Architecture

**Component Structure:**

```
facebook-scraper-web/
├── src/
│   ├── main.py
│   ├── scraper/
│   │   ├── facebook_scraper.py    # Main scraper class
│   │   ├── page_loader.py         # Browser automation
│   │   └── content_parser.py      # HTML/JSON parsing
│   ├── utils/
│   │   ├── logger.py              # Activity logging
│   │   ├── rate_limiter.py        # Request throttling
│   │   └── config_loader.py       # Configuration management
├── config/
│   ├── targets.yaml               # Scraping targets
│   └── scraper.env                # Environment variables
├── output/
│   ├── posts.json                 # Scraped posts
│   ├── comments.json              # Extracted comments
│   └── scrape_report.csv          # Summary reports
└── requirements.txt
```

## How to Scrape Facebook: Step-by-Step Implementation

## Prerequisites

```
# Install required libraries
pip install playwright
pip install beautifulsoup4
pip install pandas
pip install python-dotenv
```

## Basic Setup

### 1. Install Playwright Browsers:

```
playwright install chromium
```

### 2. Configure Targets:

```yaml
# config/targets.yaml
pages:
  - url: "https://www.facebook.com/TechCompany"
    name: "Tech Company Page"
  - url: "https://www.facebook.com/NewsOutlet"
    name: "News Outlet"
```

```yaml
groups:
  - id: "123456789"
    name: "Public Tech Group"
  - id: "987654321"
    name: "Marketing Professionals"

scraping:
  posts_per_page: 50
  include_comments: true
  max_comments_per_post: 100
  scroll_pause_time: 2
  retry_attempts: 3
```

### 3. Basic Scraper Implementation:

```python
from playwright.sync_api import sync_playwright
from bs4 import BeautifulSoup
import json
import time
```

```python
class FacebookScraper:
    def __init__(self):
        self.playwright = sync_playwright().start()
        self.browser =
self.playwright.chromium.launch(headless=True)
        self.page = self.browser.new_page()

    def scrape_page_posts(self, page_url, num_posts=50):
        """Scrape posts from a Facebook page"""
        self.page.goto(page_url)
        self.page.wait_for_load_state('networkidle')

        posts = []
        last_height = 0

        while len(posts) < num_posts:
            # Scroll to load more posts
```

```
            self.page.evaluate('window.scrollTo(0,
document.body.scrollHeight)')
            time.sleep(2)

            # Parse current posts
            content = self.page.content()
            soup = BeautifulSoup(content, 'html.parser')

            post_elements = soup.find_all('div', {'data-ad-preview':
'message'})

            for element in post_elements:
                post_data = self.parse_post(element)
                if post_data and post_data not in posts:
                    posts.append(post_data)

            # Check if reached end
            current_height =
self.page.evaluate('document.body.scrollHeight')
            if current_height == last_height:
                break
            last_height = current_height

        return posts[:num_posts]

    def parse_post(self, element):
        """Extract post data from HTML element"""
        try:
            return {
                'text': element.get_text(strip=True),
                'timestamp': self.extract_timestamp(element),
                'likes': self.extract_likes(element),
                'comments': self.extract_comment_count(element),
                'shares': self.extract_shares(element)
            }
        except Exception as e:
            print(f"Error parsing post: {e}")
            return None

    def save_results(self, data, filename):
        """Save scraped data to JSON file"""
        with open(filename, 'w', encoding='utf-8') as f:
            json.dump(data, f, indent=2, ensure_ascii=False)

    def close(self):
        """Clean up resources"""
        self.browser.close()
        self.playwright.stop()

# Usage
scraper = FacebookScraper()
posts =
scraper.scrape_page_posts('https://www.facebook.com/TargetPage',
num_posts=50)
```

```
scraper.save_results(posts, 'output/posts.json')
scraper.close()
```

## Advanced Facebook Scraping Techniques

### 1. Handling Dynamic Content

Facebook data scraping requires waiting for JavaScript:

```
def wait_for_posts_to_load(page):
    """Wait for posts to fully render"""
    page.wait_for_selector('div[role="article"]', timeout=10000)
    page.wait_for_load_state('networkidle')

    # Additional wait for lazy-loaded images
    page.evaluate('''() => {
        return new Promise(resolve => {
            setTimeout(resolve, 2000);
        });
    }''')
```

### 2. Infinite Scroll Automation

Scrape facebook posts with proper scrolling logic:

```
def scroll_and_collect(page, target_count):
    """Scroll page and collect posts until target count reached"""
    collected_posts = set()
    scroll_attempts = 0
    max_scrolls = 50

    while len(collected_posts) < target_count and scroll_attempts < max_scrolls
        # Get current posts
        post_elements = page.query_selector_all('div[data-ad-preview="message"]

        for element in post_elements:
            post_id = element.get_attribute('data-post-id')
            if post_id:
                collected_posts.add(post_id)

        # Scroll down
        page.evaluate('window.scrollBy(0, 1000)')
        page.wait_for_timeout(2000)

        scroll_attempts += 1
```

```
    return list(collected_posts)
```

## 3. Comment Thread Extraction

Scrape facebook comments with nested replies:

```
def extract_comment_thread(page, post_url):
    """Extract all comments and replies from a post"""
    page.goto(post_url)

    # Click "View more comments" repeatedly
    while True:
        try:
            view_more = page.query_selector('a:has-text("View more comments")')
            if view_more:
                view_more.click()
                page.wait_for_timeout(1500)
            else:
                break
        except:
            break

    # Extract all visible comments
    comments = []
    comment_elements = page.query_selector_all('div[role="article"]')

    for element in comment_elements:
        comment_data = {
            'user': extract_commenter_name(element),
            'text': element.text_content(),
            'timestamp': extract_comment_time(element),
            'likes': extract_comment_likes(element),
            'replies': extract_replies(element)
        }
        comments.append(comment_data)

    return comments
```

## 4. Rate Limiting and Safety

Scrape facebook data safely with proper throttling:

```
import time
import random
```

```
class RateLimiter:
    def __init__(self, requests_per_minute=10):
        self.rpm = requests_per_minute
        self.min_delay = 60 / requests_per_minute
        self.last_request = 0

    def wait(self):
        """Wait before next request"""
        elapsed = time.time() - self.last_request
        if elapsed < self.min_delay:
            sleep_time = self.min_delay - elapsed
            sleep_time += random.uniform(0, 2)  # Add randomness
            time.sleep(sleep_time)
        self.last_request = time.time()

# Usage
rate_limiter = RateLimiter(requests_per_minute=8)

for page_url in page_urls:
    rate_limiter.wait()
    scrape_page(page_url)
```

## 5. Proxy Rotation

For large-scale **facebook scraping**:

```
class ProxyRotator:
    def __init__(self, proxy_list):
        self.proxies = proxy_list
        self.current_index = 0

    def get_next_proxy(self):
        """Get next proxy in rotation"""
        proxy = self.proxies[self.current_index]
        self.current_index = (self.current_index + 1) % len(self.proxies)
        return proxy

    def create_browser_with_proxy(self, playwright):
        """Launch browser with proxy"""
        proxy = self.get_next_proxy()
        browser = playwright.chromium.launch(
            proxy={
                'server': f'http://{proxy["host"]}:{proxy["port"]}',
                'username': proxy['username'],
```

```
                'password': proxy['password']
            }
        )
        return browser
```

```
# Usage
proxy_rotator = ProxyRotator(proxy_list)

for target in targets:
    browser = proxy_rotator.create_browser_with_proxy(playwright)
    scrape_with_browser(browser, target)
    browser.close()
```

## Use Cases for Facebook Scraper

### 1. Social Media Research

Researchers use facebook scrapers to:

- Study social network dynamics
- Analyze information diffusion patterns
- Track public opinion on topics
- Examine user engagement behaviors
- Research viral content characteristics

**Research Implementation:**

```
def research_data_collection(topic_keywords):
    """Collect Facebook data for research"""
    scraper = FacebookScraper()

    # Find pages related to topic
    relevant_pages = search_pages_by_keyword(topic_keywords)

    # Collect posts from each page
    all_posts = []
    for page in relevant_pages:
        posts = scraper.scrape_page_posts(page, num_posts=100)
        all_posts.extend(posts)

    # Analyze engagement patterns
    engagement_analysis = analyze_engagement(all_posts)
```

```
    return {
        'posts': all_posts,
        'analysis': engagement_analysis,
        'metadata': {
            'topic': topic_keywords,
            'pages_scraped': len(relevant_pages),
            'total_posts': len(all_posts)
        }
    }
```

## 2. Brand Monitoring

**Marketers** leverage **facebook data scraping** for:

- Tracking brand mentions
- Monitoring competitor activity
- Analyzing customer sentiment
- Identifying influencers
- Measuring campaign effectiveness

**Brand Monitoring System:**

```
def monitor_brand_mentions(brand_keywords):
    """Monitor brand mentions across Facebook"""
    scraper = FacebookScraper()

    mentions = []

    # Scrape relevant pages and groups
    for keyword in brand_keywords:
        # Search posts
        posts = scraper.search_posts(keyword, days_back=7)
        mentions.extend(posts)

    # Analyze sentiment
    sentiment_scores = analyze_sentiment(mentions)

    # Identify influential mentions
    top_mentions = sorted(mentions,
                          key=lambda x: x['likes'] + x['shares'],
                          reverse=True)[:10]
```

```
    return {
        'total_mentions': len(mentions),
        'sentiment': sentiment_scores,
        'top_posts': top_mentions,
        'trends': identify_trending_topics(mentions)
    }
```

### 3. Competitive Intelligence

**Businesses** use **facebook scraper** tools to:

- Track competitor content strategies
- Analyze engagement rates
- Monitor product launches
- Study customer feedback
- Benchmark performance metrics

**Competitive Analysis:**

```
def analyze_competitors(competitor_pages):
    """Analyze competitor Facebook presence"""
    scraper = FacebookScraper()

    competitor_data = {}

    for page_url in competitor_pages:
        # Scrape page info and posts
        page_info = scraper.scrape_page_info(page_url)
        posts = scraper.scrape_page_posts(page_url, num_posts=100)

        # Calculate metrics
        metrics = {
            'followers': page_info['followers'],
            'avg_likes': calculate_avg_likes(posts),
            'avg_comments': calculate_avg_comments(posts),
            'posting_frequency': calculate_posting_frequency(posts),
            'engagement_rate': calculate_engagement_rate(posts, page_info['foll
            'top_content_types': identify_top_content_types(posts)
        }

        competitor_data[page_info['name']] = metrics
```

```
    # Generate comparative report
    return create_comparison_report(competitor_data)
```

## 4. Lead Generation

**Sales teams scrape facebook groups** to:

- Find potential customers
- Identify decision makers
- Discover business opportunities
- Build contact databases
- Target specific industries

**Lead Collection:**

```
def scrape_for_leads(target_groups, filters):
    """Scrape Facebook groups for lead generation"""
    scraper = FacebookScraper()

    leads = []

    for group_id in target_groups:
        # Get group members and posts
        posts = scraper.scrape_group_posts(group_id, days_back=30)

        # Filter for qualified leads
        for post in posts:
            if matches_lead_criteria(post, filters):
                lead_info = {
                    'user': post['author'],
                    'post_url': post['url'],
                    'content': post['text'],
                    'engagement': post['likes'] + post['comments'],
                    'source_group': group_id
                }
                leads.append(lead_info)

    return deduplicate_leads(leads)
```

## 5. Content Strategy

**Content creators scrape facebook pages** to:

- Identify trending topics
- Analyze successful content formats
- Determine optimal posting times
- Study audience preferences
- Optimize content strategy

**Content Intelligence:**

```
def analyze_content_performance(niche_pages):
    """Analyze what content performs best"""
    scraper = FacebookScraper()

    all_posts = []
    for page_url in niche_pages:
        posts = scraper.scrape_page_posts(page_url, num_posts=200)
        all_posts.extend(posts)

    # Identify patterns
    insights = {
        'best_posting_times': find_optimal_times(all_posts),
        'top_content_formats': analyze_formats(all_posts),
        'high_performing_topics': extract_trending_topics(all_posts),
        'engagement_drivers': identify_engagement_factors(all_posts),
        'optimal_post_length': calculate_ideal_length(all_posts)
    }

    return insights
```

## Best Practices for Facebook Scraping

### 1. Respect Rate Limits

**Conservative scraping limits:**

- Requests per minute: 8–12
- Delay between requests: 5–8 seconds
- Daily scraping cap: 2,000–5,000 posts

- Break between sessions: 30–60 minutes

**Implementation:**

```
import time


class FacebookScraperSafe:
    def __init__(self):
        self.requests_made = 0
        self.session_start = time.time()
        self.max_requests_per_hour = 300

    def check_limits(self):
        """Enforce rate limits"""
        elapsed_hours = (time.time() - self.session_start) / 3600
        requests_per_hour = self.requests_made / elapsed_hours

        if requests_per_hour > self.max_requests_per_hour:
            sleep_time = 3600 / self.max_requests_per_hour
            time.sleep(sleep_time)

    def scrape_with_limits(self, url):
        """Scrape with automatic rate limiting"""
        self.check_limits()
        data = self.scrape(url)
        self.requests_made += 1
        return data
```

## 2. Handle Errors Gracefully

**Error handling for facebook scraping:**

```
def scrape_with_retry(url, max_attempts=3):
    """Scrape with automatic retry logic"""
    for attempt in range(max_attempts):
        try:
            data = scrape_page(url)
            return data
        except TimeoutError:
            if attempt < max_attempts - 1:
                wait_time = (2 ** attempt) * 10
                time.sleep(wait_time)
        except Exception as e:
            log_error(f"Scraping error for {url}: {str(e)}")
            if attempt == max_attempts - 1:
```

```
                return None
        return None
```

## 3. Validate Extracted Data

Quality assurance:

```
def validate_post_data(post):
    """Ensure scraped data meets quality standards"""
    required_fields = ['text', 'timestamp', 'author']

    # Check required fields exist
    for field in required_fields:
        if field not in post or not post[field]:
            return False

    # Validate timestamp format
    try:
        datetime.fromisoformat(post['timestamp'])
    except ValueError:
        return False

    # Validate metrics are numeric
    for metric in ['likes', 'comments', 'shares']:
        if metric in post and not isinstance(post[metric], int):
            return False

    return True
```

## 4. Store Data Efficiently

Data storage strategies:

```
import json
import csv
```

```
class DataStorage:
    def save_to_json(self, data, filename):
        """Save data as JSON"""
        with open(filename, 'w', encoding='utf-8') as f:
            json.dump(data, f, indent=2, ensure_ascii=False)

    def save_to_csv(self, data, filename):
```

```
        """Save data as CSV"""
        if not data:
            return

        keys = data[0].keys()
        with open(filename, 'w', newline='', encoding='utf-8') as f:
            writer = csv.DictWriter(f, fieldnames=keys)
            writer.writeheader()
            writer.writerows(data)

    def append_to_database(self, data, table_name):
        """Append to database"""
        # Database insertion logic
        for record in data:
            insert_record(table_name, record)
```

## Legal and Ethical Considerations

### Terms of Service Compliance

Important guidelines:

1. **Public Data Only**: Only scrape publicly accessible information
2. **Respect robots.txt**: Check and follow Facebook's robots.txt
3. **No Automated Accounts**: Don't create fake accounts for scraping
4. **Attribution**: Credit Facebook as data source
5. **No Personal Data Abuse**: Handle personal information responsibly

### Ethical Scraping Practices

Responsible facebook data scraping:

```
class EthicalFacebookScraper:
    def __init__(self):
        self.rate_limiter = RateLimiter(requests_per_minute=8)
        self.user_agent = "Research Bot/1.0 (contact@example.com)"

    def scrape_ethically(self, url):
        """Scrape with ethical considerations"""
        # Check if scraping is allowed
        if not self.is_scraping_allowed(url):
            return None

        # Apply rate limiting
        self.rate_limiter.wait()
```

```
        # Use proper identification
        headers = {'User-Agent': self.user_agent}

        # Scrape with minimal resource usage
        return self.scrape_efficiently(url, headers=headers)

    def anonymize_data(self, data):
        """Remove or anonymize personal information"""
        for record in data:
            if 'user_id' in record:
                record['user_id'] = hash_identifier(record['user_id'])
            if 'email' in record:
                del record['email']
        return data
```

## Data Privacy

**Protecting user privacy:**

- Anonymize usernames in research publications
- Don't store sensitive personal information
- Encrypt stored data
- Delete data when no longer needed
- Comply with GDPR/CCPA regulations

## Troubleshooting Common Issues

## Issue 1: Dynamic Content Not Loading

**Symptoms:**

- Incomplete data extraction
- Missing posts or comments
- Empty results

**Solutions:**

```
# Increase wait times
page.wait_for_load_state('networkidle')
```

```
page.wait_for_timeout(5000)
```

```
# Wait for specific elements
page.wait_for_selector('div[role="article"]', timeout=15000)

# Check for loading indicators
page.wait_for_function('!document.querySelector(".loading-
indicator")')
```

### Issue 2: Account Restrictions

**Symptoms:**

- CAPTCHA challenges
- Login requirements
- Blocked IP addresses

**Solutions:**

- Use residential proxies
- Reduce scraping frequency
- Add longer delays between requests
- Rotate user agents
- Respect rate limits strictly

### Issue 3: Data Parsing Errors

**Symptoms:**

- Extraction failures
- Incorrect data format
- Missing fields

**Solutions:**

```
def safe_extract(element, selector, attribute=None, default=''):
    """Safely extract data with fallback"""
    try:
        found = element.query_selector(selector)
        if not found:
            return default

        if attribute:
            return found.get_attribute(attribute) or default
        return found.text_content() or default
    except Exception:
        return default
```

## Performance Optimization

### Speed Benchmarks

Facebook scraper performance metrics:

- **Scraping speed:** 250–500 posts per hour
- **Success rate:** 91–94% extraction accuracy
- **Resource usage:** 300–450 MB RAM per browser instance
- **Scalability:** 40–200 concurrent pages

### Optimization Techniques

**1. Parallel Scraping:**

```
from concurrent.futures import ThreadPoolExecutor
```

```
def scrape_multiple_pages(page_urls):
    """Scrape multiple pages in parallel"""
    with ThreadPoolExecutor(max_workers=5) as executor:
        results = executor.map(scrape_single_page, page_urls)
    return list(results)
```

**2. Selective Scraping:**

```python
def scrape_efficiently(page_url, fields_needed):
    """Only extract requested fields"""
    page = load_page(page_url)

    data = {}
    if 'text' in fields_needed:
        data['text'] = extract_text(page)
    if 'engagement' in fields_needed:
        data['engagement'] = extract_engagement(page)

    return data
```

## Conclusion

A well-implemented **facebook scraper** is essential for extracting valuable insights from the world's largest social network. Whether you need to **scrape facebook posts**, **scrape facebook groups**, **scrape facebook pages**, **scrape facebook comments**, or **scrape facebook public data**, the techniques and tools outlined in this guide provide a comprehensive foundation.

The Facebook Scraper Web project offers a production-ready solution for **facebook data scraping**, combining reliability, safety controls, and flexible configuration.

Success in **scraping facebook** depends on:

1. **Technical proficiency**: Understanding browser automation and parsing
2. **Ethical practices**: Respecting rate limits and privacy
3. **Data quality**: Implementing validation and cleaning
4. **Legal compliance**: Following terms of service
5. **Performance optimization**: Efficient resource usage

Remember that responsible **facebook scraping** prioritizes public data collection, respects platform guidelines, and maintains user privacy. Use these tools strategically for research, analysis, and business intelligence while always adh

Follow

## Written by Anadil Khalil

2 followers · 1 following

## No responses yet

Write a response

What are your thoughts?

## More from Anadil Khalil

Anadil Khalil

## The Complete Guide to Threads Scraper: Web Scraping Threads for Data Extraction & Analysis

Meta's Threads platform has rapidly become a significant player in social media, attracting millions of users and generating massive...

Jan 3



Anadil Khalil

## TikTok Scraper Explained: Open-Source GitHub Repo for Videos, Comments & Data Scraping

TikTok has become one of the most content-dense platforms on the internet, making it a major source of data for research, analytics, and...

Jan 15



Anadil Khalil

## iOS Automation

iOS Automation Explained: Open-Source GitHub Repo Breakdown for Testing & UI Control

Jan 12



Anadil Khalil

## Building a Solana Trading Bot Using an Open-Source GitHub Repository

Solana Trading Bot Explained: Open-Source GitHub Repo Breakdown

Jan 14

See all from Anadil Khalil

## Recommended from Medium

In UX Planet by Nick Babich

## Google Stitch for Product Designers

Is Google Stitch a true revolution in UI design space or a dead end?

6d ago 335 11

In CodeX by MayhemCode

## You Are Probably Buying the Wrong Machine for Local AI — The Mac Mini M4 vs Mini PC Truth Nobody...

There is a quiet war happening on the desks of AI enthusiasts right now. On one side, the Mac Mini M4 sits sleek and silent, promising...

Mar 20 966 22



:2510.01171v3 [cs.CL] 10 Oct 2025

ABSTRACT

Post-training alignment often reduces LLM diversity, leading to a phenomenon known as *mode collapse*. Unlike prior work that attributes this effect to algorithmic limitations, we identify a fundamental, pervasive data-level driver: *typicality bias* in preference data, whereby annotators systematically favor familiar text as a result of well-established findings in cognitive psychology. We formalize this bias theoretically, verify it on preference datasets empirically, and show that it plays a central role in mode collapse. Motivated by this analysis, we introduce ***Verbalized Sampling (VS)***, a simple, training-free prompting strategy to circumvent mode collapse. VS prompts the model to verbalize a probability distribution over a set of responses (e.g., "Generate 5 jokes about coffee and their corresponding probabilities"). Comprehensive experiments show that VS significantly improves performance across creative writing (poems, stories, jokes), dialogue simulation, open-ended QA, and synthetic data generation, without sacrificing factual accuracy and safety. For instance, in creative writing, VS increases diversity by 1.6-2.1× over direct prompting. We further observe an emergent trend that more capable models benefit more from VS. In sum, our work provides a new data-centric perspective on mode collapse and a practical inference-time remedy that helps unlock pre-trained generative diversity.

**Problem: *Typicality Bias* Causes Mode Collapse**

Tell me a joke about coffee

**Solution: Verbalized Sampling (VS) Mitigates Mode Collapse**

Different prompts collapse to different modes:

In Generative AI by Adham Khaled

## Stanford Just Killed Prompt Engineering With 8 Words (And I Can't Believe It Worked)

ChatGPT keeps giving you the same boring response? This new technique unlocks 2× more creativity from ANY AI model—no training required…

Oct 20, 2025 25K 689



Michal Malewicz

## The End of Dashboards and Design Systems

Design is becoming quietly human again.

Nov 26, 2025 6.4K 259




In Level Up Coding by Kusireddy

## I Stopped Using ChatGPT for 30 Days. What Happened to My Brain Was Terrifying.

91% of you will abandon 2026 resolutions by January 10th. Here's how to be in the 9% who actually win.

Dec 28, 2025 12.1K 453



In Write A Catalyst by Dr. Patricia Schmidt

## As a Neuroscientist, I Quit These 5 Morning Habits That Destroy Your Brain

Most people do #1 within 10 minutes of waking (and it sabotages your entire day)

Jan 14 42K 835

See more recommendations