

REGAL Constraint Fitter -- Setup

HARD CONSTRAINTS (from public disclosures)

Trial start (first patient dosed) : Feb 8, 2021 (t = 0)
Enrollment completed : April 2024 (~38 months)
Total randomized : 126 (1:1, 63 per arm)

60 events triggered IA at month : 46 (~Dec 2024)
72 events update at month : 58 (~Dec 2025)
Final analysis trigger : 80 events

Median follow-up at IA : 13.5 +/- 2.0m (public disclosure)
Pooled (blinded) mOS at IA : > 12 months (public disclosure)
80-event status as of t=64 (May'26): t80 NOT in [63, 64] (no PR yet)
IDMC verdict at IA : Passed futility (continued)

HR success threshold (per SAP) : 0.636
Futility upper bound : HR_IA < 0.83
Efficacy lower bound : HR_IA > 0.4

ABC TOLERANCES


Event count IA : +/- 4
Event count Upd : +/- 4
Event count PR3 : +/- 2 (78 events at m62.97)
Increment IA->Upd : +/- 3 (observed: 12)
Increment Upd->PR3 : +/- 2 (observed: 6)

STRATIFIED OUTPUT

BAT mOS bin width : 1.0m

MODEL FAMILIES FIT

- 1. Weibull / Weibull (4 params, fully agnostic)
- 2. Weibull-BAT + cumulative hazard pattern (from PR data, hard constraint)
- 3. Weibull-BAT + cumulative hazard pattern (from PR data, hard constraint)



Summary across all families

GLOBAL POSTERIORs (acceptance-weighted, marginalized over BAT mOS)
(See stratified pages for results conditional on each BAT mOS bin.)

=== Weibull/Weibull ===

Combos accepted (sim phase): 20

BAT mOS (acc-weighted) : P05= 13.0m P50= 18.0m P95= 24.0m
HR @ 80 events : P05= 0.43 P50= 0.63 P95= 0.82

HEADLINE NUMBERS (acceptance-weighted means):

P(reach 80 events) : 100.0%
P(HR<0.636 | reached 80) : 59.8% <- CONDITIONAL
P(reach 80 AND HR<0.636) : 59.8% <- UNCONDITIONAL
P(no readout, never reach 80) : 0.0%

Calendar month of 80th : P05= 65.0m P50= 65.7m P95= 66.0m

=== Cure-fraction GPS ===

Combos accepted (sim phase): 377

BAT mOS (acc-weighted) : P05= 14.0m P50= 18.0m P95= 25.0m
HR @ 80 events : P05= 0.41 P50= 0.59 P95= 0.80

HEADLINE NUMBERS (acceptance-weighted means):

P(reach 80 events) : 100.0%
P(HR<0.636 | reached 80) : 62.8% <- CONDITIONAL
P(reach 80 AND HR<0.636) : 62.8% <- UNCONDITIONAL
P(no readout, never reach 80) : 0.0%

Calendar month of 80th : P05= 64.9m P50= 65.8m P95= 67.0m

=== Leaky-cure GPS ===

Combos accepted (sim phase): 20

BAT mOS (acc-weighted) : P05= 13.0m P50= 18.0m P95= 24.0m
HR @ 80 events : P05= 0.43 P50= 0.63 P95= 0.82


HEADLINE NUMBERS (acceptance-weighted means):

P(reach 80 events) : 100.0%
P(HR<0.636 | reached 80) : 59.8% <- CONDITIONAL
P(reach 80 AND HR<0.636) : 59.8% <- UNCONDITIONAL
P(no readout, never reach 80) : 0.0%


Calendar month of 80th : P05= 65.0m P50= 65.7m P95= 66.0m

Stratified by BAT mOS: P(success) and median HR per BAT bin

Stratified P(success): pick your BAT mOS, read off the answer



Implied final HR: posterior vs best-fit point estimation



Stratified posterior: Weibull/Weibull

=== Weibull/Weibull: P(success) and HR by BAT m0S ===

BAT m0S	n_combos	wt_share	P(success)	P(HR<.636)	P(reach80)	HR P50	HR P05	HR P95	t80 P50
10-11	1	0.5%	100.0%	100.0%	100.0%	0.426	0.426	0.426	65.5
11-12	1	0.7%	100.0%	100.0%	100.0%	0.343	0.343	0.343	64.8
12-13	3	5.5%	82.9%	82.9%	100.0%	0.512	0.343	0.535	65.6
13-14	5	12.3%	85.2%	85.2%	100.0%	0.512	0.333	0.536	65.5
14-15	4	12.5%	93.0%	93.0%	100.0%	0.466	0.333	0.536	65.5
15-16	1	5.0%	100.0%	100.0%	100.0%	0.466	0.466	0.466	65.7
16-17	1	4.5%	52.5%	52.5%	100.0%	0.630	0.630	0.630	65.5
17-18	3	14.4%	63.5%	63.5%	100.0%	0.630	0.536	0.632	65.7
18-19	2	9.9%	68.4%	68.4%	100.0%	0.632	0.536	0.632	65.7
19-20	1	3.6%	44.0%	44.0%	100.0%	0.646	0.646	0.646	65.9
20-21	2	7.0%	40.6%	40.6%	100.0%	0.646	0.646	0.660	65.9
21-22	2	6.6%	24.4%	24.4%	100.0%	0.660	0.660	0.825	65.7
22-23	3	7.6%	16.3%	16.3%	100.0%	0.786	0.685	0.825	65.8
23-24	3	5.6%	19.5%	19.5%	100.0%	0.786	0.685	0.786	65.3
24-25	1	1.2%	17.6%	17.6%	100.0%	0.737	0.737	0.737	66.3
26-27	1	0.4%	16.7%	16.7%	100.0%	0.802	0.802	0.802	65.8
27-28	1	0.4%	16.7%	16.7%	100.0%	0.802	0.802	0.802	65.8
28-29	1	0.8%	0.0%	0.0%	100.0%	1.012	1.012	1.012	64.5
29-30	2	1.3%	0.0%	0.0%	100.0%	1.012	0.906	1.012	64.5

P(success) = P(reach 80 AND HR < 0.636)

P(HR<.636) = conditional on reaching 80

HR P50/05/95= median of per-combo median_HR_final, weighted by combo acceptance rate

t80 P50 = posterior median calendar month of 80th event

Best-fit point estimate: Weibull/Weibull

=== Weibull/Weibull: BEST-FIT POINT per BAT mOS bin ===

(residual-minimization, max abs |E[ev_IA]-60|, |E[ev_upd]-72|, |t80-64|)

BAT_bin	bat	bat_sh	gps	gps_sh	resid	HR_fin	P_succ	t80
10-11	10.000	0.600	49.486	1.000	1.39	0.426	100.0%	65.5
11-12	12.000	0.800	60.592	0.800	1.03	0.343	100.0%	64.8
12-13	12.000	0.800	60.592	0.800	1.03	0.343	100.0%	64.8
13-14	14.000	0.600	40.416	0.800	1.11	0.536	80.4%	65.2
14-15	14.000	0.600	40.416	0.800	1.11	0.536	80.4%	65.2
15-16	15.000	0.800	49.486	0.600	1.52	0.466	100.0%	65.7
16-17	17.000	0.600	33.008	0.800	1.35	0.630	52.5%	65.5
17-18	17.000	0.600	33.008	0.800	1.35	0.630	52.5%	65.5
18-19	18.000	0.600	33.008	0.800	1.57	0.632	53.6%	65.7
19-20	20.000	0.800	33.008	0.600	1.76	0.646	44.0%	65.9
20-21	21.000	0.800	33.008	0.600	1.61	0.660	37.0%	65.7
21-22	21.000	0.800	33.008	0.600	1.61	0.660	37.0%	65.7
22-23	23.000	0.600	26.958	0.800	1.14	0.786	12.5%	65.3
23-24	23.000	0.600	26.958	0.800	1.14	0.786	12.5%	65.3
24-25	24.000	0.800	26.958	0.600	2.18	0.737	17.6%	66.3
26-27	27.000	0.800	22.017	0.600	1.71	0.802	16.7%	65.8
27-28	27.000	0.800	22.017	0.600	1.71	0.802	16.7%	65.8
28-29	29.000	0.600	22.017	0.800	1.21	1.012	0.0%	64.5
29-30	29.000	0.600	22.017	0.800	1.21	1.012	0.0%	64.5

resid = max abs residual to event anchors (events / months)

HR_fin = HR at 80 events for THIS single best-fit combo (not averaged)

P_succ = P(success) for THIS single combo's simulations

t80 = calendar month of 80th event for this combo

This is yg19-style point estimation for direct comparison.

Use the stratified-posterior table for averaged-over-uncertainty answers.

Stratified posterior: Cure-fraction GPS

=== Cure-fraction GPS: P(success) and HR by BAT m0S ===

BAT m0S	n_combos	wt_share	P(success)	P(HR<.636)	P(reach80)	HR P50	HR P05	HR P95	t80 P50
8-9	2	0.0%	100.0%	100.0%	100.0%	0.506	0.494	0.506	64.9
9-10	6	0.1%	100.0%	100.0%	100.0%	0.458	0.408	0.506	65.2
10-11	12	0.3%	97.2%	97.2%	100.0%	0.479	0.408	0.495	65.7
11-12	18	0.8%	95.3%	95.3%	100.0%	0.481	0.407	0.525	65.4
12-13	24	1.6%	93.9%	93.9%	100.0%	0.496	0.398	0.559	65.6
13-14	30	3.6%	88.0%	88.0%	100.0%	0.535	0.403	0.568	65.6
14-15	32	5.5%	82.9%	82.9%	100.0%	0.546	0.383	0.584	65.7
15-16	37	7.7%	78.7%	78.7%	100.0%	0.565	0.359	0.626	65.7
16-17	48	11.4%	78.9%	78.9%	100.0%	0.516	0.385	0.631	65.8
17-18	52	13.1%	73.9%	73.9%	100.0%	0.539	0.423	0.683	65.9
18-19	48	11.7%	67.1%	67.1%	100.0%	0.575	0.432	0.691	65.9
19-20	44	9.7%	60.1%	60.1%	100.0%	0.604	0.476	0.745	65.8
20-21	48	8.9%	52.8%	52.8%	100.0%	0.621	0.505	0.775	65.9
21-22	58	8.1%	50.9%	50.9%	100.0%	0.638	0.412	0.800	66.1
22-23	55	6.2%	42.0%	42.0%	100.0%	0.664	0.414	0.807	66.1
23-24	46	4.1%	28.5%	28.5%	100.0%	0.727	0.549	0.837	65.9
24-25	52	2.8%	26.2%	26.2%	100.0%	0.724	0.518	0.871	65.7
25-26	44	1.7%	20.0%	20.0%	100.0%	0.754	0.520	0.909	65.5
26-27	30	1.1%	13.3%	13.3%	100.0%	0.814	0.649	0.903	65.8
27-28	25	0.7%	13.9%	13.9%	100.0%	0.814	0.685	0.903	65.9
28-29	19	0.4%	5.8%	5.8%	100.0%	0.869	0.699	0.946	65.7
29-30	16	0.3%	2.3%	2.3%	100.0%	0.884	0.762	0.966	66.0

P(success) = P(reach 80 AND HR < 0.636)

P(HR<.636) = conditional on reaching 80

HR P50/05/95= median of per-combo median_HR_final, weighted by combo acceptance rate

t80 P50 = posterior median calendar month of 80th event

Best-fit point estimate: Cure-fraction GPS

=== Cure-fraction GPS: BEST-FIT POINT per BAT mOS bin ===

(residual-minimization, max abs |E[ev_IA]-60|, |E[ev_upd]-72|, |t80-64|)

BAT_bin	bat	bat_sh	cure	unc_med	unc_sh	resid	HR_fin	P_succ	t80
8-9	8.000	0.600	0.400	30.000	1.500	1.12	0.494	100.0%	64.7
9-10	10.000	0.600	0.350	27.000	1.200	0.95	0.492	100.0%	65.1
10-11	11.000	0.600	0.350	25.000	1.200	0.85	0.479	90.9%	64.3
11-12	11.000	0.600	0.350	25.000	1.200	0.85	0.479	90.9%	64.3
12-13	13.000	0.800	0.350	26.000	0.900	0.96	0.403	93.3%	65.1
13-14	13.000	0.800	0.350	26.000	0.900	0.96	0.403	93.3%	65.1
14-15	15.000	1.000	0.300	29.000	0.600	1.22	0.352	100.0%	65.3
15-16	16.000	0.800	0.400	17.000	0.900	1.18	0.478	92.7%	65.0
16-17	17.000	0.600	0.100	28.000	0.900	1.06	0.646	46.4%	65.2
17-18	17.000	0.600	0.100	28.000	0.900	1.06	0.646	46.4%	65.2
18-19	18.000	0.600	0.200	22.000	0.900	1.19	0.641	50.0%	65.3
19-20	19.000	0.600	0.150	23.000	0.900	1.21	0.661	41.8%	65.3
20-21	21.000	0.600	0.100	24.000	0.900	1.25	0.783	14.9%	65.4
21-22	22.000	0.800	0.200	16.000	0.600	1.20	0.633	53.6%	65.3
22-23	23.000	0.800	0.150	18.000	0.600	0.88	0.677	33.3%	64.9
23-24	23.000	0.800	0.150	18.000	0.600	0.88	0.677	33.3%	64.9
24-25	25.000	0.800	0.100	19.000	0.600	0.71	0.724	25.0%	64.7
25-26	26.000	0.600	0.200	16.000	0.900	0.63	0.814	6.7%	64.3
26-27	26.000	0.600	0.200	16.000	0.900	0.63	0.814	6.7%	64.3
27-28	28.000	0.800	0.050	19.000	0.600	0.85	0.783	0.0%	64.0
28-29	29.000	0.800	0.050	18.000	0.600	0.73	0.840	0.0%	64.1
29-30	29.000	0.800	0.050	18.000	0.600	0.73	0.840	0.0%	64.1

resid = max abs residual to event anchors (events / months)

HR_fin = HR at 80 events for THIS single best-fit combo (not averaged)

P_succ = P(success) for THIS single combo's simulations

t80 = calendar month of 80th event for this combo

This is yg19-style point estimation for direct comparison.

Use the stratified-posterior table for averaged-over-uncertainty answers.

Stratified posterior: Leaky-cure GPS

=== Leaky-cure GPS: P(success) and HR by BAT m0S ===

BAT m0S	n_combos	wt_share	P(success)	P(HR<.636)	P(reach80)	HR P50	HR P05	HR P95	t80 P50
10-11	1	0.5%	100.0%	100.0%	100.0%	0.426	0.426	0.426	65.5
11-12	1	0.7%	100.0%	100.0%	100.0%	0.343	0.343	0.343	64.8
12-13	3	5.5%	82.9%	82.9%	100.0%	0.512	0.343	0.535	65.6
13-14	5	12.3%	85.2%	85.2%	100.0%	0.512	0.333	0.536	65.5
14-15	4	12.5%	93.0%	93.0%	100.0%	0.466	0.333	0.536	65.5
15-16	1	5.0%	100.0%	100.0%	100.0%	0.466	0.466	0.466	65.7
16-17	1	4.5%	52.5%	52.5%	100.0%	0.630	0.630	0.630	65.5
17-18	3	14.4%	63.5%	63.5%	100.0%	0.630	0.536	0.632	65.7
18-19	2	9.9%	68.4%	68.4%	100.0%	0.632	0.536	0.632	65.7
19-20	1	3.6%	44.0%	44.0%	100.0%	0.646	0.646	0.646	65.9
20-21	2	7.0%	40.6%	40.6%	100.0%	0.646	0.646	0.660	65.9
21-22	2	6.6%	24.4%	24.4%	100.0%	0.660	0.660	0.825	65.7
22-23	3	7.6%	16.3%	16.3%	100.0%	0.786	0.685	0.825	65.8
23-24	3	5.6%	19.5%	19.5%	100.0%	0.786	0.685	0.786	65.3
24-25	1	1.2%	17.6%	17.6%	100.0%	0.737	0.737	0.737	66.3
26-27	1	0.4%	16.7%	16.7%	100.0%	0.802	0.802	0.802	65.8
27-28	1	0.4%	16.7%	16.7%	100.0%	0.802	0.802	0.802	65.8
28-29	1	0.8%	0.0%	0.0%	100.0%	1.012	1.012	1.012	64.5
29-30	2	1.3%	0.0%	0.0%	100.0%	1.012	0.906	1.012	64.5

P(success) = P(reach 80 AND HR < 0.636)

P(HR<.636) = conditional on reaching 80

HR P50/05/95= median of per-combo median_HR_final, weighted by combo acceptance rate

t80 P50 = posterior median calendar month of 80th event

Best-fit point estimate: Leaky-cure GPS

=== Leaky-cure GPS: BEST-FIT POINT per BAT mOS bin ===

(residual-minimization, max abs |E[ev_IA]-60|, |E[ev_upd]-72|, |t80-64|)

BAT_bin	bat	bat_sh	gps	gps_sh	resid	HR_fin	P_succ	t80
10-11	10.000	0.600	49.486	1.000	1.39	0.426	100.0%	65.5
11-12	12.000	0.800	60.592	0.800	1.03	0.343	100.0%	64.8
12-13	12.000	0.800	60.592	0.800	1.03	0.343	100.0%	64.8
13-14	14.000	0.600	40.416	0.800	1.11	0.536	80.4%	65.2
14-15	14.000	0.600	40.416	0.800	1.11	0.536	80.4%	65.2
15-16	15.000	0.800	49.486	0.600	1.52	0.466	100.0%	65.7
16-17	17.000	0.600	33.008	0.800	1.35	0.630	52.5%	65.5
17-18	17.000	0.600	33.008	0.800	1.35	0.630	52.5%	65.5
18-19	18.000	0.600	33.008	0.800	1.57	0.632	53.6%	65.7
19-20	20.000	0.800	33.008	0.600	1.76	0.646	44.0%	65.9
20-21	21.000	0.800	33.008	0.600	1.61	0.660	37.0%	65.7
21-22	21.000	0.800	33.008	0.600	1.61	0.660	37.0%	65.7
22-23	23.000	0.600	26.958	0.800	1.14	0.786	12.5%	65.3
23-24	23.000	0.600	26.958	0.800	1.14	0.786	12.5%	65.3
24-25	24.000	0.800	26.958	0.600	2.18	0.737	17.6%	66.3
26-27	27.000	0.800	22.017	0.600	1.71	0.802	16.7%	65.8
27-28	27.000	0.800	22.017	0.600	1.71	0.802	16.7%	65.8
28-29	29.000	0.600	22.017	0.800	1.21	1.012	0.0%	64.5
29-30	29.000	0.600	22.017	0.800	1.21	1.012	0.0%	64.5

resid = max abs residual to event anchors (events / months)

HR_fin = HR at 80 events for THIS single best-fit combo (not averaged)

P_succ = P(success) for THIS single combo's simulations


t80 = calendar month of 80th event for this combo

This is yg19-style point estimation for direct comparison.


Use the stratified-posterior table for averaged-over-uncertainty answers.

Weibull/Weibull (page 1/2)


Implied final HR vs BAT mOS




Final-HR posterior





Timing of 80th event



BAT mOS posterior (no biological prior)




Weibull/Weibull (page 2/2)




Cure-fraction GPS (page 1/2)


Implied final HR vs BAT mOS




Final-HR posterior




Timing of 80th event




BAT mOS posterior (no biological prior)



Implied KM-style curves (top 20 accepted combos)




Simulation acceptance rate (events + HR_IA gate + pool mOS)




Leaky-cure GPS (page 1/2)


Implied final HR vs BAT mOS




Final-HR posterior



Timing of 80th event




BAT mOS posterior (no biological prior)




Leaky-cure GPS (page 2/2)

Implied KM-style curves (top 20 accepted combos)




Simulation acceptance rate (events + HR_IA gate + pool mOS)




Cross-family comparison


Final-HR posterior by family




80th-event timing posterior by family



BAT mOS posterior by family



P(success): unconditional vs conditional



Top accepted combos

TOP-20 ACCEPTED COMBOS PER FAMILY (by acceptance rate)

--- Weibull/Weibull ---

exp_ev_pr3	bat_med	bat_shape	gps_med	gps_shape	acceptance_rate	p_reach80	p_no_readout
76.818	18.000	0.600	33.008	0.800	0.086	1.000	0.000
77.344	15.000	0.800	49.486	0.600	0.085	1.000	0.000
76.803	18.000	0.800	40.416	0.600	0.084	1.000	0.000
77.598	17.000	0.600	33.008	0.800	0.076	1.000	0.000
76.661	14.000	0.600	40.416	0.800	0.070	1.000	0.000
77.604	20.000	0.800	33.008	0.600	0.062	1.000	0.000
76.727	21.000	0.800	33.008	0.600	0.058	1.000	0.000
77.638	13.000	0.600	40.416	0.800	0.056	1.000	0.000
77.719	22.000	0.600	26.958	0.800	0.055	1.000	0.000
77.106	23.000	0.600	26.958	0.800	0.050	1.000	0.000
77.582	14.000	0.800	49.486	0.800	0.030	1.000	0.000
77.407	14.000	1.000	74.190	0.600	0.029	1.000	0.000
77.578	13.000	0.600	40.416	1.000	0.026	1.000	0.000
77.820	23.000	0.800	26.958	0.600	0.025	1.000	0.000
77.046	24.000	0.800	26.958	0.600	0.021	1.000	0.000
77.619	29.000	0.600	22.017	0.800	0.014	1.000	0.000
76.794	12.000	0.800	60.592	0.800	0.013	1.000	0.000
76.732	10.000	0.600	49.486	1.000	0.009	1.000	0.000
77.159	30.000	0.600	22.017	0.800	0.009	1.000	0.000
77.680	27.000	0.800	22.017	0.600	0.007	1.000	0.000

--- Cure-fraction GPS ---

exp_ev_pr3	bat_med	bat_shape	cure_frac	unc_med	unc_shape	acceptance_rate	p_reach80
77.162	17.000	0.800	0.200	24.000	0.600	0.101	1.000
76.871	17.000	0.800	0.150	29.000	0.600	0.101	1.000
76.767	18.000	0.600	0.150	25.000	0.900	0.099	1.000
77.657	18.000	0.800	0.100	29.000	0.600	0.096	1.000
77.745	19.000	1.000	0.250	21.000	0.600	0.096	1.000
77.143	18.000	0.800	0.150	26.000	0.600	0.095	1.000
77.548	17.000	0.600	0.150	25.000	0.900	0.091	1.000
76.761	20.000	0.600	0.150	23.000	0.900	0.091	1.000
77.920	18.000	1.000	0.250	23.000	0.600	0.090	1.000
77.000	16.000	0.600	0.200	24.000	0.900	0.089	1.000
76.941	16.000	0.600	0.250	21.000	0.900	0.089	1.000
77.444	17.000	0.600	0.300	20.000	1.200	0.089	1.000
76.756	17.000	1.000	0.400	15.000	0.600	0.089	1.000
76.815	18.000	0.600	0.250	19.000	0.900	0.089	1.000
77.373	18.000	1.000	0.400	12.000	0.600	0.089	1.000
77.414	17.000	1.000	0.250	27.000	0.600	0.087	1.000
77.328	17.000	0.800	0.350	18.000	0.900	0.087	1.000
77.501	17.000	0.600	0.100	28.000	0.900	0.086	1.000
77.802	17.000	1.000	0.250	26.000	0.600	0.086	1.000
77.709	20.000	0.600	0.000	30.000	0.900	0.086	1.000

--- Leaky-cure GPS ---

exp_ev_pr3	bat_med	bat_shape	gps_med	gps_shape	acceptance_rate	p_reach80	p_no_readout
76.818	18.000	0.600	33.008	0.800	0.086	1.000	0.000
77.344	15.000	0.800	49.486	0.600	0.085	1.000	0.000
76.803	18.000	0.800	40.416	0.600	0.084	1.000	0.000
77.598	17.000	0.600	33.008	0.800	0.076	1.000	0.000
76.661	14.000	0.600	40.416	0.800	0.070	1.000	0.000
77.604	20.000	0.800	33.008	0.600	0.062	1.000	0.000
76.727	21.000	0.800	33.008	0.600	0.058	1.000	0.000
77.638	13.000	0.600	40.416	0.800	0.056	1.000	0.000
77.719	22.000	0.600	26.958	0.800	0.055	1.000	0.000
77.106	23.000	0.600	26.958	0.800	0.050	1.000	0.000
77.582	14.000	0.800	49.486	0.800	0.030	1.000	0.000
77.407	14.000	1.000	74.190	0.600	0.029	1.000	0.000
77.578	13.000	0.600	40.416	1.000	0.026	1.000	0.000
77.820	23.000	0.800	26.958	0.600	0.025	1.000	0.000
77.046	24.000	0.800	26.958	0.600	0.021	1.000	0.000
77.619	29.000	0.600	22.017	0.800	0.014	1.000	0.000
76.794	12.000	0.800	60.592	0.800	0.013	1.000	0.000
76.732	10.000	0.600	49.486	1.000	0.009	1.000	0.000
77.159	30.000	0.600	22.017	0.800	0.009	1.000	0.000
77.680	27.000	0.800	22.017	0.600	0.007	1.000	0.000