

REGAL Constraint Fitter -- Setup

HARD CONSTRAINTS (from public disclosures)

Trial start (first patient dosed) : Feb 8, 2021 (t = 0)
Enrollment completed : April 2024 (~38 months)
Total randomized : 126 (1:1, 63 per arm)

60 events triggered IA at month : 46 (~Dec 2024)
72 events update at month : 58 (~Dec 2025)
Final analysis trigger : 80 events

Median follow-up at IA : 13.5 +/- 2.0m (public disclosure)
Pooled (blinded) mOS at IA : > 12 months (public disclosure)
80-event status as of t=63 (May'26): t80 NOT in [62, 63] (no PR yet)
IDMC verdict at IA : Passed futility (continued)

HR success threshold (per SAP) : 0.636
Futility upper bound : $HR_{IA} < 0.83$
Efficacy lower bound : $HR_{IA} > 0.4$

ABC TOLERANCES

Event count IA : +/- 4
Event count Upd : +/- 4


STRATIFIED OUTPUT

BAT mOS bin width : 1.0m

MODEL FAMILIES FIT

1. Weibull / Weibull (4 params, fully agnostic)
2. Weibull-BAT + cure-frac GPS (5 params)
3. Weibull-BAT + leaky-cure GPS (6 params)

Enrollment pattern (from PR data, hard constraint)



Summary across all families

GLOBAL POSTERIORs (acceptance-weighted, marginalized over BAT mOS)
(See stratified pages for results conditional on each BAT mOS bin.)

=== Weibull/Weibull ===

Combos accepted (sim phase): 1,349

BAT mOS (acc-weighted) : P05= 11.0m P50= 16.5m P95= 25.0m

HR @ 80 events : P05= 0.39 P50= 0.59 P95= 0.82

HEADLINE NUMBERS (acceptance-weighted means):

P(reach 80 events) : 100.0%

P(HR<0.636 | reached 80) : 61.1% <- CONDITIONAL

P(reach 80 AND HR<0.636) : 61.1% <- UNCONDITIONAL

P(no readout, never reach 80) : 0.0%

Calendar month of 80th : P05= 66.2m P50= 68.5m P95= 72.0m

=== Cure-fraction GPS ===

Combos accepted (sim phase): 20,221

BAT mOS (acc-weighted) : P05= 12.0m P50= 17.0m P95= 24.5m

HR @ 80 events : P05= 0.30 P50= 0.50 P95= 0.76

HEADLINE NUMBERS (acceptance-weighted means):

P(reach 80 events) : 100.0%

P(HR<0.636 | reached 80) : 77.1% <- CONDITIONAL

P(reach 80 AND HR<0.636) : 77.1% <- UNCONDITIONAL

P(no readout, never reach 80) : 0.0%

Calendar month of 80th : P05= 67.0m P50= 70.5m P95= 79.2m

=== Leaky-cure GPS ===

Combos accepted (sim phase): 37,206

BAT mOS (acc-weighted) : P05= 11.5m P50= 17.0m P95= 24.5m

HR @ 80 events : P05= 0.35 P50= 0.54 P95= 0.76

HEADLINE NUMBERS (acceptance-weighted means):

P(reach 80 events) : 100.0%

P(HR<0.636 | reached 80) : 72.1% <- CONDITIONAL


P(reach 80 AND HR<0.636) : 72.1% <- UNCONDITIONAL

P(no readout, never reach 80) : 0.0%


Calendar month of 80th : P05= 66.6m P50= 69.6m P95= 75.0m

Stratified by BAT mOS: P(success) and median HR per BAT bin

Stratified P(success): pick your BAT mOS, read off the answer



Implied final HR: posterior vs best-fit point estimation



Stratified posterior: Weibull/Weibull

=== Weibull/Weibull: P(success) and HR by BAT m0S ===

BAT m0S	n_combos	wt_share	P(success)	P(HR<.636)	P(reach80)	HR P50	HR P05	HR P95	t80 P50
5-6	3	0.0%	100.0%	100.0%	100.0%	0.429	0.341	0.474	67.4
6-7	9	0.0%	100.0%	100.0%	100.0%	0.436	0.404	0.496	70.3
7-8	34	0.1%	98.2%	98.2%	100.0%	0.440	0.349	0.495	71.2
8-9	63	0.5%	97.9%	97.9%	100.0%	0.463	0.359	0.501	69.6
9-10	95	1.4%	96.9%	96.9%	100.0%	0.462	0.351	0.513	69.9
10-11	137	2.7%	95.4%	95.4%	100.0%	0.458	0.346	0.528	69.1
11-12	165	4.7%	93.3%	93.3%	100.0%	0.460	0.346	0.565	68.8
12-13	150	6.5%	91.3%	91.3%	100.0%	0.465	0.347	0.577	68.9
13-14	138	8.8%	86.5%	86.5%	100.0%	0.492	0.347	0.621	68.6
14-15	110	9.4%	82.6%	82.6%	100.0%	0.512	0.374	0.632	68.5
15-16	96	9.8%	75.9%	75.9%	100.0%	0.540	0.400	0.668	68.4
16-17	93	9.8%	67.5%	67.5%	100.0%	0.572	0.439	0.694	68.4
17-18	84	8.5%	59.8%	59.8%	100.0%	0.604	0.474	0.720	68.4
18-19	84	7.9%	51.8%	51.8%	100.0%	0.635	0.511	0.752	68.4
19-20	78	6.6%	42.9%	42.9%	100.0%	0.663	0.549	0.778	68.4
20-21	75	5.4%	33.4%	33.4%	100.0%	0.698	0.588	0.807	68.4
21-22	72	4.4%	27.0%	27.0%	100.0%	0.726	0.600	0.813	68.4
22-23	69	3.3%	22.7%	22.7%	100.0%	0.732	0.636	0.847	68.2
23-24	73	2.9%	15.3%	15.3%	100.0%	0.775	0.662	0.888	68.4
24-25	73	2.4%	12.0%	12.0%	100.0%	0.790	0.685	0.888	68.3
25-26	61	1.4%	10.1%	10.1%	100.0%	0.800	0.693	0.888	68.4
26-27	68	1.2%	6.2%	6.2%	100.0%	0.822	0.739	0.947	68.3
27-28	69	1.0%	4.7%	4.7%	100.0%	0.850	0.738	0.949	67.9
28-29	67	0.8%	3.4%	3.4%	100.0%	0.882	0.749	0.973	68.2
29-30	47	0.5%	1.6%	1.6%	100.0%	0.901	0.772	0.973	68.7

P(success) = P(reach 80 AND HR < 0.636)

P(HR<.636) = conditional on reaching 80

HR P50/05/95= median of per-combo median_HR_final, weighted by combo acceptance rate

t80 P50 = posterior median calendar month of 80th event

Best-fit point estimate: Weibull/Weibull

=== Weibull/Weibull: BEST-FIT POINT per BAT mOS bin ===

(residual-minimization, max abs |E[ev_IA]-60|, |E[ev_upd]-72|, |t80-63|)

BAT_bin	bat	bat_sh	gps	gps_sh	resid	HR_fin	P_succ	t80
5-6	6.000	0.500	63.096	0.900	1.46	0.429	100.0%	64.4
6-7	6.500	0.500	76.810	0.700	1.32	0.458	100.0%	63.8
7-8	8.000	0.600	57.186	0.900	1.75	0.452	100.0%	64.7
8-9	8.500	0.700	69.616	0.900	1.34	0.352	100.0%	64.3
9-10	10.000	0.900	168.694	0.500	0.87	0.351	100.0%	63.9
10-11	11.000	1.000	125.594	0.600	0.33	0.288	100.0%	63.0
11-12	11.000	1.000	125.594	0.600	0.33	0.288	100.0%	63.0
12-13	12.000	1.200	186.127	0.500	0.83	0.287	100.0%	63.7
13-14	13.000	1.200	152.894	0.500	0.90	0.273	100.0%	63.4
14-15	14.000	1.100	84.748	0.600	2.23	0.319	100.0%	65.2
15-16	15.000	0.800	46.975	0.700	2.81	0.465	97.2%	65.8
16-17	16.500	1.100	69.616	0.500	2.96	0.374	100.0%	65.9
17-18	18.000	0.600	31.698	0.900	3.02	0.692	32.1%	66.0
18-19	18.000	0.600	31.698	0.900	3.02	0.692	32.1%	66.0
19-20	19.500	0.500	28.729	1.000	2.79	0.801	10.2%	65.8
20-21	20.500	1.000	38.588	0.500	2.89	0.540	83.0%	65.9
21-22	21.000	0.600	28.729	0.900	2.93	0.784	14.8%	65.9
22-23	22.500	0.800	28.729	0.700	2.84	0.684	32.9%	65.8
23-24	24.000	0.500	26.038	1.000	2.24	0.888	5.1%	65.2
24-25	24.000	0.500	26.038	1.000	2.24	0.888	5.1%	65.2
25-26	26.000	0.600	23.599	0.800	3.13	0.855	8.5%	66.1
26-27	27.000	0.500	23.599	0.900	2.88	0.949	0.0%	65.9
27-28	27.500	0.800	19.386	0.500	1.78	0.753	27.3%	64.8
28-29	29.000	0.900	19.386	0.500	1.62	0.769	16.7%	64.6
29-30	29.000	0.900	19.386	0.500	1.62	0.769	16.7%	64.6

resid = max abs residual to event anchors (events / months)

HR_fin = HR at 80 events for THIS single best-fit combo (not averaged)

P_succ = P(success) for THIS single combo's simulations

t80 = calendar month of 80th event for this combo

This is yg19-style point estimation for direct comparison.

Use the stratified-posterior table for averaged-over-uncertainty answers.

Stratified posterior: Cure-fraction GPS

=== Cure-fraction GPS: P(success) and HR by BAT m0S ===

BAT m0S	n_combos	wt_share	P(success)	P(HR<.636)	P(reach80)	HR P50	HR P05	HR P95	t80 P50
5-6	5	0.0%	100.0%	100.0%	100.0%	0.383	0.362	0.516	68.8
6-7	58	0.0%	100.0%	100.0%	100.0%	0.400	0.366	0.487	72.1
7-8	220	0.0%	99.2%	99.2%	100.0%	0.420	0.364	0.489	71.7
8-9	465	0.2%	98.8%	98.8%	100.0%	0.435	0.345	0.491	71.1
9-10	781	0.6%	97.9%	97.9%	100.0%	0.438	0.325	0.512	71.2
10-11	1273	1.4%	96.8%	96.8%	100.0%	0.429	0.310	0.526	71.0
11-12	1801	2.8%	95.8%	95.8%	100.0%	0.422	0.296	0.543	70.9
12-13	2228	4.8%	94.7%	94.7%	100.0%	0.415	0.283	0.557	70.6
13-14	2379	7.3%	93.5%	93.5%	100.0%	0.412	0.270	0.585	70.4
14-15	2229	9.6%	91.8%	91.8%	100.0%	0.416	0.265	0.608	70.3
15-16	1923	10.9%	89.5%	89.5%	100.0%	0.430	0.276	0.633	70.3
16-17	1675	11.0%	86.2%	86.2%	100.0%	0.463	0.296	0.662	70.4
17-18	1565	10.5%	81.9%	81.9%	100.0%	0.493	0.305	0.689	70.5
18-19	1490	9.4%	76.4%	76.4%	100.0%	0.521	0.358	0.716	70.4
19-20	1420	7.8%	70.6%	70.6%	100.0%	0.562	0.368	0.744	70.5
20-21	1381	6.3%	64.4%	64.4%	100.0%	0.587	0.407	0.766	70.6
21-22	1321	4.9%	56.9%	56.9%	100.0%	0.613	0.419	0.788	70.7
22-23	1290	3.7%	49.5%	49.5%	100.0%	0.654	0.427	0.815	70.8
23-24	1235	2.7%	41.8%	41.8%	100.0%	0.678	0.471	0.839	70.9
24-25	1228	2.0%	34.9%	34.9%	100.0%	0.699	0.482	0.858	71.1
25-26	1122	1.4%	28.7%	28.7%	100.0%	0.732	0.534	0.871	71.1
26-27	1021	1.0%	22.9%	22.9%	100.0%	0.758	0.551	0.895	71.1
27-28	928	0.7%	18.0%	18.0%	100.0%	0.781	0.617	0.909	71.2
28-29	810	0.5%	15.3%	15.3%	100.0%	0.791	0.624	0.923	71.2
29-30	469	0.3%	13.5%	13.5%	100.0%	0.813	0.628	0.930	71.5

P(success) = P(reach 80 AND HR < 0.636)

P(HR<.636) = conditional on reaching 80

HR P50/05/95= median of per-combo median_HR_final, weighted by combo acceptance rate

t80 P50 = posterior median calendar month of 80th event

Best-fit point estimate: Cure-fraction GPS

=== Cure-fraction GPS: BEST-FIT POINT per BAT mOS bin ===

(residual-minimization, max abs |E[ev_IA]-60|, |E[ev_upd]-72|, |t80-63|)

BAT_bin	bat	bat_sh	cure	unc_med	unc_sh	resid	HR_fin	P_succ	t80
5-6	6.000	0.500	0.500	25.000	2.000	3.73	0.516	100.0%	66.7
6-7	7.000	0.500	0.400	28.000	1.250	0.40	0.395	100.0%	62.8
7-8	7.000	0.500	0.400	28.000	1.250	0.40	0.395	100.0%	62.8
8-9	9.000	0.800	0.550	24.000	1.000	0.71	0.322	100.0%	62.3
9-10	9.500	0.700	0.500	23.000	1.000	0.53	0.395	100.0%	62.9
10-11	10.500	0.800	0.500	23.000	1.000	0.51	0.421	100.0%	63.5
11-12	12.000	1.200	0.600	19.000	0.500	0.37	0.300	100.0%	62.7
12-13	12.000	1.200	0.600	19.000	0.500	0.37	0.300	100.0%	62.7
13-14	13.000	1.300	0.600	16.000	0.500	0.61	0.273	100.0%	62.5
14-15	14.000	1.800	0.800	4.000	2.000	0.78	0.202	100.0%	62.2
15-16	15.500	1.800	0.750	5.000	2.000	1.29	0.234	100.0%	64.0
16-17	16.000	1.900	0.750	4.000	1.750	1.70	0.230	100.0%	64.7
17-18	17.000	0.600	0.100	28.000	1.000	2.47	0.654	43.6%	65.5
18-19	19.000	0.600	0.100	26.000	1.000	1.97	0.723	28.8%	65.0
19-20	19.000	0.600	0.100	26.000	1.000	1.97	0.723	28.8%	65.0
20-21	21.000	0.800	0.100	25.000	0.750	2.63	0.668	40.4%	65.6
21-22	22.000	0.800	0.100	24.000	0.750	2.50	0.673	38.7%	65.5
22-23	22.500	0.500	0.000	27.000	1.000	2.45	0.839	4.3%	65.4
23-24	24.000	0.500	0.000	26.000	1.000	2.27	0.884	1.3%	65.3
24-25	25.000	0.800	0.050	23.000	0.750	1.58	0.761	8.9%	64.6
25-26	25.000	0.800	0.050	23.000	0.750	1.58	0.761	8.9%	64.6
26-27	27.000	0.900	0.150	12.000	0.500	1.22	0.722	14.3%	63.0
27-28	27.500	1.000	0.350	7.000	0.750	0.97	0.690	0.0%	63.9
28-29	28.500	1.400	0.450	5.000	2.000	0.68	0.464	100.0%	63.7
29-30	29.500	1.100	0.400	8.000	2.000	1.03	0.601	100.0%	63.1

resid = max abs residual to event anchors (events / months)

HR_fin = HR at 80 events for THIS single best-fit combo (not averaged)

P_succ = P(success) for THIS single combo's simulations

t80 = calendar month of 80th event for this combo

This is yg19-style point estimation for direct comparison.

Use the stratified-posterior table for averaged-over-uncertainty answers.

Stratified posterior: Leaky-cure GPS

=== Leaky-cure GPS: P(success) and HR by BAT m0S ===

BAT m0S	n_combos	wt_share	P(success)	P(HR<.636)	P(reach80)	HR P50	HR P05	HR P95	t80 P50
4-5	2	0.0%	100.0%	100.0%	100.0%	0.328	0.328	0.391	66.0
5-6	21	0.0%	100.0%	100.0%	100.0%	0.405	0.321	0.551	70.9
6-7	201	0.0%	99.8%	99.8%	100.0%	0.418	0.371	0.483	69.7
7-8	623	0.1%	99.3%	99.3%	100.0%	0.432	0.369	0.484	69.9
8-9	1232	0.3%	98.4%	98.4%	100.0%	0.445	0.363	0.498	70.1
9-10	2007	0.9%	97.4%	97.4%	100.0%	0.452	0.345	0.510	70.1
10-11	2798	1.9%	96.1%	96.1%	100.0%	0.442	0.338	0.530	69.8
11-12	3446	3.5%	94.7%	94.7%	100.0%	0.444	0.329	0.547	69.6
12-13	3714	5.5%	93.2%	93.2%	100.0%	0.444	0.320	0.568	69.5
13-14	3639	7.6%	91.3%	91.3%	100.0%	0.449	0.315	0.590	69.4
14-15	3344	9.4%	88.8%	88.8%	100.0%	0.464	0.316	0.615	69.4
15-16	3029	10.4%	85.4%	85.4%	100.0%	0.485	0.328	0.640	69.4
16-17	2802	10.4%	81.1%	81.1%	100.0%	0.512	0.351	0.665	69.4
17-18	2693	9.8%	75.9%	75.9%	100.0%	0.538	0.374	0.690	69.5
18-19	2603	8.8%	70.2%	70.2%	100.0%	0.566	0.399	0.717	69.5
19-20	2550	7.6%	63.6%	63.6%	100.0%	0.595	0.422	0.742	69.7
20-21	2518	6.2%	55.8%	55.8%	100.0%	0.622	0.450	0.772	69.7
21-22	2443	4.9%	47.8%	47.8%	100.0%	0.652	0.496	0.795	69.8
22-23	2407	3.8%	41.1%	41.1%	100.0%	0.673	0.518	0.810	69.9
23-24	2460	2.9%	34.6%	34.6%	100.0%	0.691	0.538	0.842	70.0
24-25	2439	2.1%	28.9%	28.9%	100.0%	0.712	0.560	0.858	70.1
25-26	2274	1.5%	23.3%	23.3%	100.0%	0.736	0.587	0.880	70.3
26-27	2058	1.0%	17.8%	17.8%	100.0%	0.756	0.624	0.901	70.5
27-28	1845	0.7%	13.3%	13.3%	100.0%	0.783	0.651	0.935	70.6
28-29	1616	0.5%	10.7%	10.7%	100.0%	0.800	0.668	0.946	70.8
29-30	987	0.3%	8.9%	8.9%	100.0%	0.816	0.672	0.947	71.2

P(success) = P(reach 80 AND HR < 0.636)

P(HR<.636) = conditional on reaching 80

HR P50/05/95= median of per-combo median_HR_final, weighted by combo acceptance rate

t80 P50 = posterior median calendar month of 80th event

Best-fit point estimate: Leaky-cure GPS

=== Leaky-cure GPS: BEST-FIT POINT per BAT mOS bin ===

(residual-minimization, max abs |E[ev_IA]-60|, |E[ev_upd]-72|, |t80-63|)

BAT_bin	bat	bat_sh	cure	unc_med	unc_sh	leak	resid	HR_fin	P_succ	t80
4-5	5.000	0.500	0.800	26.000	1.000	0.080	3.01	0.328	100.0%	66.0
5-6	6.000	0.500	0.800	14.000	1.000	0.080	1.29	0.425	100.0%	63.0
6-7	6.500	0.500	0.500	24.000	1.500	0.010	0.57	0.422	100.0%	63.3
7-8	7.500	0.600	0.700	26.000	1.000	0.080	0.48	0.460	100.0%	63.5
8-9	8.500	0.600	0.800	16.000	1.000	0.100	0.50	0.420	100.0%	62.6
9-10	9.500	0.800	0.800	26.000	0.500	0.090	0.56	0.377	100.0%	63.5
10-11	10.500	1.000	0.800	8.000	0.500	0.050	0.34	0.337	100.0%	62.6
11-12	11.500	1.100	0.700	18.000	0.500	0.040	0.41	0.277	100.0%	63.2
12-13	12.000	1.100	0.800	8.000	1.000	0.040	0.62	0.340	100.0%	63.4
13-14	13.500	1.400	0.800	4.000	1.000	0.020	0.79	0.240	100.0%	63.1
14-15	14.000	1.800	0.800	4.000	1.500	0.000	0.86	0.244	100.0%	63.7
15-16	15.000	2.000	0.800	4.000	2.000	0.010	1.32	0.229	100.0%	62.6
16-17	17.000	0.600	0.300	24.000	1.000	0.100	2.39	0.649	44.9%	65.4
17-18	17.000	0.600	0.300	24.000	1.000	0.100	2.39	0.649	44.9%	65.4
18-19	18.500	0.600	0.100	28.000	1.000	0.070	2.56	0.691	32.5%	65.5
19-20	19.000	0.600	0.100	26.000	1.000	0.000	2.63	0.703	31.5%	65.6
20-21	20.500	0.500	0.000	28.000	1.000	0.040	2.39	0.813	12.6%	65.4
21-22	21.500	1.000	0.300	18.000	0.500	0.090	2.48	0.589	73.6%	65.5
22-23	23.000	1.000	0.200	20.000	0.500	0.090	2.21	0.624	56.9%	65.2
23-24	24.000	1.000	0.000	28.000	0.500	0.020	2.12	0.607	56.1%	65.1
24-25	24.500	1.000	0.100	22.000	0.500	0.100	1.46	0.683	32.1%	64.3
25-26	26.000	1.000	0.500	4.000	0.500	0.100	1.56	0.671	41.7%	64.5
26-27	27.000	0.900	0.200	12.000	0.500	0.040	1.09	0.707	30.0%	64.1
27-28	27.000	0.900	0.200	12.000	0.500	0.040	1.09	0.707	30.0%	64.1
28-29	29.000	0.900	0.200	10.000	0.500	0.030	0.64	0.741	0.0%	62.6
29-30	29.000	0.900	0.200	10.000	0.500	0.030	0.64	0.741	0.0%	62.6

resid = max abs residual to event anchors (events / months)

HR_fin = HR at 80 events for THIS single best-fit combo (not averaged)

P_succ = P(success) for THIS single combo's simulations


t80 = calendar month of 80th event for this combo

This is yg19-style point estimation for direct comparison.


Use the stratified-posterior table for averaged-over-uncertainty answers.

Weibull/Weibull (page 1/2)


Implied final HR vs BAT mOS




Final-HR posterior



Timing of 80th event




BAT mOS posterior (no biological prior)




Weibull/Weibull (page 2/2)

Implied KM-style curves (top 20 accepted combos)




Simulation acceptance rate (events + HR_IA gate + pool mOS)




Cure-fraction GPS (page 1/2)


Implied final HR vs BAT mOS




Final-HR posterior



Timing of 80th event




BAT mOS posterior (no biological prior)




Cure-fraction GPS (page 2/2)

Implied KM-style curves (top 20 accepted combos)




Simulation acceptance rate (events + HR_IA gate + pool mOS)




Leaky-cure GPS (page 1/2)


Implied final HR vs BAT mOS




Final-HR posterior



Timing of 80th event




BAT mOS posterior (no biological prior)




Leaky-cure GPS (page 2/2)

Implied KM-style curves (top 20 accepted combos)




Simulation acceptance rate (events + HR_IA gate + pool mOS)




Cross-family comparison


Final-HR posterior by family




80th-event timing posterior by family



BAT mOS posterior by family



P(success): unconditional vs conditional



Top accepted combos

TOP-20 ACCEPTED COMBOS PER FAMILY (by acceptance rate)

--- Weibull/Weibull ---

bat_med	bat_shape	gps_med	gps_shape	acceptance_rate	p_reach80	p_no_readout	median_hr_final
14.000	0.500	38.588	0.600	0.373	1.000	0.000	0.595
16.000	0.600	38.588	0.600	0.360	1.000	0.000	0.592
16.500	0.500	34.974	0.700	0.358	1.000	0.000	0.651
15.500	0.600	42.576	0.600	0.356	1.000	0.000	0.551
16.000	0.600	42.576	0.500	0.356	1.000	0.000	0.557
15.000	0.600	46.975	0.500	0.355	1.000	0.000	0.543
17.000	0.700	42.576	0.500	0.354	1.000	0.000	0.551
16.000	0.700	46.975	0.500	0.353	1.000	0.000	0.529
16.000	0.700	51.830	0.500	0.352	1.000	0.000	0.496
16.500	0.600	34.974	0.700	0.351	1.000	0.000	0.610
15.500	0.500	31.698	0.800	0.350	1.000	0.000	0.652
16.500	0.600	38.588	0.600	0.350	1.000	0.000	0.583
15.000	0.700	51.830	0.500	0.349	1.000	0.000	0.479
16.500	0.700	42.576	0.600	0.349	1.000	0.000	0.523
15.000	0.600	38.588	0.600	0.348	1.000	0.000	0.561
16.500	0.700	42.576	0.500	0.348	1.000	0.000	0.534
17.000	0.700	46.975	0.500	0.348	1.000	0.000	0.526
14.500	0.500	38.588	0.600	0.346	1.000	0.000	0.590
14.500	0.500	34.974	0.700	0.345	1.000	0.000	0.620
15.500	0.500	34.974	0.700	0.345	1.000	0.000	0.636

--- Cure-fraction GPS ---

bat_med	bat_shape	cure_frac	unc_med	unc_shape	acceptance_rate	p_reach80	p_no_readout
17.500	1.200	0.650	5.000	2.000	0.408	1.000	0.000
17.000	1.000	0.600	6.000	1.250	0.404	1.000	0.000
16.500	0.800	0.400	11.000	0.500	0.403	1.000	0.000
16.000	1.100	0.650	4.000	1.750	0.400	1.000	0.000
16.500	1.100	0.650	4.000	2.000	0.400	1.000	0.000
16.500	1.200	0.650	4.000	1.750	0.396	0.997	0.003
16.500	1.100	0.650	4.000	1.750	0.395	1.000	0.000
17.000	1.000	0.600	9.000	2.000	0.395	1.000	0.000
16.500	1.200	0.650	4.000	1.500	0.394	1.000	0.000
16.500	1.000	0.550	4.000	0.500	0.393	1.000	0.000
15.500	1.000	0.650	4.000	1.250	0.391	1.000	0.000
17.000	1.200	0.650	4.000	1.250	0.391	1.000	0.000
17.500	1.200	0.650	4.000	2.000	0.391	1.000	0.000
15.500	0.800	0.550	8.000	1.000	0.390	1.000	0.000
17.000	0.900	0.600	6.000	1.500	0.390	1.000	0.000
17.000	1.200	0.650	4.000	2.000	0.390	0.997	0.003
17.000	0.900	0.600	8.000	1.750	0.389	1.000	0.000
18.000	1.000	0.600	6.000	1.500	0.389	1.000	0.000
16.500	1.000	0.600	6.000	1.250	0.387	1.000	0.000
16.500	1.100	0.650	5.000	2.000	0.387	1.000	0.000

--- Leaky-cure GPS ---

bat_med	bat_shape	cure_frac	unc_med	unc_shape	leak_yr	acceptance_rate	p_reach80
15.500	0.600	0.200	28.000	0.500	0.050	0.397	1.000
18.000	1.100	0.600	8.000	2.000	0.000	0.397	1.000
14.500	0.600	0.200	26.000	0.500	0.020	0.394	1.000
15.500	0.700	0.400	12.000	0.500	0.010	0.388	1.000
16.000	0.900	0.600	6.000	1.000	0.000	0.387	1.000
16.500	0.900	0.600	8.000	2.000	0.000	0.386	1.000
16.000	0.700	0.300	20.000	0.500	0.020	0.385	1.000
17.000	0.900	0.600	8.000	2.000	0.000	0.384	1.000
18.000	0.900	0.600	8.000	2.000	0.010	0.384	1.000
14.500	0.600	0.300	24.000	0.500	0.070	0.383	1.000
16.500	0.500	0.600	12.000	1.500	0.080	0.383	1.000
14.500	0.600	0.300	24.000	0.500	0.060	0.382	1.000
15.500	0.700	0.400	16.000	0.500	0.050	0.382	1.000
17.000	0.800	0.600	6.000	1.000	0.020	0.382	1.000
15.000	0.800	0.600	4.000	0.500	0.030	0.381	1.000
17.000	0.900	0.700	4.000	1.500	0.050	0.381	1.000
15.500	0.900	0.700	4.000	1.500	0.040	0.380	1.000
16.000	0.800	0.700	6.000	2.000	0.060	0.380	1.000
17.000	0.900	0.700	4.000	1.500	0.060	0.380	1.000
17.500	0.900	0.600	8.000	2.000	0.010	0.380	1.000