

Project Reviews

Standard Operating Procedure for Coordinators & Reviewers

Document version

1.1

Last updated

May 2026

1 Document purpose

This Standard Operating Procedure (SOP) describes how to use the **Project Reviews** WordPress plugin from first login through project setup, marking, reporting, and project closure. It is written for two primary audiences:

Role	Responsibility	Workspace
Coordinators	Maintain the student registry, configure projects (panels, reviewers, rubrics), monitor progress, export committee reports, and close projects safely.	Coordinator
Reviewers	Enter criterion marks and attendance for assigned students only, freeze personal scores when complete, and (for panel heads) manage panel reports and unfreeze requests.	Reviewer

 **Quick navigation:** Part I covers coordinators; Part II covers reviewers. Shared concepts (login, terminology, troubleshooting) appear first. Figures marked with live screenshots use captures from `npm run sop:screenshots` (folder `screenshots/2026-05-22_012914/`); remaining figures show placeholders until captured manually.

Table of contents

1	Document purpose	2
2	Shared concepts	4
2.1	What Project Reviews replaces	4
2.2	Terminology	4
2.3	Access URLs	5
2.4	Signing in	5
3	Coordinator overview	9
4	Dashboard & creating a project	9
4.1	Viewing projects	9
4.2	Creating a new project	10
5	All Students (registry)	12
5.1	Add students manually	12
5.2	Import students via CSV	13
6	Setup wizard	14
6.1	Step 1 — Students	15
6.2	Step 2 — Panels	17
6.3	Step 3 — Reviewers	18
6.4	Step 4 — Reviews & rubrics	19
6.5	Step 5 — Panel assignments	22
6.6	Step 6 — Open reviews	23
7	Progress monitoring	24
7.1	Panel unfreeze requests	26
8	Reports & exports	26
8.1	Locking reports	27

8.2	Offline scoring sheet (PDF)	28
9	Panel Report settings	28
10	Audit log	29
11	Closing & reopening a project	29
12	Reviewer overview	33
13	Your assignments	33
14	Marking grid	34
14.1	Mobile / narrow view	35
15	Entering marks (rubric form)	35
15.1	Flagged marks	38
16	Freezing & unfreezing scores	38
17	Panel head responsibilities	40
18	Troubleshooting	42
19	Quick reference card	42
	One-page process flow	45
20	Document maintenance	47

2 Shared concepts

2.1 What Project Reviews replaces

Project Reviews replaces spreadsheet-and-email marking workflows with a governed pipeline:



Setup

Registry → project wizard
→ confirmed rubrics



Marking

Reviewers enter draft/submitted marks per criterion



Deliverables

Live views + Excel/CSV exports + panel reports

2.2 Terminology

Term	Meaning
Project	A review event (formerly “session”). Has lifecycle: Draft → Active → Closed.
All Students	Institution-wide student registry shared across projects.
Panel	A group of students reviewed together (e.g. Panel A).
Review round	A rubric-backed marking period within a project (e.g. “Oral presentation”).
Rubric	Weighted criteria with max marks. Must be confirmed before marking opens.
Assignment	A reviewer’s scope: project + review round + panel.

Draft mark	Saved but not final; can be edited freely while marking is open.
Submitted mark	Final criterion entry for that reviewer (subject to freeze/lock rules).
Flagged mark	Criterion score changed after rubric re-confirmation; visible to coordinators.

2.3 Access URLs

Replace `your-site.edu` with your institution’s WordPress domain.

Coordinator workspace

`https://your-site.edu/reviews/`

Reviewer marking workspace

`https://your-site.edu/reviews/mark/`




Figure 1: Landing page shown to unauthenticated visitors at `/reviews/``.

2.4 Signing in

Both roles

Log in to Project Reviews

```
(
  sequence(
    [ 1,
      item(
        body: sequence(
          [Navigate to],
```

```

    [ ],
    raw(text: "https://your-site.edu/reviews/", lang: ""),
    [ ],
  ),
),
[ ],
item(
  body: sequence(
    [Click],
    [ ],
    strong(body: [Log in]),
    [You will be redirected to the WordPress login page.],
  ),
),
[ ],
item(body: [Enter your username/email and password.]),
[ ],
item(
  body: sequence(
    [After login, you are routed automatically],
    [ :],
    [ ],
    item(
      body: sequence(
        strong(body: [Coordinators]),
        [ ],
        [→ Coordinator dashboard at],
        [ ],
        raw(text: "/reviews/", block: false),
      ),
    ),
    [ ],
    item(
      body: sequence(
        strong(body: [Reviewers only]),
        [ ],
        [→ Marking workspace at],
        [ ],
        raw(text: "/reviews/mark/", block: false),
      ),
    ),
    [ ],
    item(
      body: sequence(
        strong(body: [Both roles]),
        [ ],
        [→ Coordinator dashboard],
        [ ],
        [(use the top navigation to switch to Marking)],
      ),
    ),
  ),
),
[ ],
),
)

```




Figure 2: Workspace top navigation with user menu and role switcher (when applicable).

⚠ Reviewers receive **provisioned WordPress accounts** created by coordinators. If you cannot log in, contact your project coordinator — do not share credentials.

Part I

Coordinator procedures — registry, setup, progress, reports, closure

3 Coordinator overview

Coordinator

Coordinators orchestrate the full review lifecycle:

1. Maintain **All Students** (registry)
2. Create projects and run the **Setup wizard**
3. Confirm rubrics and **open for marking**
4. Monitor **Progress** and chase incomplete marking
5. Download **Reports** for committees
6. **Close** the project when complete




Figure 3: Coordinator sidebar navigation: Dashboard, All Students, and in-project sections.

4 Dashboard & creating a project

4.1 Viewing projects

The **Dashboard** lists all projects as cards with status chips:

- **Draft** — setup in progress; marking not yet open

- **Active** — marking is open for confirmed rubrics
- **Closed** — marking stopped; reviewer accounts may be disabled

Filter by status using the chips at the top. Click a project card to open its setup wizard.





Figure 4: Project dashboard with status filters and project cards.

4.2 Creating a new project



```

[ ],
item(
  body: sequence(
    [Enter a descriptive],
    [ ],
    strong(body: [title]),
    [ ],
    [(e.g.],
    [ ],
    smartquote(double: true),
    [BSc Computer Science],
    [ ],
    [– Final Year 2026],
    smartquote(double: true),
    [).],
  ),
),
[ ],
item(
  body: sequence(
    [Search],
    [ ],
    strong(body: [All Students]),
    [ ],
    [and],
    [ ],
    strong(body: [Add]),
    [ ],
    [each enrollee to the project roster],
    [ ],
    [(use the enrolment search],
    [ ],
    [– not the registry table search).],
  ),
),
[ ],
item(
  body: sequence(
    [Click],
    [ ],
    strong(body: [Create project]),
    [. You are taken to the Setup wizard],
    [ ],
    [→],
    [ ],
    strong(body: [Students]),
    [ ],
    [step.],
  ),
),
[ ],
),
)

```



You can also enrol more students in the wizard via CSV import on the Students step, but the registry must already contain those students.

5 All Students (registry)

Before students appear in a project, they must exist in **All Students**.

5.1 Add students manually

Coordinator

Add a student to the registry

```
(
  sequence(
    [ ],
    item(
      body: sequence(
        [Sidebar],
        [ ],
        [→],
        [ ],
        strong(body: [All Students]),
      ),
    ),
    [ ],
    item(
      body: sequence(
        [Click],
        [ ],
        strong(body: [Add student]),
        [ ],
        [(header button)],
        [ ],
        [– opens the form below the page title]),
      ),
    ),
    [ ],
    item(
      body: sequence(
        [In the],
        [ ],
        strong(body: [Add student]),
        [ ],
        [form, complete],
        [ ],
        strong(body: [Registration number]),
        [ ],
        [and],
        [ ],
        strong(body: [Name]),
        [ ],
        [(required), then optional Program and Batch],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [Click],
        [ ],
        strong(body: [Add student]),
```

```

    [ ],
    [in the form],
    [ ],
    [(not the table)],
    [ ],
    strong(body: [Search students]),
    [ ],
    [field]],
  ),
),
[ ],
item(
  body: [Confirm the new row appears in the registry table],
),
[ ],
),
)

```

5.2 Import students via CSV

Coordinator

Bulk-import registry students

```

(
  sequence(
    [ ],
    item(
      body: sequence(
        [All Students],
        [ ],
        [→],
        [ ],
        strong(body: [Import students]),
      ),
    ),
    [ ],
    item(body: [Download the CSV template if needed]),
    [ ],
    item(
      body: [Upload your file; map columns to registry fields],
    ),
    [ ],
    item(
      body: sequence(
        [Review import results],
        [ ],
        [(partial success shows row-level errors)],
      ),
    ),
    [ ],
    item(body: [Download the error CSV if any rows failed]),
    [ ],
  ),
)

```





Figure 5: All Students registry with search, add, and import controls.



Listing 1: CSV column mapping interface during student import.

📸 *Screenshot to capture: Start a student import with a sample CSV loaded. Capture the column mapper with at least three mapped fields.*

6 Setup wizard

Open a project → **Setup wizard**. Six sequential steps govern prerequisites:

Step	Tab	Purpose
1	Students	Enrol registry students into this project (CSV or manual).
2	Panels	Create panels and assign enrolled students.
3	Reviewers	Add reviewers; provision WordPress accounts; bulk CSV import supported.

4	Reviews & rubrics	Define review rounds, build rubrics, confirm rubrics.
5	Panel assignments	Assign reviewers to panels per review round.
6	Open reviews	Activate marking per review round; open project for marking.

Project Reviews

E2E Coordinator

pr_e2e_coordinator@example.test

Log out

<

Dashboard

All Students

Faculty accounts

PROJECT

SOP Capture 17793935...

Setup wizard

Progress

Reports

Audit log

SETTINGS

Panel Report

END PROJECT

Close project

SOP Capture 1779393554556

Back to dashboard

Enrol students and panels, set up reviewers, define review rounds and rubrics, assign panels per round, then open or pause marking.

Draft project

Reviewers will not see assignments until you open this project for marking. Confirm rubrics on Reviews & rubrics, complete panel assignments, then start each round on Open reviews.

Open for marking

StudentsPanelsReviewersReviews & rubricsPanel assignmentsOpen reviews

Add students

Students must exist in All Students before they can be added to this project. Use CSV import below to assign existing registry students to panels and optional project titles.

Create students in All Students before they appear in a project CSV import. Project CSV only assigns existing registry students to panels (and optional project title).

Open All Students — add or import registry students

Import Students

Students Added to this Project (2)

Page no	Name	Guide emp ID	Guide name	Panel	Project title	And
---------	------	--------------	------------	-------	---------------	-----

Figure 6: Setup wizard step navigation across all six steps.

6.1 Step 1 — Students

Coordinator

Enrol students in a project

```
(
  sequence(
    [ ],
    item(
      body: sequence(
        [Ensure students exist in],
        [ ],
        strong(body: [All Students]),
        [ ],
        [first.],
      ),
    ),
  ),
  [ ],
  item(
    body: sequence(
      [Wizard],
      [ ],
      [→],
      [ ],
      strong(body: [Students]),
    ),
  ),
)
```

```

    [ ],
    [→],
    [ ],
    strong(body: [Import Students]),
    [ ],
    [(optional CSV enrolment).],
  ),
),
[ ],
item(
  body: [CSV assigns existing registry students to panels and optional project
titles.],
),
[ ],
item(
  body: [Verify the enrolled list shows at least one student before continuing.],
),
[ ],
item(
  body: sequence(
    [Click],
    [ ],
    strong(body: [Continue to Panels]),
    [.]
  ),
),
[ ],
),
)

```



Project CSV import does **not** create new registry students. Create them in All Students first.

Project Reviews

E2E Coordinator

pr_e2e_coordinator@example.test

Log out

Dashboard

All Students

Faculty accounts

PROJECT

SOP Capture 17793935...

Setup wizard

Progress

Reports

Audit log

SETTINGS

Panel Report

END PROJECT

Close project

SOP Capture 1779393554556

Back to dashboard

Enrol students and panels, set up reviewers, define review rounds and rubrics, assign panels per round, then open or pause marking.

Draft project

Reviewers will not see assignments until you open this project for marking. Confirm rubrics on Reviews & rubrics, complete panel assignments, then start each round on Open reviews.

Open for marking

Students

Panels

Reviewers

Reviews & rubrics

Panel assignments

Open reviews

Add students

Students must exist in All Students before they can be added to this project. Use CSV import below to assign existing registry students to panels and optional project titles.

Create students in **All Students** before they appear in a project CSV import. Project CSV only assigns existing registry students to panels (and optional project title).

Open All Students — add or import registry students

Import Students

Students Added to this Project (2)

Panel	Name	Guide emp. ID	Guide name	Panel	Project title	...
-------	------	---------------	------------	-------	---------------	-----

Figure 7: Students wizard step with enrolled list and import option.

6.2 Step 2 — Panels

Coordinator

Configure panels

```
(
  sequence(
    [ ],
    item(
      body: sequence([Add panels], [ ], [(e.g. Panel A, Panel B).]),
    ),
    [ ],
    item(
      body: [Assign each enrolled student to exactly one panel.],
    ),
    [ ],
    item(
      body: [Resolve any unassigned students before continuing.],
    ),
    [ ],
    item(
      body: sequence(
        [Click],
        [ ],
        strong(body: [Continue to Reviewers]),
        [.]
      ),
    ),
  ),
  [ ],
),
)
```

Project Reviews

E2E Coordinator pr_e2e_coordinator@example.test Log out

<

Dashboard

All Students

Faculty accounts

PROJECT

SOP Capture 17793935...

Setup wizard

Progress

Reports

Audit log

SETTINGS

Panel Report

END PROJECT

Close project

SOP Capture 1779393554556

Back to dashboard

Enrol students and panels, set up reviewers, define review rounds and rubrics, assign panels per round, then open or pause marking.

Draft project

Reviewers will not see assignments until you open this project for marking. Confirm rubrics on Reviews & rubrics, complete panel assignments, then start each round on Open reviews.

Open for marking

Students

Panels

Reviewers

Reviews & rubrics

Panel assignments

Open reviews

Panels

Create panels and assign every enrolled student. This is the project default template for Review 1; later rounds start as a copy of the previous review and can be changed on Panel assignments.

Panel name

Add panel

SOP Panel 1779393554556

1 student

Reassign or unassign students before removing this panel.

Student assignments

SOP-1779393554556-A — SOP Student A 1779393554556

SOP Panel 1779393554556

SOP-1779393554556-B — SOP Student B 1779393554556

Unassigned

Figure 8: Panels step with panel list and student assignments.

6.3 Step 3 — Reviewers

Coordinator

Add and provision reviewers

```
(
  sequence(
    [ ],
    item(
      body: sequence(
        [Add reviewers individually],
        [ ],
        [(name],
        [ ],
        [+],
        [ ],
        [email) or via],
        [ ],
        strong(body: [Import reviewers]),
        [ ],
        [CSV; assign each to a panel.],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [For each new reviewer row, click],
        [ ],
        strong(body: [Send credentials]),
        [ ],
        [and wait for],
        [ ],
        strong(body: [Account linked]),
        [ ],
        [(links the WordPress user],
        [ ],
        [- required before they see assignments).],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [Use],
        [ ],
        strong(body: [Resend credentials]),
        [ ],
        [if the invite email was not received.],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [Optionally link an existing WordPress user via],
        [ ],
        strong(body: [Link WordPress user]),
        [ ],
        [when editing a row.],
      ),
    ),
  ),
)
```

```
),
[ ],
item(
  body: sequence(
    [Click],
    [ ],
    strong(
      body: sequence([Continue to Reviews], [ ], [& rubrics]),
    ),
    [ ],
    [(or open that wizard tab).],
  ),
),
[ ],
),
)
```




Figure 9: Reviewers step with roster and provisioning status.

6.4 Step 4 — Reviews & rubrics

Each **review round** has its own rubric. Rubrics follow a lifecycle:

State	Meaning
Draft	Editable; marking blocked.
Confirmed	Locked structure; marking can open.
Unlocked	Re-opened for edits; existing marks may be flagged.

Coordinator

Create and confirm a rubric

```
(
  sequence(
    [ ],
    item(
      body: sequence(
        [Each project includes at least],
        [ ],
        strong(body: [Review 1]),
        [; add more rounds with],
        [ ],
        strong(body: [Add review round]),
        [ ],
        [if needed.],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [In the rubric table, enter each criterion label and],
        [ ],
        strong(body: [Max marks]),
        [ ],
        [(required],
        [ ],
        [– total marks must not show],
        [ ],
        smartquote(double: true),
        [–],
        smartquote(double: true),
        [).],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [Click],
        [ ],
        strong(body: [Save]),
        [, then],
        [ ],
        strong(body: [Confirm]),
        [ ],
        [on the rubric card.],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [In the confirmation dialog, click],
        [ ],
        strong(body: [Confirm rubric]),
        [ ],
        [and verify the status chip shows],
        [ ],
        strong(body: [Confirmed]),
        [.] ,
      ),
    ),
  ),
)
```

```
[ ],
item(
  body: sequence(
    [If the],
    [ ],
    strong(body: [Panel assignments]),
    [ ],
    [wizard tab stays disabled, refresh the browser page],
    [ ],
    [(wizard step flags reload from the server).],
  ),
),
[ ],
item(
  body: sequence(
    [Repeat for each review round, then open],
    [ ],
    strong(body: [Panel assignments]),
    [.]
  ),
),
[ ],
),
)
```

 **Re-confirming** a rubric after marks exist may **flag** changed criterion scores. Coordinators see flagged marks in progress views and exports. Always review the consequence summary before re-confirming.




Figure 10: Rubric builder with criteria, weights, and confirm action.




Figure 11: Rubric confirmation dialog with consequence summary.

6.5 Step 5 — Panel assignments

Coordinator

Assign reviewers to panels

```
(
  sequence(
    [ ],
    item(
      body: [For each review round, assign reviewers to panels.],
    ),
    [ ],
    item(
      body: [Ensure every panel has the required reviewer coverage.],
    ),
    [ ],
    item(
      body: [Resolve unassigned panels before continuing.],
    ),
    [ ],
    item(
      body: sequence(
        [Click],
        [ ],
        strong(body: [Continue to Open reviews]),
        [.]
      ),
    ),
  ),
  [ ],
),
)
```





Figure 12: Panel assignments matrix per review round.

6.6 Step 6 — Open reviews



```

    ),
    [ ],
    item(
      body: [Reviewers see assignments in their marking workspace.],
    ),
    [ ],
  ),
)

```

The screenshot shows the 'Project Reviews' interface. At the top right, the user is identified as 'E2E Coordinator' with the email 'pr_e2e_coordinator@example.test' and a 'Log out' link. The main heading is 'SOP Capture 1779393554556' with a 'Back to dashboard' button. Below the heading, a description states: 'Enrol students and panels, set up reviewers, define review rounds and rubrics, assign panels per round, then open or pause marking.' A 'Draft project' section explains that reviewers won't see assignments until the project is opened for marking. A prominent 'Open for marking' button is visible. A navigation bar includes links for 'Students', 'Panels', 'Reviewers', 'Reviews & rubrics', 'Panel assignments', and 'Open reviews'. The 'Open reviews' section is currently active, showing 'Loading review rounds...'. A left sidebar contains various navigation options: 'Dashboard', 'All Students', 'Faculty accounts', 'PROJECT' (with sub-items like 'Setup wizard', 'Progress', 'Reports', 'Audit log'), 'SETTINGS' (with 'Panel Report'), and 'END PROJECT' (with 'Close project').

Figure 13: Open reviews step with per-round activation and Open for marking button.

7 Progress monitoring

Sidebar → **Progress** (within a project).

Use this **control room** to identify incomplete marking before closing:

- Accordion by review round → panel → reviewer
- Completion percentages and mark status counts
- Student-level score breakdown (read-only; totals are server-computed)
- Flagged marks highlighted

The screenshot shows the 'Chase incomplete marking' control room. At the top, there is a 'Coordinator' role indicator and the title 'Chase incomplete marking'. Below this, a code editor displays a JSON-like structure for a sequence of actions:

```

(
  sequence(
    [ ],
    item(body: [Open Progress for the project.]),
    [ ],
    item(
      body: [Expand review rounds with less than 100% completion.],
    )
  )
)

```



```
),
[ ],
item(
  body: sequence(
    [Identify panels/reviewers with],
    [ ],
    strong(body: [Not started]),
    [ ],
    [or],
    [ ],
    strong(body: [In progress]),
    [ ],
    [marks.],
  ),
),
[ ],
item(
  body: sequence(
    [Contact reviewers directly],
    [ ],
    [(outside the plugin) or use notification emails if configured.],
  ),
),
[ ],
item(body: [Refresh progress after marking sessions.]),
[ ],
),
)
```





Figure 14: Progress view with review/panel accordion and completion bars.



Listing 2: Student score breakdown panel (read-only combined scores).

📸 *Screenshot to capture: Select a student in Progress and capture the score breakdown showing weighted totals per review round.*

7.1 Panel unfreeze requests

When a reviewer has frozen their scores and needs to edit, they submit an **unfreeze request**. Coordinators see pending requests on the Dashboard and can approve or deny them.



Listing 3: Pending panel unfreeze requests on the coordinator dashboard.

📸 *Screenshot to capture: Dashboard or dedicated unfreeze panel showing at least one pending request with approve/deny actions.*

8 Reports & exports

Sidebar → **Reports**. Four live tabs plus downloads:

Tab	Purpose
Rubric marks	Live matrix of criterion marks by student/reviewer. Export CSV/Excel.
Overall scores	Combined weighted scores per student. Export CSV/Excel.
Consolidated	All students across all confirmed review rounds. Export CSV/Excel.
Downloads	Committee deliverables: panel roster, marks matrix, scores matrix, offline scoring PDF.

8.1 Locking reports

Coordinators can **lock** report views to prevent further mark changes during export finalisation, and **unlock** when needed.





Figure 15: Reports page tab navigation and review round selector.



Listing 4: Rubric marks live matrix with sort and export buttons.

📸 Screenshot to capture: Rubric marks tab populated with data. Include column headers, a few student rows, and CSV/Excel export buttons.





Figure 16: Downloads tab with project-wide and per-review report cards.

8.2 Offline scoring sheet (PDF)

The **Offline scoring sheet** PDF supports paper-based backup marking. Generate it from the Downloads tab per review round.




Listing 5: Offline scoring sheet card on the Downloads tab.

 Screenshot to capture: Downloads tab focused on the Offline scoring sheet card with download button visible.

9 Panel Report settings

Sidebar → **Settings** → **Panel Report** (within a project).

Configure panel report PDF content and branding used by panel heads when generating panel reports.




Listing 6: Panel Report settings page for a project.

 *Screenshot to capture: Panel Report settings with configurable fields and save action.*

10 Audit log

Sidebar → **Audit log**.

Review governance actions: mark overrides, rubric unlocks, session close/reopen, and other audited events. Each entry includes actor, timestamp, and reason where applicable.



Listing 7: Audit log listing governance events for a project.

 *Screenshot to capture: Audit log with at least three entries showing action type, user, and timestamp.*

11 Closing & reopening a project

Sidebar → **Close project** (End project section).

 Closing a project stops marking and may disable provisioned reviewer accounts. Export all committee deliverables **before** closing.

Coordinator

Close a project safely

```
(
  sequence(
    [ ],
    item(
      body: sequence(
        [Complete the pre-close checklist links],
        [:],
        [ ],
        [Progress],
        [ ],
        [→ Reports],
        [ ],
        [(Downloads)],
        [ ],
        [→ Audit log.],
      ),
    ),
    [ ],
    item(
      body: sequence([Open], [ ], strong(body: [Close project]), [.]),
    ),
    [ ],
    item(
      body: sequence(
        [Review the close preview],
        [ ],
        [(active reviewers, incomplete marks warning).],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [Optionally check],
        [ ],
        strong(body: [Also disable provisioned reviewer accounts]),
        [.],
      ),
    ),
    [ ],
    item(
      body: sequence(
        [Confirm in the dialog. Project status becomes],
        [ ],
        strong(body: [Closed]),
        [.],
      ),
    ),
    [ ],
  ),
)
```

PLACEHOLDER · 24-CLOSE-PROJECT



Run npm run sop:screenshots or save #path

Listing 8: Close project page with pre-close checklist and preview.

 Screenshot to capture: Close project page showing checklist links, summary preview, and Close project button.

Coordinator Reopen a closed project

```
(
  sequence(
    [ ],
    item(
      body: sequence(
        [On the Close project page for a closed project, click],
        [ ],
        strong(body: [Reopen project]),
        [.]
      ),
    ),
  ),
  [ ],
  item(
    body: sequence(
      [Confirm in the dialog. Status returns to],
      [ ],
      strong(body: [Active]),
      [; marking rules apply again.]
    ),
  ),
  [ ],
),
)
```


Part II

Reviewer procedures — assignments, marking, freeze, panel head tasks

12 Reviewer overview

Reviewer

Reviewers work in a focused three-step funnel:

1. Assignments

Pick project / review /
panel

, [→],

2. Marking grid

All students in panel

, [→],

3. Rubric form

Per-student criteria

,

You only see students **assigned to you**. You cannot access other panels or unassigned students.

Your marking workspace

<https://your-site.edu/reviews/mark/>

13 Your assignments

After login, the **Your assignments** page lists available and blocked assignments.

- **Available** assignments — rubric confirmed, project active, marking activated → click to open marking grid
- **Unavailable assignments** — setup incomplete; message explains why (e.g. rubric not confirmed, project closed)




Figure 17: Reviewer assignments page with available and unavailable cards.

Blocked reason	What it means
Project not open	Coordinator has not clicked Open for marking.
Rubric not confirmed	Coordinator must confirm the rubric on the wizard.
Marking inactive	Coordinator must activate this review round.
Project closed	Marking has ended for this project.
Coordinator locked	Coordinator locked marks for this review round.

14 Marking grid

Click an assignment card to open the **marking grid** — all students in your panel for that review round.

Features:

- Row per student with registration number, name, project title
- Quick status chips (not started / in progress / complete)
- Attendance indicator
- **Update score** on each row opens the rubric form in a modal
- **Freeze scores** (panel-level) when all marks are ready for coordinator reports




Figure 18: Marking grid with student rows and status chips.

14.1 Mobile / narrow view


On narrow screens, the grid collapses to **student cards** with the same information.



Listing 9: Mobile card layout for the marking grid.

📸 Screenshot to capture: Resize browser to mobile width (~375px) on the marking grid and capture the card layout.

15 Entering marks (rubric form)



```

[ ],
item(
  body: sequence(
    [Click],
    [ ],
    strong(body: [Update score]),
    [ ],
    [on a student row],
    [ ],
    [(do not use),
    [ ],
    strong(body: [Freeze scores]),
    [ ],
    [unless you intend to lock the whole panel for that review].],
  ),
),
[ ],
item(
  body: sequence(
    [In the modal, set],
    [ ],
    strong(body: [Attendance]),
    [ ],
    [(Present],
    [ ],
    [/],
    [ ],
    [Absent) if shown.],
  ),
),
[ ],
item(
  body: sequence(
    [Enter a score for each criterion],
    [ ],
    [(half-point increments where enabled); scores are validated against max
marks inline.],
  ),
),
[ ],
item(
  body: sequence(
    [Click],
    [ ],
    strong(body: [Save]),
    [ ],
    [to store a],
    [ ],
    strong(body: [Draft]),
    [ ],
    [mark; the grid shows the score and draft status.],
  ),
),
[ ],
item(
  body: sequence(
    [Repeat for each student, then use],
    [ ],

```

```
    strong(body: [Freeze scores]),
    [ ],
    [when the panel is complete.],
  ),
),
[ ],
),
)
```

 **Draft** marks can be edited until you freeze scores or the coordinator locks the review. If you see **No assignments yet**, ask the coordinator to run **Send credentials** for your email on the Reviewers wizard step.




Figure 19: Score entry modal (rubric form) with criterion scores and attendance.



Listing 10: Inline validation error on rubric form.

 *Screenshot to capture: Enter an invalid score (above max marks) and capture the inline error message before correcting.*

15.1 Flagged marks

If a coordinator re-confirms a rubric after you submitted marks, affected scores may show a **flagged** indicator. You may need to review and re-submit. Contact your coordinator if unsure.

PLACEHOLDER · 30-FLAGGED-MARK



Run npm run sop:screenshots or save #path

Listing 11: Flagged mark indicator on a criterion score.

 *Screenshot to capture: Student row or rubric form showing a flagged mark chip on at least one criterion.*

16 Freezing & unfreezing scores

When you have submitted marks for all students in your assignment:

Reviewer

Freeze your scores

```
(
  sequence(
    [ ],
    item(
      body: sequence(
        [On the marking grid, click],
        [ ],
        strong(body: [Freeze my scores]),
        [.]
      ),
    ),
    [ ],
    item(body: [Read the confirmation dialog.]),
    [ ],
    item(body: [Confirm. Your marks become read-only.]),
    [ ],
    item(
      body: sequence(
        [To edit after freezing, submit an],
        [ ],
        strong(body: [unfreeze request]),
        [ ],
        [with a reason.]
      ),
    ),
    [ ],
  )
)
```

```
    ),  
  )  
}
```

PLACEHOLDER · 31-FREEZE-SCORES-DIALOG



Run `npm run sop:screenshots` or save #path

Listing 12: Freeze my scores confirmation dialog.

 *Screenshot to capture: Click Freeze my scores and capture the confirmation dialog.*

Reviewer

Request an unfreeze

```
(  
  sequence(  
    [ ],  
    item(  
      body: sequence(  
        [On a frozen assignment, click],  
        [ ],  
        strong(body: [Request unfreeze]),  
        [.]  
      ),  
    ),  
    [ ],  
    item(  
      body: sequence([Enter a brief reason], [ ], [(required).]),  
    ),  
    [ ],  
    item(  
      body: sequence(  
        [Submit. Status shows],  
        [ ],  
        strong(body: [Pending]),  
        [ ],  
        [until a coordinator or panel head acts.]  
      ),  
    ),  
    [ ],  
    item(body: [When approved, you can edit and re-freeze.]),  
    [ ],  
  ),  
)
```

PLACEHOLDER · 32-UNFREEZE-REQUEST



Run npm run sop:screenshots or save #path

Listing 13: Unfreeze request form with reason field.

 Screenshot to capture: Frozen assignment showing Request unfreeze button and the reason dialog.

17 Panel head responsibilities

If you are designated **panel head** (panel coordinator) for a panel, your assignment card also links to **Panel report**.

Panel heads can:

- Generate the panel report PDF for their panel
- Approve or deny unfreeze requests from co-reviewers on the same panel


PLACEHOLDER · 33-PANEL-HEAD-CARD



Run npm run sop:screenshots or save #path

Listing 14: Assignment card showing Panel report link for panel heads.

 Screenshot to capture: Assignment card for a panel head user showing both Mark students and Panel report links, plus co-reviewer chips.



Listing 15: Panel report generation page.

 *Screenshot to capture: Panel report page with preview/download controls for the panel head.*



Listing 16: Panel head unfreeze request queue.

 *Screenshot to capture: Panel head view of pending unfreeze requests from co-reviewers with approve/deny actions.*

18 Troubleshooting

Problem	Likely cause	Who fixes
Cannot see any assignments	Reviewer not on panel, Account linked missing, or setup incomplete	Coordinator
Stuck after filling reg. no. on registry	Used table search instead of Add student form — fill Name and submit form	Coordinator
Panel assignments tab disabled	Rubric missing max marks or not confirmed — refresh page after confirm	Coordinator
Assignment listed as unavailable	Rubric unconfirmed, marking inactive, or project closed	Coordinator
Score will not save	Project closed, coordinator lock, or panel frozen	Coordinator / Panel head
Wrong max marks error	Score exceeds criterion max	Reviewer — correct the value
Attendance conflict	Co-reviewers disagree on attendance consensus	Reviewers — align; Coordinator if stuck
Cannot log in	Account not provisioned or password expired	Coordinator / WordPress admin
Export empty or missing columns	Rubric not confirmed or no marks submitted	Coordinator

19 Quick reference card

Coordinator checklist

- ☐ All Students populated
- ☐ Project created
- ☐ Panels & reviewers configured
- ☐ Rubrics confirmed
- ☐ Panel assignments complete
- ☐ Open for marking
- ☐ Progress monitored
- ☐ Reports exported
- ☐ Project closed

Reviewer checklist

- ☐ Log in at /reviews/mark/
- ☐ Open assignment
- ☐ Mark all students
- ☐ Submit (not just draft)
- ☐ Freeze scores
- ☐ Panel report (if panel head)

One-page process flow

1 · Sign in

2 • All Students

Dashboard → title · status: Draft



Students → Panels → Reviewers



Build criteria · Confirm rubric



Reviewers blocked until this step completes



Assign reviewers to panels per round



Activate rounds · Open for marking → Active



9 • Gate: Marking open



7

Project lifecycle: Review not confirmed Marking inactive

```
#/usr/bin/perl -w
#coding: utf-8
#author: mosca (mailto:mosca@fsl.org)
#version: 1.0
#date: 2013-03-13
```

```

#/#registry/{s}/{p}/wizd
#/#panelhead/{s}/{p}/wizd (panel head)
#/#element/{id}/progress : #/#session/

```

20 Document maintenance

Item	Detail
Source file	<code>docs/sop/project-reviews-sop.typ</code>
Theme	<code>docs/sop/lib/theme.typ</code> — <code>sop-screenshots-dir</code> , <code>use-live-screenshots</code>
Live screenshots	<code>docs/sop/screenshots/2026-05-22_012914/</code> — 19 PNGs; <code>sop-screenshots-dir</code> in <code>lib/theme.typ</code>
Manual screenshots still needed	CSV import mapper, score breakdown, unfreeze queues, marks matrix, offline PDF, audit/close, mobile grid, validation/flagged/freeze dialogs, panel head flows — see <code>tests/e2e/sop-screenshot-manifest.ts</code>
Regenerate captures	<code>npm run build</code> then <code>npm run sop:screenshots</code> from plugin root; copy printed <code>sop-screenshots-dir</code> into <code>lib/theme.typ</code>
Compile PDF	<code>cd docs/sop && typst compile project-reviews-sop.typ</code>
Output	<code>docs/sop/project-reviews-sop.pdf</code>

Automated capture IDs embedded when PNGs exist: 01–05, 07–15, 18, 20, 25–26, 28. Other figure IDs show placeholders until you add `{id}.png` manually or extend the Playwright capture spec.