BASIS OF A HEALTHY DIET

LEARNING OBJECTIVES

01 Examine nutrient requirements and the Dietary Reference Intakes (DRI)

02 Review the five major food groups

03 Discuss the *Dietary Guidelines for Americans* and food guides for dietary planning

04 Review food and dietary supplement labels



Carbohydrates

Fat

Minerals

Protein

Vitamins

Water

NUTRIENT REQUIREMENT

- **The smallest amount of a nutrient that maintains a defined level of health**
  - ➡ Failure to satisfy a nutrient requirement increases risk of a deficiency
  - ➡ Requirements vary based on factors like age, sex, and lifestyle
- **The Dietary Reference Intakes (DRI) are a set of nutrient intake standards**
  - ➡ Used by the United States and Canada
  - ➡ Produced by the Food and Nutrition Board of the National Academy of Medicine
  - ➡ Serve as the basis for making dietary recommendations

NATIONAL ACADEMIES




DIETARY REFERENCE INTAKES
(DRIs)
Estimated Average Requirement (EAR)
Recommended Dietary Allowance (RDA)
Estimated Energy Requirement (EER)
Tolerable Upper Intake Level (UL)
Adequate Intake (AI)
Acceptable Macronutrient Distribution Range (AMDR)

RECOMMENDED DIETARY ALLOWANCE

- **List of nutrient intake goals for individuals**
  - ➡ Meet the nutrient needs of 97-98% of people in a particular life-stage/sex group
  - ➡ Derived from solid experimental evidence and reliable observations

ADEQUATE INTAKE

- **Established when there is insufficient evidence to generate an RDA**

TOLERABLE UPPER INTAKE LEVEL

- **Represents the highest nutrient intake level that poses no risk of toxicity**
  - ➡ Most likely to be surpassed with dietary supplements

ESTIMATED AVERAGE REQUIREMENT

- **List of nutrient values used in nutrition research and policy**
  - ➡ Satisfy the needs of approximately 50% of people and form the basis for the RDA


EAR
RDA
Number of people
Low
Average
(50% of the
population)
97–98%
of the population
High
Nutrient intakes


Intake Level of Nutrient X
UL
RDA/AI
Low Intake
High Intake
High risk of deficiency
Low risk of deficiency or toxicity
High risk of toxicity

Life Stage Group	Vitamin A (µg/d)[a]	Vitamin C (mg/d)	Vitamin D (µg/d)[b,c]	Vitamin E (mg/d)[d]	Vitamin K (µg/d)	Thiamin (mg/d)	Riboflavin (mg/d)	Niacin (mg/d)[e]	Vitamin B_6 (mg/d)	Folate (µg/d)[f]	Vitamin B_{12} (µg/d)	Pantothenic Acid (mg/d)	Biotin (µg/d)	Choline (mg/d)[g]
Infants														
0–6 mo	400*	40*	10*	4*	2.0*	0.2*	0.3*	2*	0.1*	65*	0.4*	1.7*	5*	125*
6–12 mo	500*	50*	10*	5*	2.5*	0.3*	0.4*	4*	0.3*	80*	0.5*	1.8*	6*	150*
Children														
1–3 y	**300**	**15**	**15**	**6**	30*	**0.5**	**0.5**	**6**	**0.5**	**150**	**0.9**	2*	8*	200*
4–8 y	**400**	**25**	**15**	**7**	55*	**0.6**	**0.6**	**8**	**0.6**	**200**	**1.2**	3*	12*	250*
Males														
9–13 y	**600**	**45**	**15**	**11**	60*	**0.9**	**0.9**	**12**	**1.0**	**300**	**1.8**	4*	20*	375*
14–18 y	**900**	**75**	**15**	**15**	75*	**1.2**	**1.3**	**16**	**1.3**	**400**	**2.4**	5*	25*	550*
19–30 y	**900**	**90**	**15**	**15**	120*	**1.2**	**1.3**	**16**	**1.3**	**400**	**2.4**	5*	30*	550*
31–50 y	**900**	**90**	**15**	**15**	120*	**1.2**	**1.3**	**16**	**1.3**	**400**	**2.4**	5*	30*	550*
51–70 y	**900**	**90**	**15**	**15**	120*	**1.2**	**1.3**	**16**	**1.7**	**400**	**2.4**[h]	5*	30*	550*
> 70 y	**900**	**90**	**20**	**15**	120*	**1.2**	**1.3**	**16**	**1.7**	**400**	**2.4**[h]	5*	30*	550*
Females														
9–13 y	**600**	**45**	**15**	**11**	60*	**0.9**	**0.9**	**12**	**1.0**	**300**	**1.8**	4*	20*	375*
14–18 y	**700**	**65**	**15**	**15**	75*	**1.0**	**1.0**	**14**	**1.2**	**400**[i]	**2.4**	5*	25*	400*
19–30 y	**700**	**75**	**15**	**15**	90*	**1.1**	**1.1**	**14**	**1.3**	**400**[i]	**2.4**	5*	30*	425*
31–50 y	**700**	**75**	**15**	**15**	90*	**1.1**	**1.1**	**14**	**1.3**	**400**[i]	**2.4**	5*	30*	425*
51–70 y	**700**	**75**	**15**	**15**	90*	**1.1**	**1.1**	**14**	**1.5**	**400**	**2.4**[h]	5*	30*	425*
> 70 y	**700**	**75**	**20**	**15**	90*	**1.1**	**1.1**	**14**	**1.5**	**400**	**2.4**[h]	5*	30*	425*

ACCEPTABLE MACRONUTRIENT DISTRIBUTION RANGE (AMDR)

- **Recommended energy contribution from carbohydrates, protein, and fat**
  - ➡ 45-65% of calories from carbohydrates
  - ➡ 10-35% of calories from protein
  - ➡ 20-35% of calories from fat
- **Example: 2,000 calories/day**
  - ➡ 1,100 calories from carbohydrates = (1,100 / 2,000) x 100 = 55% ✓
  - ➡ 400 calories from protein = (400 / 2,000) x 100 = 20% ✓
  - ➡ 500 calories from fat = (500 / 2,000) x 100 = 25% ✓

Standard	Definition	Example
Estimated Average Requirement (EAR)	Amount of a nutrient that meets the needs of 50% of healthy people who are in a particular life-stage and sex group	**Vitamin C** 75 mg/day for males and 60 mg/day for females ages 19 through 50 years
Recommended Dietary Allowance (RDA)	Amount of a nutrient that meets the needs of nearly all healthy individuals in a particular life-stage and sex group	**Vitamin C** 90 mg/day for males and 75 mg/day for females ages 19 through 50 years
Adequate Intake (AI)	Amount of a nutrient that is considered to be adequate based on the population's typical intakes, but there is not enough scientific information available to determine an RDA for the nutrient at this time	**Vitamin C** 40 mg/day for infants from birth through 6 months of age
Tolerable Upper Intake Level, or Upper Level (UL)	Highest average amount of a nutrient that is unlikely to harm most people when the amount is consumed daily	**Vitamin C** 2000 mg/day for adults
Acceptable Macronutrient Distribution Range (AMDR)	Ranges of carbohydrate, fat, and protein intakes that provide adequate amounts of micronutrients and may reduce the risk of developing certain diet-related chronic diseases	See Table 3.2.

LEARNING OBJECTIVES

01 Examine nutrient requirements and the Dietary Reference Intakes (DRI)

02 Review the five major food groups

03 Discuss the *Dietary Guidelines for Americans* and food guides for dietary planning

04 Review food and dietary supplement labels



FOOD GROUPS

- **Serve as a way to translate the DRI into practical suggestions for eating**
  - ➡ Created by the United States Department of Agriculture (USDA)
  - ➡ Separate foods based on biological origins and key nutrients
- **According to the USDA, the five food groups are:**
  - ➡ Grains
  - ➡ Dairy
  - ➡ Fruits
  - ➡ Vegetables
  - ➡ Protein foods

Note: The USDA does not list oils as a food group, but it recognizes that oils contribute nutrients to diets and recommend Americans consume some each day

Vegetables — Carrots, broccoli, onion, mushrooms, spinach, celery, cabbage, bell pepper, etc.

Fruits — Apple, banana, orange, peach, pear, strawberries, watermelon, grapefruit, etc.

Grains — Products made from wheat, rice, oats, corn, barley, millet, rye, sorghum, and triticale

Dairy — Cow’s milk, products made from cow’s milk, and plant-based alternatives

Protein Foods — Beef, pork, fish, shellfish, poultry, eggs, beans, nuts/seeds, and tofu

Oils — Includes vegetable oils and oils in food

NUTRITIONAL EQUIVALENTS

- **Lists of food items for each of the food groups**
  - ➡ All of the foods in each list provide a similar amount of calories and nutrients
  - ➡ Developed by the USDA to assist with diet planning
- **Recommended servings are written in cups, ounces, or grams per day**
  - ➡ Example: 1 ounce of grains
    - *1 slice of bread
    - *1/2 cup cooked rice, pasta, or cereal
    - *1 ounce dry pasta or rice
    - *1 cup ready-to-eat cereal
    - *3 cups popped popcorn

Vegetables

1 cup =

- 1 cup cut-up raw/cooked vegetables
- 1 cup cooked legumes
- 1 cup vegetable juice
- 2 cup raw, leafy greens

Fruits

1 cup =

- 1 cup fresh, frozen, or canned fruit
- 1/2 cup dried fruit
- 1 cup 100 % fruit juice

Grains

1 oz =

- 1 slice bread
- 1/2 cup cooked rice, pasta, or cereal
- 1/2 oz dry pasta or rice
- 1 cup ready-to-eat cereal
- 3 cups popped popcorn

Oils

Sometimes in grams/day

1 tsp =

- 1 tsp vegetable oil
- 1 tsp soft margarine
- 1 tbs low-fat mayonnaise
- 2 tbs light-salad dressing

Protein Foods

1 oz =

- 1 oz cooked lean meat, poultry, or seafood
- 1 egg
- 1/4 cup cooked legumes or tofu
- 1 tbs peanut butter
- 1/2 oz nuts or seeds

Dairy

1 cup =

- 1 cup milk or yogurt
- 1.5 oz natural cheese
- 2 oz processed cheese

Grains

1 oz =

- 1 slice bread
- 1/2 cup cooked rice, pasta, or cereal
- 1/2 oz dry pasta or rice
- 1 cup ready-to-eat cereal
- 3 cups popped popcorn

- **Rich in carbohydrates**
- **Provide some protein**
- **Excellent source of fiber if they are whole grains**
- **Good source of B vitamins (i.e. thiamin, niacin, and folate)**

Dairy

1 cup =

- 1 cup milk or yogurt
- 1.5 oz natural cheese
- 2 oz processed cheese

- **Excellent source of calcium, phosphorus, and riboflavin**
- **Protein content varies (some forms are excellent sources)**
- **Excellent source of vitamin A and vitamin D if they are fortified**

Vegetables

1 cup =

- 1 cup cut-up raw/cooked vegetables
- 1 cup cooked legumes
- 1 cup vegetable juice
- 2 cup raw, leafy greens

Fruits

1 cup =

- 1 cup fresh, frozen, or canned fruit
- 1/2 cup dried fruit
- 1 cup 100 % fruit juice

- **Low in calories and fat**
- **Rich in fiber**
- **Carbohydrate content varies**
- **Excellent source of potassium and vitamin C**
- **Excellent source of phytochemicals**
- **Excellent source of fiber**



Protein Foods

1 oz =

- 1 oz cooked lean meat, poultry, or seafood
- 1 egg
- 1/4 cup cooked legumes or tofu
- 1 tbs peanut butter
- 1/2 oz nuts or seeds

- **Many sources are rich in iron and zinc**
- **Fat content varies (lean sources are preferred)**

Oils

1 tsp =

- 1 tsp vegetable oil
- 1 tsp soft margarine
- 1 tbs low-fat mayonnaise
- 2 tbs light-salad dressing

- **Significant source of fat**
- **Many sources are rich in vitamin E**

ENRICHMENT

- **The replacement of some nutrients that were removed in processing**
  - ➡ Example: Addition of B vitamins to refined grain products

FORTIFICATION

- **Addition of nutrients to any food to boost its nutritional value**
  - ➡ Example: Addition of vitamin D to dairy products

LEARNING OBJECTIVES

- [x] 01 Examine nutrient requirements and the Dietary Reference Intakes (DRI)
- [x] 02 Review the five major food groups
- [ ] 03 Discuss the *Dietary Guidelines for Americans* and food guides for dietary planning
- [ ] 04 Review food and dietary supplement labels



DIETARY GUIDELINES FOR AMERICANS

- **Document that provides recommendations to promote and improve health**
  - ➡ Published by the USDA and the U.S. Department of Health and Human Services

- **Offer food-based strategies for achieving the DRI**
  - ➡ Form the foundation of federal nutrition policy
  - ➡ Used to guide national, state, and local health promotion efforts



Message from the Secretaries

Welcome to the *Dietary Guidelines for Americans, 2025–2030.*

These Guidelines mark the most significant reset of federal nutrition policy in our nation's history.

The message is simple: eat real food.

To Make America Healthy Again, we must return to the basics. American households must prioritize diets built on whole, nutrient-dense foods—protein, dairy, vegetables, fruits, healthy fats, and whole grains. Paired with a dramatic reduction in highly processed foods laden with refined carbohydrates, added sugars, excess sodium, unhealthy fats, and chemical additives, this approach can change the health trajectory for so many Americans.

The United States is amid a health emergency. Nearly 90% of health care spending goes to treating people who have chronic diseases.[1] Many of these illnesses are not genetic destiny; they are the predictable result of the Standard American Diet—a diet which, over time, has become reliant on highly processed foods and coupled with a sedentary lifestyle.

The consequences have been devastating. More than 70% of American adults are overweight or obese.[2] Nearly one in three American adolescents between the ages of 12 and 17 has prediabetes.[3] Diet-driven chronic disease now disqualifies large numbers of young Americans from military service, undermining national readiness and cutting off a historic pathway to opportunity and upward mobility.[4]

For decades, federal incentives have promoted low-quality, highly processed foods and pharmaceutical intervention instead of prevention. This crisis is the result of poor policy choices; inadequate nutrition research; and a lack of coordination across federal, state, local, and private partners.

This changes today.

We are realigning our food system to support American farmers, ranchers, and companies who grow and produce real food—and the Trump administration is working to ensure all families can afford it.

We are putting real food back at the center of the American diet. Real food that nourishes the body. Real food that restores health. Real food that fuels energy and encourages movement and exercise. Real food that builds strength.

Under President Trump's leadership, we are restoring common sense, scientific integrity, and accountability to federal food and health policy—and we are reclaiming the food pyramid and returning it to its true purpose of educating and nourishing all Americans.

These Guidelines call on every American to eat more real food. They call on farmers, ranchers, health care professionals, insurers, educators, community leaders, industry, and lawmakers across all levels of government to join in this critical effort.

Together, we can shift our food system away from chronic disease and toward nutrient density, nourishment, resilience, and long-term health.

America's future depends on what we grow, what we serve, and what we choose to eat.

This is the foundation that will Make America Healthy Again.

Robert F. Kennedy, Jr.
Secretary,
U.S. Department of Health and Human Services

Brooke L. Rollins
Secretary,
U.S. Department of Agriculture

If One Usually Eats	Consider Replacing With
White bread and rolls	Whole-wheat bread and rolls
Sugary ready-to-eat cereals	Overnight oats with berries, bananas, peaches, or other fruit you choose to add
Cheeseburger, French fries, and a regular (sugar-sweetened) soft drink	Roasted chicken or turkey sandwich, carrots and peppers with hummus, and water flavored with fresh fruit
Potato salad or cole slaw	Leafy greens or three-bean salad
Doughnuts, chips, or salty snack foods	Small bran muffin or whole-wheat bagel topped with peanut butter or almond butter, unsalted nuts, and dried fruit
Regular soft drinks	Water (if desired, add fresh fruit for flavor)
Boiled vegetables	Raw or steamed vegetables (often retain more nutrients than boiled)
Canned vegetables	Low-sodium varieties or frozen vegetables (retain more nutrients during processing)
Breaded and fried meat, fish, or poultry	Broiled or roasted meat, fish, or poultry

FOOD GUIDES FOR DIETARY PLANNING

- **Illustrations that aim to represent current nutrition recommendations**
  - ➡ 1943: Basic Seven
  - ➡ 1984: Food Wheel
  - ➡ 1992: Food Guide Pyramid
  - ➡ 2005: MyPyramid
  - ➡ 2011: MyPlate
  - ➡ 2026: New Food Pyramid? Inverted Pyramid? Upside-Down Pyramid?
- **The U.S. government also publishes food group intake targets**
  - ➡ Stratified by calorie level

1992



2005

Grains
Vegetables
Fruits
Oils
Milk and milk products
Meat and beans


Fruits
Grains
Vegetables
Protein
Dairy
MyPlate.gov


2011
Make half your plate fruits & vegetables.
Move to low-fat or fat-free dairy milk or yogurt (or lactose-free dairy or fortified soy versions).
Focus on whole fruits.
Make half your grains whole grains.
Vary your veggies.
Vary your protein routine.
Fruits
Grains
Vegetables
Protein
Dairy
Limit
MyPlate.gov
Choose foods and beverages with less added sugars, saturated fat, and sodium.

Daily Servings by Calorie Level

	Calorie Level of Pattern	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200
Food Group	**Serving Size Examples**	**Daily Servings**											
Protein Foods	3 oz cooked meat, poultry, or seafood; 1 egg; ½ cup beans, peas, or lentils; 1 oz nuts or seeds; 2 tbsp nut or seed butter; 3 oz soy	1–1 ½	1 ½–2	2–2 ½	2 ½–3 ½	2 ½–3 ½	3–4	3 ½–4 ½	3 ½–4 ½	3 ½–4 ½	4–5	4–5	4–5
Dairy	1 cup milk; ¾ cup yogurt; 1 oz cheese	2	2 ½	2 ½	3	3	3	3	3	3	3	3	3
Vegetables	1 cup raw or cooked; 2 cups leafy greens	1 ¼	1 ¾	1 ¾	2 ½	3	3	3 ½	3 ½	4 ¼	4 ¼	4 ¾	4 ¾
Fruits	1 cup raw; ½ cup dried	1	1	1 ½	1 ½	1 ½	2	2	2	2	2 ½	2 ½	2 ½
Whole Grains	½ cup cooked oats, brown rice, barley, quinoa, or buckwheat; 1 slice bread; 1 tortilla	1–2	1 ½–2 ¾	1 ¾–3 ¼	1 ¾–3 ¼	2–4	2–4	2 ¼–4 ½	2 ¾–5 ¼	3–6	3 ¼–6 ½	3 ¼–6 ½	3 ¼–6 ½
Healthy Fats	1 tsp olive oil or butter	2 ½	2 ½	2 ½	3 ½	4	4 ½	4 ½	5	5 ½	6	7	8

Calories — 1,800	
Food Group	**Servings**
Vegetables	3
Fruits	1.5
Grains	2-4
Dairy	3
Protein Foods	2.5-3.5
Oils	4

Breakfast	
Lunch	
Dinner	
Snacks	



½ cup	1 oz	1 Tbsp	1 tsp	3 oz	1 cup
Pasta, rice, or potatoes	Salad dressing or cheese	Peanut butter or vegetable oil	Margarine or butter	Cooked meat or chicken	Large apple or cereal



*Note: Recommended daily intake of whole grains is to be at least half of total grain consumption, and the limit for refined grains is to be no more than half of total grain consumption.

LEARNING OBJECTIVES

- [x] 01 Examine nutrient requirements and the Dietary Reference Intakes (DRI)
- [x] 02 Review the five major food groups
- [x] 03 Discuss the *Dietary Guidelines for Americans* and food guides for dietary planning
- [ ] 04 Review food and dietary supplement labels



FOOD LABELING

- **Most packaged foods and beverages are required to have a label**
  - ➡ **The Nutrition Labeling and Education Act of 1990 established this requirement**
    - *Common or usual name of the product*
    - *Name and address of the manufacturer, packer, or distributor*
    - *Net contents in weight, measure, or count*
    - *Nutrition contents of the product (Nutrition Facts panel)*
    - *Ingredients listed in descending order by weight*
    - *Essential warnings for potential allergens*
- **The Food and Drug Administration (FDA) regulates food packaging**

NABISCO
Honey Maid
MADE WITH REAL Honey
NO High Fructose Corn Syrup
8g of Whole Grain
per 31g serving
PER 8 CRACKERS
130 CALORIES
0g SAT FAT
160mg SODIUM
8g TOTAL SUGARS
NET WT 14.4 OZ (408g)
GRAHAMS
Honey Maid
Nutrition Facts
About 13 servings per container
Serving size 8 crackers (31g)
[1 serving = 2 full cracker sheets]
Amount per serving
Calories 130
% Daily Value*
Total Fat 3g 4%
Saturated Fat 0g 0%
Trans Fat 0g
Cholesterol 0mg 0%
Sodium 160mg 7%
Total Carbohydrate 24g 9%
Dietary Fiber 1g 4%
Total Sugars 8g
Includes 8g Added Sugars 16%
Protein 2g
Vitamin D 0mcg 0%
Calcium 13mg 0%
Iron 0.93mg 6%
Potassium 48mg 0%
* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.
INGREDIENTS: UNBLEACHED ENRICHED FLOUR (WHEAT FLOUR, NIACIN, REDUCED IRON, THIAMINE MONONITRATE (VITAMIN B1), RIBOFLAVIN (VITAMIN B2), FOLIC ACID), GRAHAM FLOUR (WHOLE GRAIN WHEAT FLOUR), SUGAR, CANOLA OIL, HONEY, LEAVENING (BAKING SODA AND/OR CALCIUM PHOSPHATE), SALT, SOY LECITHIN, ARTIFICIAL FLAVOR.
CONTAINS: WHEAT, SOY.
MONDELEZ GLOBAL LLC
EAST HANOVER, NJ 07936 USA
MADE IN MEXICO
smartlabel™
Nutrition Contents
Warnings
Ingredients
Manufacturer
Net Contents
Common Name


1. Serving Information
2. Calories
3. Nutrients
Nutrition Facts
4 servings per container
Serving size 1 cup (227g)
Amount per serving
Calories 280
% Daily Value*
Total Fat 9g 12%
Saturated Fat 4.5g 23%
Trans Fat 0g
Cholesterol 35mg 12%
Sodium 850mg 37%
Total Carbohydrate 34g 12%
Dietary Fiber 4g 14%
Total Sugars 6g
Includes 0g Added Sugars 0%
Protein 15g
Vitamin D 0mcg 0%
Calcium 320mg 25%
Iron 1.6mg 8%
Potassium 510mg 10%
* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.
4. Quick Guide to percent Daily Value (%DV)
• 5% or less is low
• 20% or more is high

DAILY VALUES (DV)

- **Nutrient standards used on food labels and restaurant signs**
  - ➡ Developed by the U.S. Food and Drug Administration (FDA)
- **The adult DV for a nutrient is based on a diet that supplies 2,000 kcal/day**
  - ➡ Each nutrient has only one value (i.e. 1,300 mg for calcium)
- **Simplifies the RDA/AI and allows for the general comparison of foods**

Vitamin D 0mcg	0%
Calcium 80mg	6%
Iron 0.7mg	2%
Potassium 60mg	0%

Vitamin D 0mcg	0%	Calcium 0mg	0%
Iron 2.7mg	15%	Potassium 250mg	6%

HEALTH CLAIMS ON FOOD LABELS

1. **Structure/Function Claims**
    - Describes the role of a nutrient in maintaining a structure or normal bodily function
    - Cannot claim that a nutrient can be used to prevent or treat a disease
    - Example of appropriate use: “calcium builds strong bones”
2. **Nutrient Content Claims**
    - Uses terms like *free, high,* or *low* to describe how much of a nutrient is in the product
    - May also appear as *more* or *reduced* to compare amounts of nutrients in similar products
    - Examples: “low sodium” or “reduced sugar”

Category	Definition
Sugar	• **Sugar free:** The product provides less than 0.5 g sugar per serving. • **Reduced sugar:** The food contains at least 25% less sugar per serving than the reference food.
Calories	• **Calorie free:** The food provides fewer than 5 kcal per serving. • **Reduced or fewer calories:** The food contains at least 25% fewer kcal per serving than the reference food.
Fat	• **Fat free:** The food provides less than 0.5 g fat per serving. • **Low fat:** The food contains 3 g or less fat per serving. Two percent milk is not “low fat” because it has more than 3 g fat per serving. The term *reduced fat* can be used to describe 2% milk. • **Reduced or less fat:** The food supplies at least 25% less fat per serving than the reference food.
Fiber	• **High fiber:** The food contains 5 g or more fiber per serving. Foods that include high-fiber claims on the label must also meet the definition for low fat. • **Good source of fiber:** The food supplies 2.5–4.9 g fiber per serving.
Meat and poultry products regulated by the USDA	• **Extra lean:** The food provides less than 5 g fat, 2 g saturated fat, and 95 mg cholesterol per serving. • **Lean:** The food contains less than 10 g fat, 4.5 g saturated fat, and 95 mg cholesterol per serving.

DIETARY SUPPLEMENT LABELS

- **Every dietary supplement container must be properly labeled**
  - ➡ **The FDA has several requirements in place for the supplement label**
    - * *Must include the term ‘dietary supplement’ or a similar term that describes the product*
    - * *List of ingredients*
    - * *Manufacturers name and information*
    - * *Suggested dosage*
    - * *Contents of the product (Supplement Facts panel)*
- **Manufacturers are permitted to add structure/function claims**
  - ➡ **If the FDA has not reviewed a claim, there must be a disclaimer on the label**

Title makes panel easy to identify on package.

Information must be listed "per serving." Serving sizes are based on manufacturer's recommended intake for one occasion.

When product is a mixture of substances, components are listed in descending order of content, by weight.

Manufacturer's name and address

Term identifies the product as a "dietary supplement."

Supplement Facts

Serving Size 1 Tablet
Servings Per Container 100

	Amount Per Serving	%Daily Value
Calories	10	
Total Carbohydrate	2g	<1%*
Sugars	2g	†
Proprietary blend	1g	
German Chamomile (flower)		†
Hyssop (leaves)		†

* Percent Daily Values are based on a 2,000 calorie diet.
† Daily Value not established

Other ingredients: Fructose, lactose, starch, and stearic acid.

Distrubuted by: McGraw's
500 Main St.
Hometown, IA 55500

*German chamomile and hyssop support a healthy immune system

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Nutrients required in nutrition labeling of conventional foods and their percent Daily Value (%DV) must be listed when present.

Dietary ingredients such as botanicals and phytochemicals that do not have DVs are listed here. Such ingredients must indicate the amount present and be identified as having no intake recommendations.

Structure/function claim

FDA disclaimer

LEARNING OBJECTIVES

- 01 Examine nutrient requirements and the Dietary Reference Intakes (DRI)
- 02 Review the five major food groups
- 03 Discuss the *Dietary Guidelines for Americans* and food guides for dietary planning
- 04 Review food and dietary supplement labels