

SECURITY ENGINEERING — HANDS-ON LAB

# CrowdStrike Falcon API Detection & Triage

Sensor → API Client → Real Detection → Automated Triage

---

David Rufino Botte | Senior Desktop Engineer

[github.com/davidrufinobotte/security-engineering-labs](https://github.com/davidrufinobotte/security-engineering-labs)

## HOW IT WORKS


# From endpoint sensor to automated triage



A safe, authorized simulated attack triggers real Falcon detections. A Python script reads them via API, then writes back a status update and comment — closing the loop from detection to response.

## A Least-Privilege API Client

- Created a dedicated OAuth2 API client (lab-detection-automation)
- Scoped to exactly what the project needs: Alerts and Hosts — nothing else
- Same least-privilege principle applied earlier in the Entra ID + Sentinel lab



## Sensor Deployed & Reporting

- Falcon sensor installed on a dedicated test laptop
- Confirmed online, managed, healthy, and up to date within minutes
- This is the data source everything downstream depends on

**Falcon Asset Details** | DRB-PF312QGZ

**DRB-PF312QGZ**  
Windows | LENOVO | 20U9007RAU  
Asset ID 137e3b40aa59408e97be921d67fe2fda  
IP 10.2.0.2, 149.19.31.128

**Asset management** **Response actions**

**Online**  
Connectivity status

**Managed**  
Sensor coverage

**Not registered**  
Cloud account

**Not exposed**  
Internet exposure

Findings powered by Falcon Surface

**Healthy**  
Sensor health

**Up to date**  
Sensor version

**Supported**  
OS support status

**Up to date**  
Asset criticality

**General**

|                   |                                 |
|-------------------|---------------------------------|
| Account name      | --                              |
| Account ID        | --                              |
| Resource ID       | --                              |
| Cloud provider    | --                              |
| Cloud account     | --                              |
| Region            | --                              |
| Sensor IP address | 149.19.31.128                   |
| MAC address       | 58-6c-25-ed-f9-0e               |
| Status            | --                              |
| Updated           | Jul. 26, 2026 15:11:29          |
| Instance State    | --                              |
| Data providers    | Falcon sensor, Active Directory |
| Discovering by    | --                              |

## Hit a Decommissioned API

- First script used FalconPy's classic Detects service class — the industry-standard starting point
- CrowdStrike retired this API entirely; the request failed with a clear 404

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> python falcon_list_detections.py
Failed to query detections: [{"code": 404, "message": "API endpoint has been decommissioned as per TA: https://supportportal.crowdstrike.com/s/article/Tech-Alert-Planned-Decommission-Announcement-of-the-DetectionSummaryEvent-and-detects-API"}]
```

## Migrated API, Wrong Scope

- Rewrote the script against the current Alerts API — but the client's old scope name didn't carry over
- 403 access denied — fixed by granting the correct Alerts: Read scope

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> & C:\Users\DavidBotte\AppData\Local\Microsoft\WindowsApps\python3.13.exe "c:/Users/DavidBotte/OneDrive - MSFT/Falcon/falcon_list_alerts.py"  
Failed to retrieve alerts: [{'code': 403, 'message': 'access denied, scope not permitted'}]
```

## Confirmed Working — Before Any Data

- With auth and scope fixed, the script ran cleanly and correctly reported zero alerts
- Proves the pipeline works end to end before relying on it to catch something real

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> & C:\Users\DavidBotte\AppData\Local\Microsoft\WindowsApps\python3.13.exe "c:/Users/DavidBotte/OneDrive - MSFT/Falcon/falcon_list_alerts.py"
No alerts found yet. This is expected on a fresh trial with no test activity.
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> & C:\Users\DavidBotte\AppData\Local\Microsoft\WindowsApps\python3.13.exe "c:/Users/DavidBotte/OneDrive - MSFT/Falcon/falcon_list_alerts.py"
No alerts found yet. This is expected on a fresh trial with no test activity.
```

## GENERATING A REAL SIGNAL

# Why EICAR didn't work — and what did

### **EICAR: no detection.**

Falcon is a behavior-based EDR — a static test file sitting on disk, never executed, simply doesn't trigger it. Expected, not a misconfiguration.

### **Atomic Red Team: real detection.**

Ran MITRE technique T1053.005 (Scheduled Task persistence) — a safe, reversible simulation of real attacker behavior, with automatic cleanup after.



## 10 Alerts, Multiple Detection Layers

- One safe technique triggered detections across Execution, Machine Learning, and Malware categories — confirming several of Falcon's engines are active, not just one signature check

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> & C:\Users\DavidBotte\AppData\Local\Microsoft\WindowsApps\python3.13.exe "c:/Users/DavidBotte/OneDrive - MSFT/Falcon/falcon_list_alerts.py"
```

```
Found 10 alert(s):
```

| Hostname     | Severity | Status | Created                        | Tactic           |
|--------------|----------|--------|--------------------------------|------------------|
| DRB-PF312QGZ | Medium   | new    | 2026-07-26T07:14:37.215087618Z | Execution        |
| DRB-PF312QGZ | Medium   | new    | 2026-07-26T07:14:37.215720815Z | Execution        |
| DRB-PF312QGZ | High     | new    | 2026-07-26T07:14:36.034115457Z | Machine Learning |
| DRB-PF312QGZ | Low      | new    | 2026-07-26T07:14:36.031553007Z | Malware          |
| DRB-PF312QGZ | Medium   | new    | 2026-07-26T07:14:36.022120312Z | Machine Learning |
| DRB-PF312QGZ | High     | new    | 2026-07-26T07:14:33.529206329Z | Machine Learning |
| DRB-PF312QGZ | High     | new    | 2026-07-26T07:14:33.527696006Z | Machine Learning |
| DRB-PF312QGZ | Low      | new    | 2026-07-26T07:14:32.657121195Z | Malware          |
| DRB-PF312QGZ | High     | new    | 2026-07-26T07:14:32.656817272Z | Machine Learning |
| DRB-PF312QGZ | Low      | new    | 2026-07-26T07:14:32.649714135Z | Malware          |

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon>
```

## Confirmed in the Console Too

- Cross-checked the API results against the Falcon console directly on the host
- 17 total detections found — the API view and the console view agree
- Good practice: never trust a script's output alone when a source of truth is one click away

The screenshot displays the Falcon console interface for asset DRB-PF312QGZ. The left sidebar shows asset management and response actions. The main content area is divided into two tabs: 'Overview' and 'Threats'. The 'Threats' tab is active, showing a 'Detections' section with a total of 17 found. Below this, a table lists the top 50 high-priority detections (last 72 hours). The table columns include Risk score, Severity, Detection time, Name, User, Source Host, Source IP, Destination, and Destination IP. The table shows 17 items, all with a risk score of 54 and severity of High. The first six items are 'OnWrite-Pre...' and the last item is 'ML\_SensorFP...'. All items are associated with the user 'DavidBotte' and source IP '10.2.0.2'.

| Risk score | Severity | Dete...  | Name            | User       | Source H...   | Source IP | Destinati... | Destinati... |
|------------|----------|----------|-----------------|------------|---------------|-----------|--------------|--------------|
| 54         | High     | 19:14:36 | OnWrite-Pre...  | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |
| 54         | High     | 19:14:32 | OnWrite-Pre...  | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |
| 54         | High     | 19:14:32 | OnWrite-Pre...  | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |
| 54         | High     | 19:14:32 | OnWrite-Pre...  | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |
| 54         | High     | 19:14:33 | OnWrite-ML.S... | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |
| 54         | High     | 19:14:33 | OnWrite-ML.S... | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |
| 54         | High     | 19:14:32 | OnWrite-ML.S... | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |
| 50         | High     | 19:14:32 | ML_SensorFP...  | DavidBotte | DRB-PF312Q... | 10.2.0.2  | —            | —            |

## Closing the Loop Took Two More Fixes

- Extended the script to update and close alerts via API — not just read them

### Wrong parameter name (ids vs. composite\_ids)

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> & C:\Users\DavidBotte\AppData\Local\Microsoft\WindowsApps\python3.13.exe "c:/Users/DavidBotte/OneDrive - MSFT/Falcon/falcon_triage_alerts.py"
Found 10 alert(s) to triage.

Failed to update alerts: [{'code': 400, 'message': 'at least one identifier should be present in the request'}]
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> █
```

### Wrong status value — fixed using the exact values from the API's own error message

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> & C:\Users\DavidBotte\AppData\Local\Microsoft\WindowsApps\python3.13.exe "c:/Users/DavidBotte/OneDrive - MSFT/Falcon/falcon_triage_alerts.py"
Found 10 alert(s) to triage.

Failed to update alerts: [{'code': 400, 'message': 'invalid status for update_status action param. must be one of ["closed:A closed alert", "new:A new alert", "in_progress:An in progress alert", "reopened:A reopened alert"]}']
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> █
```

## Automated Triage, Confirmed

- All 10 alerts closed via API with a status update and an audit comment explaining the authorized test — the same closing discipline used in the Sentinel lab, done here through code

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> & C:\Users\DavidBotte\AppData\Local\Microsoft\WindowsApps\python3.13.exe "c:/Users/DavidBotte/OneDrive - MSFT/Falcon/falcon_triage_alerts.py"  
Found 10 alert(s) to triage.
```

```
Successfully triaged 10 alert(s):
```

```
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10072546568-10417-642320  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10072546568-10417-626448  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:8884985515-10127-613904  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10034639130-10127-613392  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10034639130-5734-593936  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10034639130-4748-605200  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10034639130-5738-609296  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10034639130-5733-532752  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10034639130-5733-546064  
- 7391a4d69e3d4bb2aa3ccb993fedd55f:ind:137e3b40aa59408e97be921d67fe2fda:10034639130-4748-482576
```

```
PS C:\Users\DavidBotte\OneDrive - MSFT\Falcon> █
```

*API client updated with write access, scoped only to what triage required*

WHAT THIS DEMONSTRATES

# Skills applied in this lab

- **EDR & API Integration**

CrowdStrike Falcon, FalconPy SDK, OAuth2 authentication

- **Real API Debugging**

Diagnosed and fixed 4 distinct real errors, not scripted ones

- **Least Privilege**

Scoped API client access to exactly what each task needed

- **Adversary Simulation**

MITRE ATT&CK technique execution via Atomic Red Team

- **Automated Triage**

Closed the loop: detection read AND written back via API

- **Verification Discipline**

Cross-checked script output against the console directly

---

**David Rufino Botte**

[github.com/davidrufinobotte/security-engineering-labs](https://github.com/davidrufinobotte/security-engineering-labs)