

Lecture 8 — Django ORM & Architecture Question Bank

Lecture 8 preparation material with contextual multiple choice questions, fill in the blanks, and answer key.

Part 1 — Multiple Choice Questions

1. What does MTV stand for in Django?

- A) Model Template View
- B) Main Template Variable
- C) Model Type View
- D) Module Template View

2. Which layer handles database/data logic?

- A) Template
- B) View
- C) Model
- D) URL

3. What does include() do in urls.py?

- A) Creates model
- B) Delegates routing to another urls.py
- C) Starts server
- D) Creates migration

4. Which function maps URL to specific view?

- A) JsonResponse
- B) include
- C) path
- D) render

5. What does do?

- A) Creates DB id
- B) Captures integer parameter
- C) Makes URL optional
- D) Converts string

6. What do parentheses () do in regex routes?

- A) Comments
- B) Capture arguments
- C) Create migrations
- D) Start server

7. What does render() do?

- A) Creates DB
- B) Loads template + injects context + returns HttpResponse
- C) Converts JSON
- D) Starts server

8. Which field requires max_length?

- A) IntegerField
- B) BooleanField
- C) CharField
- D) FloatField

9. What does ForeignKey represent?

- A) many-to-many
- B) one-to-one
- C) many-to-one
- D) JSON relation

10. What does CASCADE do?

- A) Makes read-only
- B) Deletes related objects
- C) Orders queryset
- D) Creates copy

11. What does get() return?

- A) QuerySet
- B) One object or exception
- C) List
- D) JSON

12. What does filter() return?

- A) QuerySet
- B) Single object
- C) Dict
- D) String

13. What does order_by('-price') mean?

- A) Ascending
- B) Random
- C) Descending
- D) Group by

14. When is safe=False required?

- A) Dict
- B) List

- C) GET
- D) Model

15. Why use to_json()?

- A) Create migrations
- B) Avoid repeated serialization code
- C) Create routes
- D) Start server

Part 2 — Fill in the Blanks

1. Delegate routing

```
path('api/', _____('api.urls'))
```

2. Dynamic integer parameter

```
path('products/<int:_____>/')
```

3. Regex capture group

```
re_path(r'^time/plus/_____$', views.hours_ahead)
```

4. Register app

```
INSTALLED_APPS = ['_____']
```

5. Render template

```
return _____(request, 'products/list.html', context)
```

6. Output variable

```
{{ user._____ }}
```

7. Template logic tag

```
{% _____ user.is_active %}
```

8. CharField argument

```
models.CharField(_____ = 200)
```

9. Default value

```
models.IntegerField(_____ = 0)
```

10. Many-to-one field

```
models._____ (Category, on_delete=models.CASCADE)
```

11. String representation method

```
def _____(self):
```

12. Generate migrations

```
python manage.py _____
```

13. Apply migrations

```
python manage.py _____
```

14. Return JSON

```
return _____({'id': 1})
```

15. Safe list response

```
JsonResponse(data, _____)
```

16. Get all rows

```
Product.objects._____()
```

17. Get one object

```
Product.objects._____ (id=1)
```

18. Filter queryset

```
Product.objects._____ (price__gte=500)
```

19. Descending order

```
Product.objects.order_by('_____price')
```

20. Convert model to dict

```
def _____(self):
```

Answer Key

MULTIPLE CHOICE

1. A
2. C
3. B
4. C
5. B
6. B
7. B
8. C
9. C
10. B
11. B
12. A
13. C
14. B
15. B

FILL IN THE BLANKS

1. include
2. pk / id
3. (\d{1,2})
4. api
5. render
6. name
7. if
8. max_length
9. default
10. ForeignKey
11. __str__
12. makemigrations
13. migrate
14. JsonResponse
15. safe=False
16. all
17. get
18. filter
19. -
20. to_json