

# Lecture 10 — DRF API Views & CRUD Question Bank

## Multiple Choice

**1. Why is `@csrf_exempt` dangerous?**

- A) Slows server
- B) Disables CSRF protection
- C) Deletes cookies
- D) Blocks JSON

**2. What replaces `json.loads(request.body)`?**

- A) `request.POST`
- B) `request.GET`
- C) `request.data`
- D) `request.body`

**3. What replaces `JsonResponse` in DRF?**

- A) `HttpResponse`
- B) `Serializer`
- C) `Response`
- D) `APIView`

**4. What does `serializer.is_valid()` do?**

- A) Saves object
- B) Validates incoming data
- C) Deletes object
- D) Creates router

**5. What does `serializer.save()` do?**

- A) Validation
- B) Creates/updates object
- C) Migration
- D) JSON generation

# Fill in the Blanks

## 1. DRF FBV decorator

@\_\_\_\_\_(['GET', 'POST'])

## 2. Parsed request body

request.\_\_\_\_\_

## 3. DRF response class

return \_\_\_\_\_(serializer.data)

## 4. Validation method

serializer.\_\_\_\_\_()

## 5. Save serializer

serializer.\_\_\_\_\_()

## 6. Validation errors

serializer.\_\_\_\_\_

## 7. QuerySet serialization

ProductSerializer(products, \_\_\_\_\_=True)

## 8. PUT update pattern

ProductSerializer(\_\_\_\_\_ =product, data=request.data)

## 9. DRF CBV base class

class ProductAPIView(\_\_\_\_\_):

## 10. CBV GET method

def \_\_\_\_\_(self, request):

# Answer Key

## ANSWERS

### MCQ:

- 1.B
- 2.C
- 3.C
- 4.B
- 5.B

### FILL:

- 1.api\_view
- 2.data
- 3.Response
- 4.is\_valid
- 5.save
- 6.errors
- 7.many
- 8.instance
- 9.APIView
- 10.get