

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for profile.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by Nenhum fichei...selecionado.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1.

Warning

Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 2, column 20

`@extends('layouts.app')@section('content')<style`

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
2.

Error

The character encoding was not declared. Proceeding using `windows-1252`.
3.

Error

Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 2, column 20

`@extends('layouts.app')@section('content')<style`
4.

Error

Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 2, column 20

`@extends('layouts.app')@section('content')<style`

Content model for element [head](#):
If the document is [an iframe srcdoc document](#) or if title information is available from a

higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Element [style](#) not allowed as child of element [body](#) in this context.
(Suppressing further errors from this subtree.)

From line 3, column 1; to line 3, column 7

```
content')<style>.prof
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [body](#):

[Flow content](#).

6. **Error** Bad value `{{ route('admin.dashboard') }}` for attribute [href](#) on element [a](#): Illegal character in path segment: `{` is not allowed.

From line 41, column 1; to line 41, column 65

```
sAdmin())<a href="{{ route('admin.dashboard') }}" class="btn btn-  
primary"><
```

7. **Error** Bad value `{{ route('project.home') }}` for attribute [href](#) on element [a](#): Illegal character in path segment: `{` is not allowed.

From line 47, column 1; to line 47, column 62

```
sAdmin())<a href="{{ route('project.home') }}" class="btn btn-  
primary"><
```

8. **Error** Bad value `{{ $user->getProfileImage() }}` for attribute [src](#) on element [img](#): Illegal character in path segment: `{` is not allowed.

From line 53, column 5; to line 53, column 65

```
ile">
```

9. **Error** Text not allowed in element [ul](#) in this context.

From line 75, column 9; to line 78, column 12

```
<ul><@if($project->count() === 0)<p>No
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

10. **Error** Element `p` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 78, column 13; to line 78, column 15

```
<p>No pro
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

11. **Error** Text not allowed in element `ul` in this context.

From line 78, column 52; to line 80, column 12

```
user.</p>␣@else␣<div i
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

12. **Error** Element `div` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 80, column 13; to line 80, column 40

```
<div id="projectsContainer">␣
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

13. **Error** Text not allowed in element `ul` in this context.

From line 90, column 19; to line 93, column 4

```
</div>␣@endif␣</ul>␣
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

14. **Error** Bad value `{{ route('admin.block', ['id' => $user->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

From line 101, column 17; to line 101, column 93

```
<form action="{{ route('admin.block', ['id' => $user->id])
```

```
}}" method="POST">
```

15. **Error** **Bad value** `{{ route('admin.block', ['id' => $user->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

From line 107, column 17; to line 107, column 93

```
<form action="{{ route('admin.block', ['id' => $user->id]) }}" method="POST">
```

16. **Error** **No space between attributes.**

At line 127, column 37

```
tProfileSubmit"method="POST" a
```

17. **Error** **Bad value** `{{ route('profile.update', ['id' => $user->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

From line 127, column 9; to line 127, column 140

```
><form id="editProfileSubmit"method="POST" action="{{ route('profile.update', ['id' => $user->id]) }}" enctype="multipart/form-data">
```

18. **Error** **Bad value** `{{ $user->getProfileImage() }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 149, column 13; to line 149, column 74

```

```

19. **Error** **Bad value** `{{ route('profile.delete', ['id' => $user->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

From line 166, column 13; to line 166, column 92

```
<form action="{{ route('profile.delete', ['id' => $user->id]) }}" method="POST">
```

20. **Error** **End tag** `div` seen, but there were open elements.

From line 177, column 5; to line 177, column 10

```
endif</div>
```

21. **Error** **Unclosed element** `form`.

From line 166, column 13; to line 166, column 92

```
<form action="{ route('profile.delete', ['id' => $user->id])  
}" method="POST">
```

Document checking completed.

Used the HTML parser.

Total execution time 29 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28