Long note section 1

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 2

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 3

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 4

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 5

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 6

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 7

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 8

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 9

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 10

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 11

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0

Long note section 12

Assume f is continuous on the closed interval [a,b]

For all epsilon > 0 there exists delta > 0