

Cisco Screen Guidelines



Long Form Subtitles

For use on large screens during events, as well as on TV, laptops, tablets.

Always keep the text on one line, unless it exceeds the 42 character limitation.

CiscoSansTT Regular with a thin black outline.

1920 X 1080 Full HD:
27px CiscoSansTT, 90px from bottom

3840 X 2160 4K UHD:
54px CiscoSansTT, 180px from bottom

7680 X 4320 8K UHD:
108px CiscoSansTT, 360px from bottom

After Effects templates for all layouts are available on Brand Exchange [here](#).



Long Form Subtitles With Two Lines

On the rare exceptions the line width exceeds 42 characters you need two lines of text. The placement of the second line is in the same place as when you have only one line of text.

Leading is 1.5 times the X-height.

1920 X 1080 Full HD:

27px/41 px CiscoSansTT, 90px from bottom

3840 X 2160 4K UHD:

54px/82 px CiscoSansTT, 180px from bottom

7680 X 4320 8K UHD:

108px/162 px CiscoSansTT, 360px from bottom

After Effects templates for all layouts are available on Brand Exchange [here](#).



This is when you need more
than a single line of text.

Long Form Subtitles Line-Breaks

Follow these basic principles when the text has to be broken into 2 lines:

The line should be broken...
after punctuation marks
before conjunctions
before prepositions

The line break should not separate
a noun from an article
a noun from an adjective
a first name from a last name
a verb from a subject pronoun
a prepositional verb from its preposition
a verb from an auxiliary, reflexive pronoun
or negation

After Effects templates for all layouts are available on Brand Exchange [here](#).



This is when you need more
than a single line of text.

Social Platform Subtitles 1:1, 9:16 and 16:9

These are larger in order to be read on a mobile device.

Always keep the text on one line, unless it exceeds the 33 character limitation.


CiscoSansTT Regular with a thin black outline.

1080 X 1080 or 1920 X 1080 Full HD:
35px CiscoSansTT, 90px from bottom

2160 X 2160 or 3840 x 2160 4K UHD:
70px CiscoSansTT, 180px from bottom

4320 X 4320 or 7680 X 4320 8K UHD:
140px CiscoSansTT, 360px from bottom

After Effects templates for all layouts are available on Brand Exchange [here](#).



Social 16:9 Logo Placement

Logo bug should be on the bottom right of 16:9s for at least the first 5 seconds.

After Effects templates for all layouts are available on Brand Exchange [here](#).



Social Platform Logo Placement 1:1, 9:16 and 16:9


The Cisco logo must be in the top right corner of 9:16s and 1:1 for the first 5 seconds.

For 9:16s, keep the logo and subtitles within a 4:5 safe area.

For LinkedIn, logo to be on the top left for at least the first 5 seconds, or cut on scene as close to 5 seconds as possible.

No logo bug needed for Discovery ads.

After Effects templates for all layouts are available on Brand Exchange [here](#).



Social Platform Subtitles with Two Lines 1:1, 9:16 and 16:9

On the rare exceptions the line width exceeds 32 characters you need two lines of text. The placement of the second line is in the same place as when you have only one line of text.


Leading is 1.5 times the X-height.

1080 X 1080 or 1920 X 1080 Full HD:
35px/53px CiscoSansTT, 90px from bottom

2160 X 2160 or 3840 x 2160 4K UHD:
70px/106px CiscoSansTT, 180px from bottom

4320 X 4320 or 7680 X 4320 8K UHD:
140px/212px CiscoSansTT, 360px from bottom

After Effects templates for all layouts are available on Brand Exchange [here](#).



Lower Thirds

Placement is the same with and without subtitles.

1920 X 1080 Full HD:
Name: CiscoSansTT Regular x-height =24px
Leading: 22px
Title: CiscoTT Medium Regular x-height =15px
Placement: 135px from right, 216px from bottom

3840 X 2160 4K UHD:
Name: CiscoSansTT Regular x-height =48px
Leading: 44px
Title: CiscoTT Medium Regular x-height =30px
Placement: 270px from right, 432px from bottom


7680 X 4320 8K UHD:
Name: CiscoSansTT Regular x-height =96px
Leading: 88px
Title: CiscoTT Medium Regular x-height =60px
432px from bottom
Placement: 540px from right, 864px from bottom

After Effects templates for all layouts are available on Brand Exchange [here](#).



Lower Thirds With Subtitles

Placement of Lower Thirds and Subtitles
remains unchanged.



After Effects templates for all layouts are
available on Brand Exchange [here](#).

Lower Thirds 1:1, 9:16 with Subtitles

Placement of Lower Thirds and subtitles remains unchanged.

1080 X 1080 Full HD:

Name: CiscoSansTT Regular x-height =24px

Leading: 22px

Title: CiscoTT Medium Regular x-height =15px

Placement: 135px from right, 216px from bottom

2160 X 2160 4K UHD:

Name: CiscoSansTT Regular x-height =48px

Leading: 44px

Title: CiscoTT Medium Regular x-height =30px

Placement: 270px from right, 432px from bottom

4320 X 4320 8K UHD:

Name: CiscoSansTT Regular x-height =96px

Leading: 88px

Title: CiscoTT Medium Regular x-height =60px

432px from bottom

Placement: 540px from right, 864px from bottom

After Effects templates for all layouts are available on Brand Exchange [here](#).



Screen Titles

Title should be centered on the screen.
An offset shadow may be required for readability on light backgrounds.

Chose backgrounds wisely. If they are too busy they may not work.

Always keep the text on one line, unless it exceeds the 42 character limitation.

CiscoSansTT with an offset shadow when necessary.

1920 X 1080 Full HD:
45px CiscoSansTT ExtraLight

3840 X 2160 4K UHD:
90px CiscoSansTT ExtraLight

7680 X 4320 8K UHD:
180px CiscoSansTT ExtraLight

Never put a greybar behind the title.

After Effects templates for all layouts are available on Brand Exchange [here](#).



Screen Titles Needing Two Lines

On the rare exceptions the line width exceeds 42 characters you need two lines of text. The placement of the second line is in the same place as when you have only one line of text.

Leading is 1.25 times the X-height.


1920 X 1080 Full HD:
45p/56px CiscoSansTT ExtraLight

3840 X 2160 4K UHD:
90/113px CiscoSansTT ExtraLight

7680 X 4320 8K UHD:
180/225px CiscoSansTT ExtraLight

Never put a greybar behind the title.

After Effects templates for all layouts are available on Brand Exchange [here](#).




Logo Placement

The Cisco wordmark should rest on the vertical center of the screen.

The total height of the logo lockup should be equal to the screen height x 0.167

Logo should be white on a black, Cisco Midnight Blue or image background.

For long form films use the :05 animation when possible. In all other cases use the :03 version.




Single Line CTA

Cisco SansTT Regular

1920 X 1080 Full HD:
18px CiscoSansTT, 108px from bottom

3840 X 2160 4K UHD:
36px CiscoSansTT, 216px from bottom

7680 X 4320 8K UHD:
72px CiscoSansTT, 432px from bottom



Double Line CTA

Cisco SansTT Regular

1920 X 1080 Full HD:
18px/22.px, 108px from bottom

3840 X 2160 4K UHD:
36px/45px, 216px from bottom

7680 X 4320 8K UHD:
72px/90p, 432px from bottom



Distance from bottom equals 10% of screen height

Partnership Logos

- Clear partner logos with legal.
- The logos should not exceed a height that is greater to 12% of the screen height.
- Different colored backgrounds may be required as and exception.
- Do not animate partner logos unless our partners require and supply a styleguide.
- Do not create or modify partnership logos.
Use partner logos exactly as they are recieved.



Thank You

