

DEFAULT · GLOBAL (1/3)	
⌘	Menu: Select First
Shift⌘	Menu: Select First
⌘	Menu: Select First
⌘	Menu: Select Last
Shift⌘	Menu: Select Last
⌘	Menu: Select Last
CtrlN	Menu: Select Next
→	Menu: Select Next
↓	Menu: Select Next
CtrlP	Menu: Select Previous
Shift→	Menu: Select Previous
↑	Menu: Select Previous
↵	Menu: Confirm
Ctrl↵	Menu: Secondary Confirm
Ctrl⌫	Menu: Cancel
CtrlC	Menu: Cancel
⌫	Menu: Cancel
AltShift↵	Menu: Restart
Alt↵	Picker: Confirm Input ({"secondary":false})
CtrlAlt↵	Picker: Confirm Input ({"secondary":true})
CtrlShiftW	Workspace: Close Window
Shift⌫	Workspace: Toggle Zoom

DEFAULT · GLOBAL (2/3)	
open	Workspace: Open
CtrlO	Workspace: Open Files
CtrlK then CtrlO	Workspace: Open
Ctrl=	Zed: Increase Buffer Font Size ({"persist":false})
Ctrl+	Zed: Increase Buffer Font Size ({"persist":false})
Ctrl-	Zed: Decrease Buffer Font Size ({"persist":false})
Ctrl⌵	Zed: Reset Buffer Font Size ({"persist":false})
CtrlAlt,	Zed: Open Settings File
CtrlQ	Zed: Quit
F4	Debugger: Start
ShiftF5	Debugger: Stop
CtrlShiftF5	Debugger: Rerun Session
F6	Debugger: Pause
F7	Debugger: Step Over
CtrlF11	Debugger: Step Into
ShiftF11	Debugger: Step Out
F11	Zed: Toggle Full Screen
CtrlAltZ	Edit Prediction: Rate Predictions
CtrlAltShiftI	Edit Prediction: Toggle Menu
CtrlAltL	Lsp Tool: Toggle Menu
CtrlAltShiftS	Workspace: Toggle Worktree Security
CtrlAltShiftF	Workspace: Follow Next Collaborator

DEFAULT · GLOBAL (3/3)	
CtrlAltI	Dev: Toggle Inspector

DEFAULT · PICKER MENU	
↑	Menu: Select Previous
↓	Menu: Select Next

DEFAULT · MENU	
→	Menu: Select Child
←	Menu: Select Parent

DEFAULT · EDITOR (1/7)	
⌫	Editor: Cancel
Shift⌫	Editor: Backspace
⌫	Editor: Backspace
⌫	Editor: Delete
→	Editor: Tab
Shift→	Editor: Backtab
CtrlK then CtrlQ	Editor: Rewrap
CtrlK then Q	Editor: Rewrap
Ctrl⌫	Editor: Delete To Previous Word Start ({"ignore_newlines":false,"ignore_brackets":false})
Ctrl⌫	Editor: Delete To Next Word End ({"ignore_newlines":false,"ignore_brackets":false})
cut	Editor: Cut
Shift⌫	Editor: Cut
CtrlX	Editor: Cut
copy	Editor: Copy
Ctrlinsert	Editor: Copy
CtrlC	Editor: Copy
paste	Editor: Paste
Shiftinsert	Editor: Paste
CtrlV	Editor: Paste
undo	Editor: Undo
CtrlZ	Editor: Undo
redo	Editor: Redo

DEFAULT · EDITOR (2/7)	
CtrlY	Editor: Redo
CtrlShiftZ	Editor: Redo
↑	Editor: Move Up
Ctrl↑	Editor: Line Up
Ctrl↓	Editor: Line Down
⌘	Editor: Move Page Up
Alt⌘	Editor: Page Up
Shift⌘	Editor: Select Page Up
⌘	Editor: Move To Beginning Of Line ({"stop_at_soft_wraps":true,"stop_at_indent":true})
↓	Editor: Move Down
⌘	Editor: Move Page Down
Alt⌘	Editor: Page Down
Shift⌘	Editor: Select Page Down
⌘	Editor: Move To End Of Line ({"stop_at_soft_wraps":true})
←	Editor: Move Left
→	Editor: Move Right
Ctrl←	Editor: Move To Previous Word Start
Ctrl→	Editor: Move To Next Word End
Ctrl⌘	Editor: Move To Beginning
Ctrl⌘	Editor: Move To End
Shift↑	Editor: Select Up
Shift↓	Editor: Select Down

DEFAULT · EDITOR (3/7)	
Shift←	Editor: Select Left
Shift→	Editor: Select Right
CtrlShift←	Editor: Select To Previous Word Start
CtrlShift→	Editor: Select To Next Word End
CtrlShift⌘	Editor: Select To Beginning
CtrlShift⌘	Editor: Select To End
CtrlA	Editor: Select All
CtrlL	Editor: Select Line
CtrlShiftI	Editor: Format
AltShiftO	Editor: Organize Imports
Shift⌘	Editor: Select To Beginning Of Line ({"stop_at_soft_wraps":true,"stop_at_indent":true})
Shift⌘	Editor: Select To End Of Line ({"stop_at_soft_wraps":true})
CtrlAlt.	Editor: Show Character Palette
Ctrl;	Editor: Toggle Line Numbers
Ctrl`	Editor: Toggle Selected Diff Hunks
Ctrl"	Editor: Expand All Diff Hunks
CtrlI	Editor: Show Signature Help
AltG then B	Git: Blame
AltG then M	Git: Open Modified Files
AltG then R	Git: Review Diff
menu	Editor: Open Context Menu
ShiftF10	Editor: Open Context Menu

DEFAULT · EDITOR (4/7)	
Ctrl Alt Shift E	Editor: Toggle Edit Prediction
F9	Editor: Toggle Breakpoint
Shift F9	Editor: Edit Log Breakpoint
Ctrl [	Editor: Outdent
Ctrl]	Editor: Indent
Alt Shift ↑	Editor: Add Selection Above {"skip_soft_wrap":true}
Alt Shift ↓	Editor: Add Selection Below {"skip_soft_wrap":true}
Ctrl Shift K	Editor: Delete Line
Alt ↑	Editor: Move Line Up
Alt ↓	Editor: Move Line Down
Ctrl Alt Shift ↑	Editor: Duplicate Line Up
Ctrl Alt Shift ↓	Editor: Duplicate Line Down
Alt Shift →	Editor: Select Larger Syntax Node
Alt Shift ←	Editor: Select Smaller Syntax Node
Ctrl Shift L	Editor: Select All Matches
Ctrl F2	Editor: Select All Matches
Ctrl D	Editor: Select Next {"replace_newest":false}
Ctrl Shift ↓	Editor: Select Next {"replace_newest":false}
Ctrl Shift ↑	Editor: Select Previous {"replace_newest":false}
Ctrl K then Ctrl D	Editor: Select Next {"replace_newest":true}
Ctrl K then Ctrl Shift D	Editor: Select Previous {"replace_newest":true}
Ctrl K then Ctrl I	Editor: Hover

DEFAULT · EDITOR (5/7)		
Ctrl	K then	Ctrl B Editor: Blame Hover
Ctrl	/	Editor: Toggle Comments (*advance_downwards*:false)
Ctrl	K then	Ctrl C Editor: Toggle Comments (*advance_downwards*:false)
Ctrl	K then	Ctrl / Editor: Toggle Block Comments
Alt	Shift	A Editor: Toggle Block Comments
F8		Editor: Go To Diagnostic (*severity*:["min":"","hint":"","max":"","error"])
Shift	F8	Editor: Go To Previous Diagnostic (*severity*:["min":"","hint":"","max":"","error"])
F2		Editor: Rename
F12		Editor: Go To Definition
Alt	F12	Editor: Go To Definition Split
Ctrl	Shift	F10 Editor: Go To Definition Split
Ctrl	F12	Editor: Go To Type Definition
Shift	F12	Editor: Go To Implementation
Ctrl	Alt	F12 Editor: Go To Type Definition Split
Alt	Shift	F12 Editor: Find All References
Ctrl	M	Editor: Move To Enclosing Bracket
Ctrl	I	Editor: Move To Enclosing Bracket
Ctrl	{	Editor: Fold
Ctrl	}	Editor: Unfold Lines
Ctrl	K then	Ctrl L Editor: Toggle Fold
Ctrl	K then	Ctrl [Editor: Fold Recursive
Ctrl	K then	Ctrl] Editor: Unfold Recursive

DEFAULT · EDITOR (6/7)			
Ctrl	K	then Ctrl 1	Editor: Fold At Level_1
Ctrl	K	then Ctrl 2	Editor: Fold At Level_2
Ctrl	K	then Ctrl 3	Editor: Fold At Level_3
Ctrl	K	then Ctrl 4	Editor: Fold At Level_4
Ctrl	K	then Ctrl 5	Editor: Fold At Level_5
Ctrl	K	then Ctrl 6	Editor: Fold At Level_6
Ctrl	K	then Ctrl 7	Editor: Fold At Level_7
Ctrl	K	then Ctrl 8	Editor: Fold At Level_8
Ctrl	K	then Ctrl 9	Editor: Fold At Level_9
Ctrl	K	then Ctrl 0	Editor: Fold All
Ctrl	K	then Ctrl J	Editor: Unfold All
Ctrl	_		Editor: Show Completions
Ctrl	Shift	_	Editor: Show Word Completions
Ctrl	.		Editor: Toggle Code Actions
Ctrl	K	then R	Editor: Reveal In File Manager
Ctrl	K	then P	Editor: Copy Path
Ctrl	\		Pane: Split Right
Ctrl	Alt	Shift C	Editor: Display Cursor Names
Alt	.		Editor: Go To Hunk
Alt	,		Editor: Go To Previous Hunk
Ctrl	U		Editor: Undo Selection
Ctrl	Shift	U	Editor: Redo Selection

DEFAULT · EDITOR (7/7)	
CtrlShiftJ	Editor: Join Lines
CtrlAlt⌘	Editor: Delete To Previous Subword Start
CtrlAltH	Editor: Delete To Previous Subword Start
CtrlAlt⌘	Editor: Delete To Next Subword End
CtrlAltD	Editor: Delete To Next Subword End
CtrlAlt←	Editor: Move To Previous Subword Start
CtrlAlt→	Editor: Move To Next Subword End
CtrlAltShift←	Editor: Select To Previous Subword Start
CtrlAltShiftB	Editor: Select To Previous Subword Start
CtrlAltShift→	Editor: Select To Next Subword End
CtrlAltShiftF	Editor: Select To Next Subword End

DEFAULT · EDITOR && MODE == FULL		
Shift ↵		Editor: Newline
↵		Editor: Newline
Ctrl ↵		Editor: Newline Below
Ctrl Shift ↵		Editor: Newline Above
Ctrl K then Ctrl Z		Editor: Toggle Soft Wrap
Ctrl K then Z		Editor: Toggle Soft Wrap
find		Buffer Search: Deploy
Ctrl F		Buffer Search: Deploy
Ctrl H		Buffer Search: Deploy Replace
Ctrl >		Agent: Add Selection To Thread
Ctrl Alt E		Editor: Select Enclosing Symbol
Ctrl Shift ⌘		Editor: Go To Previous Change
Ctrl Alt Shift ⌘		Editor: Go To Next Change
Alt ↵		Editor: Open Selections In Multibuffer
Ctrl Shift O		Outline: Toggle
Ctrl G		Go To Line: Toggle

DEFAULT · EDITOR && MODE == FULL && EDIT_PREDICTION		
Alt	J	Editor: Next Edit Prediction
Alt	I	Editor: Previous Edit Prediction

DEFAULT · EDITOR && !EDIT_PREDICTION

Alt

\

Editor: Show Edit Prediction

DEFAULT · EDITOR && MODE == AUTO_HEIGHT			
Ctrl	↵	Editor: Newline	
Shift	↵	Editor: Newline	
Ctrl	Shift	↵	Editor: Newline Below

DEFAULT · MARKDOWN	
copy	Markdown: Copy
Ctrl insert	Markdown: Copy
Ctrl C	Markdown: Copy

DEFAULT · EDITOR && JUPYTER

Ctrl	Shift		Repl: Run
Ctrl	Alt		Repl: Run In Place

DEFAULT · THREADHISTORY

⌘

Agent: Remove Selected Thread

DEFAULT · THREADSARCHIVEVIEW

⇧ ⌘

Agent: Archive Selected Thread

DEFAULT · RULESLIBRARY

new

Rules Library: New Rule

⌘ N

Rules Library: New Rule

⌘ ⇧ S

Rules Library: Toggle Default Rule

⌘ W

Workspace: Close Window

DEFAULT · BUFFERSEARCHBAR

⌕

Buffer Search: Dismiss

→

Buffer Search: Focus Editor

↶

Search: Select Next Match

⇧ ↶

Search: Select Previous Match

⌘ ⇧ ↶

Editor: Toggle Fold All

⌘ ↶

Search: Select All Matches

find

Search: Focus Search

⌘ F

Search: Focus Search

⌘ H

Search: Toggle Replace

⌘ L

Search: Toggle Selection

DEFAULT · BUFFERSEARCHBAR && IN_REPLACE > EDITOR

↶

Search: Replace Next

⌘ ↶

Search: Replace All

DEFAULT · BUFFERSEARCHBAR && !IN_REPLACE > EDITOR

⌘ ↶

Editor: Newline

⇧ ↶

Search: Select Previous Match

↑

Search: Previous History Query

↓

Search: Next History Query

DEFAULT · PROJECTSEARCHBAR

⌕

Project Search: Toggle Focus

⇧ find

Search: Focus Search

⌘ ⇧ ↶

Project Search: Toggle All Search Results

⌘ ⇧ F

Search: Focus Search

⌘ ⇧ H

Search: Toggle Replace

⌘ ⌘ G

Search: Toggle Regex

⌘ ⌘ X

Search: Toggle Regex

DEFAULT · PROJECTSEARCHBAR > EDITOR

↑

Search: Previous History Query

↓

Search: Next History Query

DEFAULT · PROJECTSEARCHBAR && IN_REPLACE > EDITOR

↶

Search: Replace Next

⌘ ⌘ ↶

Search: Replace All

DEFAULT · PROJECTSEARCHBAR && !IN_REPLACE > EDITOR

⌘ ↶

Editor: Newline

DEFAULT · PROJECTSEARCHVIEW

⌕

Project Search: Toggle Focus

⌘ ⇧ H

Search: Toggle Replace

⌘ ⌘ G

Search: Toggle Regex

⌘ ⌘ X

Search: Toggle Regex

DEFAULT · PANE (1/3)

⌘ 1

Pane: Activate Item 0

⌘ 2

Pane: Activate Item 1

⌘ 3

Pane: Activate Item 2

⌘ 4

Pane: Activate Item 3

⌘ 5

Pane: Activate Item 4

⌘ 6

Pane: Activate Item 5

⌘ 7

Pane: Activate Item 6

⌘ 8

Pane: Activate Item 7

⌘ 9

Pane: Activate Item 8

⌘ 0

Pane: Activate Last Item

⌘ #

Pane: Activate Previous Item

⌘ {

Pane: Activate Next Item

⌘ ⇧ #

Pane: Swap Item Left

⌘ ⇧ #

Pane: Swap Item Right

⌘ F4

Pane: Close Active Item {"close_pinned":false}

⌘ W

Pane: Close Active Item {"close_pinned":false}

⌘ ⌘ T

Pane: Close Other Items {"close_pinned":false}

⌘ ⌘ ⇧ W

Workspace: Close Inactive Tabs And Panes

⌘ K then E

Pane: Close Items To The Left {"close_pinned":false}

⌘ K then T

Pane: Close Items To The Right {"close_pinned":false}

⌘ K then U

Pane: Close Clean Items {"close_pinned":false}

⌘ K then W

Pane: Close All Items {"close_pinned":false}

DEFAULT · PANE (2/3)

⌘ K then ⌘ W

Workspace: Close All Items And Panes

back

Pane: Go Back

⌘ ⌘ -

Pane: Go Back

forward

Pane: Go Forward

⌘ ⌘ _

Pane: Go Forward

⌘ ⌘ G

Search: Select Next Match

F3

Search: Select Next Match

⌘ ⌘ ⇧ G

Search: Select Previous Match

⇧ F3

Search: Select Previous Match

⇧ find

Project Search: Toggle Focus

⌘ ⇧ F

Project Search: Toggle Focus

⌘ ⌘ ⇧ H

Search: Toggle Replace

⌘ ⌘ ⇧ L

Search: Toggle Selection

⌘ ↶

Search: Select All Matches

⌘ C

Search: Toggle Case Sensitive

⌘ W

Search: Toggle Whole Word

⌘ find

Project Search: Toggle Filters

⌘ ⌘ F

Project Search: Toggle Filters

⌘ ⇧ ↶

Project Search: Toggle All Search Results

⌘ ⌘ ⇧ R

Search: Toggle Regex

⌘ ⌘ ⇧ X

Search: Toggle Regex

⌘ R

Search: Toggle Regex

DEFAULT · PANE (3/3)

⌘ K then ⇧ ↶

Pane: Toggle Pin Tab

⌘ K then ↑

Pane: Split Up

⌘ K then ↓

Pane: Split Down

⌘ K then ←

Pane: Split Left

⌘ K then →

Pane: Split Right

DEFAULT · EDITOR && EXTENSION == MD

⌘ K then V

Markdown: Open Preview To The Side

⌘ ⇧ V

Markdown: Open Preview

DEFAULT · EDITOR && EXTENSION == SVG

⌘ K then V

Svg: Open Preview To The Side

⌘ ⇧ V

Svg: Open Preview

DEFAULT · WORKSPACE (1/4)	
Alt open	Projects: Open Recent { "create_new_window": false }
Ctrl Alt O	Projects: Open Recent { "create_new_window": false }
Ctrl R	Projects: Open Recent { "create_new_window": false }
Alt Shift open	Projects: Open Remote { "from_existing_connection": false, "create_new_window": false }
Ctrl Alt Shift O	Projects: Open Remote { "from_existing_connection": false, "create_new_window": false }
Ctrl Alt Shift B	Branches: Open Recent
Ctrl Alt Shift W	Git: Worktree
Alt Shift ↩	Toast: Run Action
Ctrl ~	Workspace: New Terminal
save	Workspace: Save
Ctrl S	Workspace: Save
Ctrl K then S	Workspace: Save Without Format
Shift save	Workspace: Save As
Ctrl Shift S	Workspace: Save As
new	Workspace: New File
Ctrl N	Workspace: New File
Shift new	Workspace: New Window
Ctrl Shift N	Workspace: New Window
Ctrl `	Terminal Panel: Toggle
F10	App Menu: Open Application Menu "Zed"
Alt 1	Workspace: Activate Pane 0
Alt 2	Workspace: Activate Pane 1

DEFAULT · WORKSPACE (2/4)	
Alt 3	Workspace: Activate Pane 2
Alt 4	Workspace: Activate Pane 3
Alt 5	Workspace: Activate Pane 4
Alt 6	Workspace: Activate Pane 5
Alt 7	Workspace: Activate Pane 6
Alt 8	Workspace: Activate Pane 7
Alt 9	Workspace: Activate Pane 8
Ctrl Alt B	Workspace: Toggle Right Dock
Ctrl 8	Workspace: Toggle Left Dock
Ctrl J	Workspace: Toggle Bottom Dock
Ctrl Alt J	Multi Workspace: Toggle Workspace Sidebar
Ctrl Alt ;	Multi Workspace: Focus Workspace Sidebar
Ctrl Alt Y	Workspace: Toggle All Docks
Ctrl Alt 0	Workspace: Reset Active Dock Size
Ctrl Alt -	Workspace: Decrease Active Dock Size { "px": 0 }
Ctrl Alt =	Workspace: Increase Active Dock Size { "px": 0 }
Ctrl Alt)	Workspace: Reset Open Docks Size
Ctrl Alt _	Workspace: Decrease Open Docks Size { "px": 0 }
Ctrl Alt +	Workspace: Increase Open Docks Size { "px": 0 }
Shift find	Pane: Deploy Search
Ctrl Shift F	Pane: Deploy Search
Ctrl Shift H	Pane: Deploy Search { "replace_enabled": true }

DEFAULT · WORKSPACE (3/4)	
Ctrl Shift T	Pane: Reopen Closed Item
Ctrl K then Ctrl S	Zed: Open Keymap
Ctrl K then Ctrl T	Theme Selector: Toggle
Ctrl K then Ctrl Shift T	Theme: Toggle Mode
Ctrl Alt super-p	Settings Profile Selector: Toggle
Ctrl T	Project Symbols: Toggle
Ctrl P	File Finder: Toggle
Ctrl Shift ↩	Tab Switcher: Toggle { "select_last": true }
Ctrl ↩	Tab Switcher: Toggle
Ctrl E	File Finder: Toggle
F1	Command Palette: Toggle
Ctrl Shift P	Command Palette: Toggle
Ctrl Shift M	Diagnostics: Deploy
Ctrl Shift E	Project Panel: Toggle Focus
Ctrl Shift B	Outline Panel: Toggle Focus
Ctrl Shift G	Git Panel: Toggle Focus
Ctrl Shift D	Debug Panel: Toggle Focus
Ctrl ?	Agent: Toggle Focus
Alt save	Workspace: Save All
Ctrl Alt S	Workspace: Save All
Ctrl K then N	Encoding Selector: Toggle
Ctrl K then M	Language Selector: Toggle

DEFAULT · WORKSPACE (4/4)	
Ctrl K then Ctrl M	Toolchain: Add Toolchain
⌘	Workspace: Unfollow
Ctrl K then Ctrl ←	Workspace: Activate Pane Left
Ctrl K then Ctrl →	Workspace: Activate Pane Right
Ctrl K then Ctrl ↑	Workspace: Activate Pane Up
Ctrl K then Ctrl ↓	Workspace: Activate Pane Down
Ctrl K then Shift ←	Workspace: Swap Pane Left
Ctrl K then Shift →	Workspace: Swap Pane Right
Ctrl K then Shift ↑	Workspace: Swap Pane Up
Ctrl K then Shift ↓	Workspace: Swap Pane Down
Ctrl Shift X	Zed: Extensions
Ctrl Shift R	Task: Rerun { "reevaluate_context": false }
Ctrl Alt R	Task: Rerun
Alt T	Task: Rerun
Alt Shift T	Task: Spawn
Alt Shift R	Task: Spawn { "reveal_target": "center" }
F5	Debugger: Rerun
Ctrl F4	Workspace: Close Active Dock
Ctrl W	Workspace: Close Active Dock

DEFAULT · THREADSSIDEBAR	
Ctrl N	Agents Sidebar: New Thread In Group
←	Menu: Select Parent
→	Menu: Select Child
↵	Menu: Confirm
Ctrl F	Agents Sidebar: Focus Sidebar Filter
Ctrl G	Agents Sidebar: Toggle Thread History
Shift ⌘	Agent: Archive Selected Thread
Ctrl ⌘	Agent: Remove Selected Thread
Ctrl ⇧	Agents Sidebar: Toggle Thread Switcher
Ctrl Shift ⇧	Agents Sidebar: Toggle Thread Switcher {"select_last":true}

DEFAULT · THREADSSIDEBAR && NOT_SEARCHING	
⌵	Menu: Confirm

DEFAULT · THREADSWITCHER	
Ctrl ⇧	Agents Sidebar: Toggle Thread Switcher
Ctrl Shift ⇧	Agents Sidebar: Toggle Thread Switcher {"select_last":true}

DEFAULT · WORKSPACE && DEBUGGER_STOPPED	
F5	Debugger: Continue

DEFAULT · APPLICATIONMENU	
F10	Menu: Cancel
←	App Menu: Activate Menu Left
→	App Menu: Activate Menu Right

DEFAULT · EDITOR && RENAMING	
↵	Editor: Confirm Rename

DEFAULT · EDITOR && SHOWING_COMPLETIONS	
↵	Editor: Confirm Completion
Shift ↵	Editor: Confirm Completion Replace
⇧	Editor: Compose Completion

DEFAULT · EDITOR && IN_SNIPPET && HAS_NEXT_TABSTOP && ISHOWING_COMPLETIONS	
⇧	Editor: Next Snippet Tabstop

DEFAULT · EDITOR && IN_SNIPPET && HAS_PREVIOUS_TABSTOP && ISHOWING_COMPLETIONS	
Shift ⇧	Editor: Previous Snippet Tabstop

DEFAULT · EDITOR && EDIT_PREDICTION	
Alt ⇧	Editor: Accept Edit Prediction
Alt L	Editor: Accept Edit Prediction
Alt K	Editor: Accept Next Word Edit Prediction
Alt J	Editor: Accept Next Line Edit Prediction

DEFAULT · EDITOR && EDIT_PREDICTION && EDIT_PREDICTION_MODE == EAGER && ISHOWING_COMPLETIONS	
⇧	Editor: Accept Edit Prediction

DEFAULT · EDITOR && SHOWING_CODE_ACTIONS	
↵	Editor: Confirm Code Action

DEFAULT · EDITOR && (SHOWING_CODE_ACTIONS SHOWING_COMPLETIONS)	
Ctrl P	Editor: Context Menu Previous
↑	Editor: Context Menu Previous
Ctrl N	Editor: Context Menu Next
↓	Editor: Context Menu Next
f	Editor: Context Menu First
⌵	Editor: Context Menu Last

DEFAULT · EDITOR && SHOWING_SIGNATURE_HELP && ISHOWING_COMPLETIONS	
↑	Editor: Signature Help Previous
↓	Editor: Signature Help Next

DEFAULT · !TERMINAL	
Ctrl Shift C	Collab Panel: Toggle Focus

DEFAULT · !ACPTHREAD > EDITOR && MODE == FULL	
Alt ↵	Editor: Open Excerpts
Shift ↵	Editor: Expand Excerpts
Ctrl Alt ↵	Editor: Open Excerpts Split
Ctrl Shift E	Pane: Reveal In Project Panel
Ctrl F8	Editor: Go To Hunk
Ctrl Shift F8	Editor: Go To Previous Hunk
Ctrl ↵	Assistant: Inline Assist
Ctrl :	Editor: Toggle Inlay Hints

DEFAULT · INLINEASSISTANT	
Ctrl i	Agent: Cycle Previous Inline Assist
Ctrl j	Agent: Cycle Next Inline Assist
Ctrl Shift ↵	Inline Assistant: Thumbs Up Result
Ctrl Shift ⌘	Inline Assistant: Thumbs Down Result

DEFAULT · PROMPT	
←	Menu: Select Previous
→	Menu: Select Next
H	Menu: Select Previous
L	Menu: Select Next

DEFAULT · PROJECTSEARCHBAR && !IN_REPLACE	
Ctrl ↵	Project Search: Search In New

DEFAULT · OUTLINEPANEL && NOT_EDITING	
⌵	Menu: Cancel
←	Outline Panel: Collapse Selected Entry
→	Outline Panel: Expand Selected Entry
Alt copy	Outline Panel: Copy Path
Ctrl Alt C	Outline Panel: Copy Path
Alt Shift copy	Workspace: Copy Relative Path
Ctrl Alt Shift C	Workspace: Copy Relative Path
Ctrl Alt R	Outline Panel: Reveal In File Manager
⌵	Outline Panel: Open Selected Entry
Shift ↓	Menu: Select Next
Shift ↑	Menu: Select Previous
Alt ↵	Editor: Open Excerpts
Ctrl Alt ↵	Editor: Open Excerpts Split

DEFAULT · PROJECTPANEL (1/2)	
←	Project Panel: Collapse Selected Entry
Ctrl ←	Project Panel: Collapse All Entries
→	Project Panel: Expand Selected Entry
new	Project Panel: New File
Ctrl N	Project Panel: New File
Alt new	Project Panel: New Directory
Ctrl Alt N	Project Panel: New Directory
cut	Project Panel: Cut
Ctrl X	Project Panel: Cut
copy	Project Panel: Copy
Ctrl insert	Project Panel: Copy
Ctrl C	Project Panel: Copy
paste	Project Panel: Paste
Shift insert	Project Panel: Paste
Ctrl V	Project Panel: Paste
Alt copy	Project Panel: Copy Path
Ctrl Alt C	Project Panel: Copy Path
Alt Shift copy	Workspace: Copy Relative Path
Ctrl Alt Shift C	Workspace: Copy Relative Path
undo	Project Panel: Undo
Ctrl Z	Project Panel: Undo
redo	Project Panel: Redo

DEFAULT · PROJECTPANEL (2/2)	
Ctrl Shift Z	Project Panel: Redo
↵	Project Panel: Rename
F2	Project Panel: Rename
⌫	Project Panel: Trash ({"skip_prompt":false})
⌫	Project Panel: Trash ({"skip_prompt":false})
Shift ⌫	Project Panel: Delete ({"skip_prompt":false})
Ctrl ⌫	Project Panel: Delete ({"skip_prompt":false})
Ctrl ⌫	Project Panel: Delete ({"skip_prompt":false})
Ctrl Alt R	Project Panel: Reveal In File Manager
Ctrl Shift ↵	Workspace: Open With System
Alt D	Project Panel: Compare Marked Files
Shift find	Project Panel: New Search In Directory
Ctrl Alt Shift F	Project Panel: New Search In Directory
Shift ↓	Menu: Select Next
Shift ↑	Menu: Select Previous
⌂	Menu: Cancel

DEFAULT · PROJECTPANEL && NOT_EDITING	
⌂	Project Panel: Open

DEFAULT · GITPANEL	
Ctrl 1	Git Panel: Activate Changes Tab
Ctrl 2	Git Panel: Activate History Tab
Ctrl G then Ctrl G	Git: Fetch
Ctrl G then ↑	Git: Push
Ctrl G then ↓	Git: Pull
Ctrl G then Shift ↓	Git: Pull Rebase
Ctrl G then Shift ↑	Git: Force Push
Ctrl G then D	Git: Diff
Ctrl G then ⌫	Git: Restore Tracked Files
Ctrl G then Shift ⌫	Git: Trash Untracked Files
Ctrl ⌂	Git: Stage All
Ctrl Shift ⌂	Git: Unstage All
Ctrl ↵	Git: Commit
Ctrl Shift ↵	Git: Amend

DEFAULT · GITPANEL && CHANGESLIST && !GITBRANCHSELECTOR	
←	Git Panel: Collapse Selected Entry
→	Git Panel: Expand Selected Entry
↑	Git Panel: Previous Entry
↓	Git Panel: Next Entry
↵	Menu: Confirm
Alt Y	Git: Stage File
Alt Shift Y	Git: Unstage File
Ctrl Alt Y	Git: Toggle Staged
⌂	Git: Toggle Staged
Shift ⌂	Git: Stage Range
→	Git Panel: Focus Editor
Shift →	Git Panel: Focus Editor
⌂	Git Panel: Toggle Focus
Alt ↵	Menu: Secondary Confirm
⌫	Git: Restore File ({"skip_prompt":false})
⌫	Git: Restore File ({"skip_prompt":false})
Shift ⌫	Git: Restore File ({"skip_prompt":false})
Ctrl ⌫	Git: Restore File ({"skip_prompt":false})
Ctrl ⌫	Git: Restore File ({"skip_prompt":false})

DEFAULT · GITPANEL && COMMITEDITOR	
⌂	Git: Cancel

DEFAULT · GITCOMMIT > EDITOR	
⌂	Menu: Cancel
↵	Editor: Newline
Ctrl ↵	Git: Commit
Ctrl Shift ↵	Git: Amend
Alt L	Git: Generate Commit Message

DEFAULT · GITDIFF > EDITOR	
Ctrl ↵	Git: Commit
Ctrl Shift ↵	Git: Amend
Ctrl ⌂	Git: Stage All
Ctrl Shift ⌂	Git: Unstage All
Ctrl K then Ctrl R	Git: Restore And Next

DEFAULT · ASKPASS > EDITOR	
↵	Menu: Confirm

DEFAULT · COMMITEDITOR > EDITOR	
⌂	Git Panel: Focus Changes
→	Git Panel: Focus Changes
Shift →	Git Panel: Focus Changes
↵	Editor: Newline
Ctrl ↵	Git: Commit
Ctrl Shift ↵	Git: Amend
Alt ↑	Git Panel: Focus Changes
Alt L	Git: Generate Commit Message
Shift ⌂	Git: Expand Commit Editor
Alt Shift ⌂	Git: Toggle Fill Commit Editor

DEFAULT · DEBUGPANEL	
Ctrl T	Debugger: Toggle Thread Picker
Ctrl I	Debugger: Toggle Session Picker
Alt Shift ⌂	Debugger: Toggle Expand Item

DEFAULT · VARIABLELIST	
←	Variable List: Collapse Selected Entry
→	Variable List: Expand Selected Entry
↵	Variable List: Edit Variable
Ctrl C	Variable List: Copy Variable Value
Ctrl Alt C	Variable List: Copy Variable Name
⌫	Variable List: Remove Watch
⌫	Variable List: Remove Watch
Alt ↵	Variable List: Add Watch

DEFAULT · BREAKPOINTLIST	
⌂	Debugger: Toggle Enable Breakpoint
⌫	Debugger: Unset Breakpoint
←	Debugger: Previous Breakpoint Property
→	Debugger: Next Breakpoint Property

DEFAULT · COLLABPANEL && NOT_EDITING	
Ctrl ⌫	Collab Panel: Remove
⌂	Menu: Confirm

DEFAULT · COLLABPANEL	
Alt ↑	Collab Panel: Move Channel Up
Alt ↓	Collab Panel: Move Channel Down
Alt ↵	Collab Panel: Open Selected Channel Notes
Shift ↵	Collab Panel: Toggle Selected Channel Favorite

DEFAULT · (COLLABPANEL && EDITING) > EDITOR	
⌂	Collab Panel: Insert Space

DEFAULT · CHANNELMODAL	
→	Channel Modal: Toggle Mode

DEFAULT · PICKER > EDITOR	
⌘	Menu: Cancel
↑	Menu: Select Previous
↓	Menu: Select Next
→	Picker: Confirm Completion
Alt ↵	Picker: Confirm Input {"secondary":false}

DEFAULT · CHANNELMODAL > PICKER > EDITOR	
→	Channel Modal: Toggle Mode

DEFAULT · TOOLCHAINSELECTOR	
Ctrl Shift A	Toolchain: Add Toolchain

DEFAULT · FILEFINDER (FILEFINDER > PICKER > EDITOR)	
Ctrl P	File Finder: Toggle
Ctrl Shift A	File Finder: Toggle Split Menu
Ctrl Shift I	File Finder: Toggle Filter Menu

DEFAULT · FILEFINDER (FILEFINDER > PICKER > EDITOR) (FILEFINDER > PICKER > MENU)	
Ctrl Shift P	File Finder: Select Previous
Ctrl J	Pane: Split Down
Ctrl K	Pane: Split Up
Ctrl H	Pane: Split Left
Ctrl L	Pane: Split Right

DEFAULT · RECENTPROJECTS (RECENTPROJECTS > PICKER > EDITOR)	
Ctrl K	Recent Projects: Toggle Actions Menu
Ctrl Shift A	Workspace: Add Folder To Project
Shift ⌘	Recent Projects: Remove Selected
Ctrl Shift ↵	Recent Projects: Add To Workspace

DEFAULT · TABSWITCHER	
Ctrl Shift →	Menu: Select Previous
Ctrl ↑	Menu: Select Previous
Ctrl ↓	Menu: Select Next
Ctrl ⌘	Tab Switcher: Close Selected Item

DEFAULT · STASHLIST (STASHLIST > PICKER > EDITOR)	
Ctrl Shift ⌘	Stash Picker: Drop Stash Item
Ctrl Shift V	Stash Picker: Show Stash Item

DEFAULT · TERMINAL (1/2)	
Ctrl Alt ⌵	Terminal: Show Character Palette
copy	Terminal: Copy
Ctrl insert	Terminal: Copy
Ctrl Shift C	Terminal: Copy
paste	Terminal: Paste
Shift insert	Terminal: Paste
Ctrl Shift V	Terminal: Paste
Ctrl ↵	Assistant: Inline Assist
Alt B	Terminal: Send Text "u001bb"
Alt F	Terminal: Send Text "u001bf"
Alt .	Terminal: Send Text "u001b."
Ctrl ⌘	Terminal: Send Text "u001b[3;5~"
Ctrl B	Terminal: Send Keystroke "ctrl-b"
Ctrl C	Terminal: Send Keystroke "ctrl-c"
Ctrl E	Terminal: Send Keystroke "ctrl-e"
Ctrl O	Terminal: Send Keystroke "ctrl-o"
Ctrl W	Terminal: Send Keystroke "ctrl-w"
Ctrl R	Terminal: Send Keystroke "ctrl-r"
Ctrl ⌘	Terminal: Send Keystroke "ctrl-w"
Ctrl Shift A	Editor: Select All
find	Buffer Search: Deploy
Ctrl Shift F	Buffer Search: Deploy

DEFAULT · TERMINAL (2/2)	
Ctrl Shift L	Terminal: Clear
Ctrl Shift W	Pane: Close Active Item
↑	Terminal: Send Keystroke "up"
⌵	Terminal: Send Keystroke "pageup"
↓	Terminal: Send Keystroke "down"
⌴	Terminal: Send Keystroke "pagedown"
⌘	Terminal: Send Keystroke "escape"
↵	Terminal: Send Keystroke "enter"
Shift ⌵	Terminal: Scroll Page Up
Shift ⌴	Terminal: Scroll Page Down
Shift ↑	Terminal: Scroll Line Up
Shift ↓	Terminal: Scroll Line Down
Shift ⌵	Terminal: Scroll To Top
Shift ⌴	Terminal: Scroll To Bottom
Ctrl Shift ⌵	Terminal: Toggle Vi Mode
Ctrl Shift R	Terminal: Rerun Task
Ctrl Alt R	Terminal: Rerun Task
Alt T	Terminal: Rerun Task
Ctrl Shift 5	Pane: Split Right
Ctrl >	Agent: Add Selection To Thread

DEFAULT · AGENTPANEL > TERMINAL	
Ctrl N	Agent: New Thread

DEFAULT · ZEDPREDICTMODAL	
⌘	Menu: Cancel

DEFAULT · CONFIGURECONTEXTSERVERMODAL > EDITOR	
⌘	Menu: Cancel
↵	Editor: Newline
Ctrl ↵	Menu: Confirm

DEFAULT · CONTEXTSERVERTOOLSMODAL	
⌘	Menu: Cancel

DEFAULT · ONBOARDINGAICONFIGURATIONMODAL	
⌘	Menu: Cancel

DEFAULT · DIAGNOSTICS	
Ctrl R	Diagnostics: Toggle Diagnostics Refresh

DEFAULT · DEBUGCONSOLE > EDITOR	
↵	Menu: Confirm
Alt ↵	Console: Watch Expression

DEFAULT · RUNMODAL	
Ctrl →	Pane: Activate Next Item
Ctrl Shift →	Pane: Activate Previous Item
Alt 1	New Process Modal: Activate Task Tab
Alt 2	New Process Modal: Activate Debug Tab
Alt 3	New Process Modal: Activate Attach Tab
Alt 4	New Process Modal: Activate Launch Tab

DEFAULT · MARKDOWNPREVIEW	
⌘	Markdown: Scroll Page Up
⇓	Markdown: Scroll Page Down
↑	Markdown: Scroll Up
↓	Markdown: Scroll Down
Alt ↑	Markdown: Scroll Up By Item
Alt ↓	Markdown: Scroll Down By Item
Ctrl ^	Markdown: Scroll To Top
Ctrl v	Markdown: Scroll To Bottom
find	Buffer Search: Deploy
Ctrl F	Buffer Search: Deploy

DEFAULT · KEYMAPEDITOR	
Ctrl F	Search: Focus Search
Alt find	Keymap Editor: Toggle Keystroke Search
Ctrl Alt F	Keymap Editor: Toggle Keystroke Search
Alt C	Keymap Editor: Toggle Conflict Filter
↻	Keymap Editor: Edit Binding
Alt ↻	Keymap Editor: Create Binding
Ctrl K	Keymap Editor: Open Create Keybinding Modal
Ctrl C	Keymap Editor: Copy Action
Ctrl Shift C	Keymap Editor: Copy Context
Ctrl T	Keymap Editor: Show Matching Keybinds
Ctrl E	Zed: Open Keymap File

DEFAULT · KEYSTROKEINPUT	
↻	Keystroke Input: Start Recording
⌘ then ⌘ then ⌘	Keystroke Input: Stop Recording
⌘	Keystroke Input: Clear Keystrokes

DEFAULT · KEYBINDEDITORMODAL	
Ctrl ↻	Menu: Confirm
⌘	Menu: Cancel

DEFAULT · KEYBINDEDITORMODAL > EDITOR	
↑	Menu: Select Previous
↓	Menu: Select Next

DEFAULT · ONBOARDING	
Ctrl =	Zed: Increase Ui Font Size { "persist": false }
Ctrl +	Zed: Increase Ui Font Size { "persist": false }
Ctrl -	Zed: Decrease Ui Font Size { "persist": false }
Ctrl 0	Zed: Reset Ui Font Size { "persist": false }
Ctrl ↻	Onboarding: Finish
Alt Shift L	Onboarding: Sign In
Alt Shift A	Onboarding: Open Account

DEFAULT · WELCOME	
Ctrl N	Workspace: New File
Ctrl =	Zed: Increase Ui Font Size { "persist": false }
Ctrl +	Zed: Increase Ui Font Size { "persist": false }
Ctrl -	Zed: Decrease Ui Font Size { "persist": false }
Ctrl 0	Zed: Reset Ui Font Size { "persist": false }
Ctrl 1	Welcome: Open Recent Project 0
Ctrl 2	Welcome: Open Recent Project 1
Ctrl 3	Welcome: Open Recent Project 2
Ctrl 4	Welcome: Open Recent Project 3
Ctrl 5	Welcome: Open Recent Project 4

DEFAULT · INVALIDBUFFER	
Ctrl Shift ↻	Workspace: Open With System

DEFAULT · !SETTINGSWINDOW	
Ctrl ,	Zed: Open Settings

DEFAULT · SETTINGSWINDOW	
Ctrl W	Workspace: Close Window
⌘	Workspace: Close Window
Ctrl M	Settings Editor: Minimize
Ctrl F	Search: Focus Search
Ctrl ,	Settings Editor: Open Current File
←	Settings Editor: Toggle Focus Nav
Ctrl Shift E	Settings Editor: Toggle Focus Nav
Ctrl 1	Settings Editor: Focus File 0
Ctrl 2	Settings Editor: Focus File 1
Ctrl 3	Settings Editor: Focus File 2
Ctrl 4	Settings Editor: Focus File 3
Ctrl 5	Settings Editor: Focus File 4
Ctrl 6	Settings Editor: Focus File 5
Ctrl 7	Settings Editor: Focus File 6
Ctrl 8	Settings Editor: Focus File 7
Ctrl 9	Settings Editor: Focus File 8
Ctrl 0	Settings Editor: Focus File 9
Ctrl ⌘	Settings Editor: Focus Previous File
Ctrl ⇓	Settings Editor: Focus Next File

DEFAULT · STASHDIFF > EDITOR	
Ctrl _	Git: Apply Current Stash
Ctrl Shift _	Git: Pop Current Stash
Ctrl Shift ⌘	Git: Drop Current Stash

DEFAULT · SETTINGSWINDOW > NAVIGATIONMENU	
↑	Settings Editor: Focus Previous Nav Entry
Shift →	Settings Editor: Focus Previous Nav Entry
↓	Settings Editor: Focus Next Nav Entry
→	Settings Editor: Focus Next Nav Entry
→	Settings Editor: Expand Nav Entry
←	Settings Editor: Collapse Nav Entry
⌘	Settings Editor: Focus Previous Root Nav Entry
⇓	Settings Editor: Focus Next Root Nav Entry
^	Settings Editor: Focus First Nav Entry
v	Settings Editor: Focus Last Nav Entry

DEFAULT · EDITPREDICTIONCONTEXT > EDITOR	
Alt ←	Dev: Edit Prediction Context Go Back
Alt →	Dev: Edit Prediction Context Go Forward

DEFAULT · NOTEBOOKEDITOR		
Shift ↵	Notebook: Run And Advance	
Ctrl ↵	Notebook: Run	
Ctrl Shift ↵	Notebook: Run All	
Alt ↑	Notebook: Move Cell Up	
Alt ↓	Notebook: Move Cell Down	
Ctrl M	Notebook: Add Code Block	
Ctrl Shift M	Notebook: Add Markdown Block	
Ctrl Shift R	Notebook: Restart Kernel	
Ctrl C	Notebook: Interrupt Kernel	

DEFAULT · NOTEBOOKEDITOR && NOTEBOOK_MODE == COMMAND		
	↵	Notebook: Enter Edit Mode
	↓	Menu: Select Next
	↑	Menu: Select Previous

DEFAULT · NOTEBOOKEDITOR > EDITOR	
	Editor: Newline
 	Notebook: Run And Advance
 	Notebook: Run
  	Notebook: Run All
 	Notebook: Move Cell Up
 	Notebook: Move Cell Down
 	Notebook: Add Code Block
  	Notebook: Add Markdown Block
  	Notebook: Restart Kernel
 	Notebook: Interrupt Kernel
	Notebook: Enter Command Mode

DEFAULT · GITBRANCHSELECTOR (GITBRANCHSELECTOR > PICKER > EDITOR)			
Ctrl	Shift	⌘	Branch Picker: Delete Branch
Ctrl	Alt	Shift ⌘	Branch Picker: Force Delete Branch
Ctrl	Shift	I	Branch Picker: Filter Remotes

DEFAULT · IMAGEVIEWER			
Ctrl	=	Image Viewer: Zoom In	
Ctrl	+	Image Viewer: Zoom In	
Ctrl	-	Image Viewer: Zoom Out	
Ctrl	0	Image Viewer: Reset Zoom	
Ctrl	1	Image Viewer: Zoom To Actual Size	
Ctrl	Shift	0	Image Viewer: Fit To View

DEFAULT · GITPICKER		
Alt	1	Git Picker: Activate Branches Tab
Alt	2	Git Picker: Activate Stash Tab

DEFAULT · WORKTREEPICKER || (WORKTREEPICKER > PICKER > EDITOR)

Ctrl	Shift	⌘	Worktree Picker: Delete Worktree	
Ctrl	Alt	Shift	⌘	Worktree Picker: Force Delete Worktree

DEFAULT · GITGRAPH		
	→	Git Graph: Focus Next Tab Stop
Shift	→	Git Graph: Focus Previous Tab Stop

DEFAULT · GITGRAPHSEARCHBAR > EDITOR		
	→	Git Graph: Focus Next Tab Stop
Shift	→	Git Graph: Focus Previous Tab Stop

VIM MODE

VIM · VIMCONTROL && !MENU (1/8)

I	Vim: Push Object { "around": false }
A	Vim: Push Object { "around": true }
←	Vim: Left
H	Vim: Left
⌘	Vim: Wrapping Left
↓	Vim: Down
Ctrl J	Vim: Down
J	Vim: Down
Ctrl M	Vim: Next Line Start
+	Vim: Next Line Start
↶	Vim: Next Line Start
-	Vim: Previous Line Start
Shift ⌘	Vim: Tab
↷	Vim: Tab
↑	Vim: Up
K	Vim: Up
→	Vim: Right
L	Vim: Right
⌘	Vim: Wrapping Right
↵	Vim: End Of Line
\$	Vim: End Of Line
^	Vim: First Non Whitespace

VIM · VIMCONTROL && !MENU (2/8)

_	Vim: Start Of Line Downward
G then _	Vim: End Of Line Downward
Shift G	Vim: End Of Document
{	Vim: Start Of Paragraph
}	Vim: End Of Paragraph
(	Vim: Sentence Backward
)	Vim: Sentence Forward
 	Vim: Go To Column
W	Vim: Next Word Start
E	Vim: Next Word End
B	Vim: Previous Word Start
G then E	Vim: Previous Word End
Shift W	Vim: Next Word Start { "ignore_punctuation": true }
Shift E	Vim: Next Word End { "ignore_punctuation": true }
Shift B	Vim: Previous Word Start { "ignore_punctuation": true }
G then Shift E	Vim: Previous Word End { "ignore_punctuation": true }
/	Vim: Search
G then /	Pane: Deploy Search
?	Vim: Search { "backwards": true }
*	Vim: Move To Next
#	Vim: Move To Previous
N	Vim: Move To Next Match

VIM · VIMCONTROL && !MENU (3/8)

Shift N	Vim: Move To Previous Match
%	Vim: Matching { "match_quotes": true }
F	Vim: Push Find Forward { "before": false, "multiline": false }
T	Vim: Push Find Forward { "before": true, "multiline": false }
Shift F	Vim: Push Find Backward { "after": false, "multiline": false }
Shift T	Vim: Push Find Backward { "after": true, "multiline": false }
M	Vim: Push Mark
'	Vim: Push Jump { "line": true }
`	Vim: Push Jump { "line": false }
;	Vim: Repeat Find
,	Vim: Repeat Find Reversed
Ctrl O	Pane: Go Back
Ctrl I	Pane: Go Forward
Ctrl J	Editor: Go To Definition
Ctrl T	Pane: Go To Older Tag
⌘	Vim: Switch To Normal Mode
Ctrl [	Vim: Switch To Normal Mode
V	Vim: Toggle Visual
Shift V	Vim: Toggle Visual Line
Ctrl G	Vim: Show Location
Ctrl V	Vim: Toggle Visual Block
Ctrl Q	Vim: Toggle Visual Block

VIM · VIMCONTROL && !MENU (4/8)

Shift K	Editor: Hover
Shift R	Vim: Toggle Replace
␣	Vim: Start Of Line
↵	Vim: Start Of Line
Ctrl F	Vim: Page Down
↓	Vim: Page Down
Ctrl B	Vim: Page Up
↑	Vim: Page Up
Ctrl D	Vim: Scroll Down
Ctrl U	Vim: Scroll Up
Ctrl E	Vim: Line Down
Ctrl Y	Vim: Line Up
G then Shift R	Vim: Push Replace With Register
G then R then N	Editor: Rename
G then R then R	Editor: Find All References
G then R then I	Editor: Go To Implementation
G then R then A	Editor: Toggle Code Actions
G then G	Vim: Start Of Document
G then H	Editor: Hover
G then B	Editor: Blame Hover
G then D	Editor: Go To Definition
G then Shift D	Editor: Go To Declaration

VIM · VIMCONTROL && !MENU (5/8)

G then Y	Editor: Go To Type Definition
G then Shift I	Editor: Go To Implementation
G then X	Editor: Open Url
G then F	Editor: Open Selected Filename
G then N	Vim: Select Next Match
G then Shift N	Vim: Select Previous Match
G then L	Vim: Select Next
G then Shift L	Vim: Select Previous
G then >	Editor: Select Next { "replace_newest": true }
G then <	Editor: Select Previous { "replace_newest": true }
G then A	Editor: Select All Matches
G then S	Outline: Toggle
G then Shift O	Outline: Toggle
G then Shift S	Project Symbols: Toggle
G then .	Editor: Toggle Code Actions
G then Shift A	Editor: Find All References
G then _	Editor: Open Excerpts
G then *	Vim: Move To Next { "partial_word": true }
G then #	Vim: Move To Previous { "partial_word": true }
G then J	Vim: Down { "display_lines": true }
G then ↓	Vim: Down { "display_lines": true }
G then K	Vim: Up { "display_lines": true }

VIM · VIMCONTROL && !MENU (6/8)

G then ↑	Vim: Up {"display_lines":true}
G then \$	Vim: End Of Line {"display_lines":true}
G then ↘	Vim: End Of Line {"display_lines":true}
G then 0	Vim: Start Of Line {"display_lines":true}
G then ↖	Vim: Start Of Line {"display_lines":true}
G then Shift M	Vim: Middle Of Line {"display_lines":true}
G then ^	Vim: First Non Whitespace {"display_lines":true}
G then V	Vim: Restore Visual Selection
G then J	Editor: Go To Diagnostic
G then [	Editor: Go To Previous Diagnostic
G then I	Vim: Insert At Previous
G then ,	Vim: Change List Newer
G then ;	Vim: Change List Older
Shift H	Vim: Window Top
Shift M	Vim: Window Middle
Shift L	Vim: Window Bottom
Q	Vim: Toggle Record
Shift Q	Vim: Replay Last Recording
@	Vim: Push Replay Register
Z then ↻	Workspace: Send Keystrokes "z t ^"
Z then -	Workspace: Send Keystrokes "z b ^"
Z then ^	Workspace: Send Keystrokes "shift-h k z b ^"

VIM · VIMCONTROL && !MENU (7/8)

Z then +	Workspace: Send Keystrokes "shift-l j z t ^"
Z then T	Editor: Scroll Cursor Top
Z then Z	Editor: Scroll Cursor Center
Z then .	Workspace: Send Keystrokes "z z ^"
Z then B	Editor: Scroll Cursor Bottom
Z then A	Editor: Toggle Fold
Z then Shift A	Editor: Toggle Fold Recursive
Z then C	Editor: Fold
Z then Shift C	Editor: Fold Recursive
Z then O	Editor: Unfold Lines
Z then Shift O	Editor: Unfold Recursive
Z then F	Editor: Fold Selected Ranges
Z then Shift M	Editor: Fold All
Z then Shift R	Editor: Unfold All
Z then L	Vim: Column Right
Z then H	Vim: Column Left
Z then Shift L	Vim: Half Page Right
Z then Shift H	Vim: Half Page Left
Shift Z then Shift Q	Pane: Close Active Item {"save_intent":"skip"}
Shift Z Z then Shift Z	Pane: Close Active Item {"save_intent":"save_all"}
1	Vim: Number 1
2	Vim: Number 2

VIM · VIMCONTROL && !MENU (8/8)

3	Vim: Number 3
4	Vim: Number 4
5	Vim: Number 5
6	Vim: Number 6
7	Vim: Number 7
8	Vim: Number 8
9	Vim: Number 9
Ctrl W then D	Editor: Go To Definition Split
Ctrl W then G then D	Editor: Go To Definition Split
Ctrl W then J	Editor: Go To Definition Split
Ctrl W then Ctrl J	Editor: Go To Definition Split
Ctrl W then Shift D	Editor: Go To Type Definition Split
Ctrl W then G then Shift D	Editor: Go To Type Definition Split
Ctrl W then ↵	Editor: Open Excerpts Split
Ctrl W then G then ↵	Editor: Open Excerpts Split
Ctrl ^	Pane: Alternate File
.	Vim: Repeat

VIM · VIM_MODE == NORMAL || VIM_MODE == VISUAL || VIM_MODE == OPERATOR (1/2)

J then J	Vim: Next Section Start
J then [	Vim: Next Section End
[then [	Vim: Previous Section Start
[then J	Vim: Previous Section End
J then M	Vim: Next Method Start
J then Shift M	Vim: Next Method End
[then M	Vim: Previous Method Start
[then Shift M	Vim: Previous Method End
[then *	Vim: Previous Comment
[then /	Vim: Previous Comment
J then *	Vim: Next Comment
J then /	Vim: Next Comment
[then -	Vim: Previous Lesser Indent
[then +	Vim: Previous Greater Indent
[then =	Vim: Previous Same Indent
J then -	Vim: Next Lesser Indent
J then +	Vim: Next Greater Indent
J then =	Vim: Next Same Indent
J then B	Pane: Activate Next Item
[then B	Pane: Activate Previous Item
J then Shift B	Pane: Activate Last Item
[then Shift B	Pane: Activate Item 0

VIM · VIM_MODE == NORMAL || VIM_MODE == VISUAL || VIM_MODE == OPERATOR (2/2)

J then ↵	Vim: Insert Empty Line Below
[then ↵	Vim: Insert Empty Line Above
[then E	Editor: Move Line Up
J then E	Editor: Move Line Down
[then F	Workspace: Follow Next Collaborator
J then F	Workspace: Follow Next Collaborator
J then }	Vim: Unmatched Forward {"char":"}"
[then {	Vim: Unmatched Backward {"char": "{"}
J then)	Vim: Unmatched Forward {"char": ")"}
[then (	Vim: Unmatched Backward {"char": "("}
[then R	Vim: Go To Previous Reference
J then R	Vim: Go To Next Reference
[then X	Vim: Select Larger Syntax Node
J then X	Vim: Select Smaller Syntax Node

VIM · VIM_MODE == NORMAL (1/3)

I	Vim: Insert Before
A	Vim: Insert After
Ctrl [	Editor: Cancel
:	Command Palette: Toggle
C	Vim: Push Change
Shift C	Vim: Change To End Of Line
D	Vim: Push Delete
⌫	Vim: Delete Right
G then Shift J	Vim: Join Lines No Whitespace
Y	Vim: Push Yank
Shift Y	Vim: Yank Line
X	Vim: Delete Right
Shift X	Vim: Delete Left
Ctrl A	Vim: Increment
Ctrl X	Vim: Decrement
Ctrl R	Vim: Redo
>	Vim: Push Indent
<	Vim: Push Outdent
=	Vim: Push Auto Indent
!	Vim: Push Shell Command
G then U	Vim: Push Lowercase
G then Shift U	Vim: Push Uppercase

VIM · VIM_MODE == NORMAL (2/2)

G then ~	Vim: Push Opposite Case
G then ?	Vim: Push Rot13
G then W	Vim: Push Rewrap
G then Q	Vim: Push Rewrap
insert	Vim: Insert Before
J then D	Editor: Go To Diagnostic
[then D	Editor: Go To Previous Diagnostic
J then C	Editor: Go To Hunk
[then C	Editor: Go To Previous Hunk
G then C	Vim: Push Toggle Comments
G then B	Vim: Push Toggle Block Comments

VIM · VIMCONTROL && VIMCOUNT

0	Vim: Number 0
:	Vim: Count Command
%	Vim: Go To Percentage

VIM · VIM_MODE == VISUAL (1/3)

:	Vim: Visual Command
U	Vim: Convert To Lower Case
Shift U	Vim: Convert To Upper Case
Shift O	Vim: Other End
O	Vim: Other End Row Aware
D	Vim: Visual Delete
X	Vim: Visual Delete
⌫	Vim: Visual Delete
Shift D	Vim: Visual Delete Line
Shift X	Vim: Visual Delete Line
Y	Vim: Visual Yank
Shift Y	Vim: Visual Yank Line
P	Vim: Paste
Shift P	Vim: Paste { "preserve_clipboard": true }
C	Vim: Substitute
S	Vim: Substitute
Shift R	Vim: Substitute Line
Shift S	Vim: Substitute Line
~	Vim: Change Case
*	Vim: Move To Next { "partial_word": true }
#	Vim: Move To Previous { "partial_word": true }
Ctrl A	Vim: Increment

VIM · VIM_MODE == VISUAL (2/3)

Ctrl X	Vim: Decrement
G then Ctrl A	Vim: Increment { "step": true }
G then Ctrl X	Vim: Decrement { "step": true }
Shift I	Vim: Insert Before
Shift A	Vim: Insert After
G then Shift I	Vim: Visual Insert First Non White Space
G then Shift A	Vim: Visual Insert End Of Line
Shift J	Vim: Join Lines
G then Shift J	Vim: Join Lines No Whitespace
R	Vim: Push Replace
Ctrl C	Vim: Switch To Normal Mode
Ctrl [	Vim: Switch To Normal Mode
⌫	Vim: Switch To Normal Mode
>	Vim: Indent
<	Vim: Outdent
=	Vim: Auto Indent
!	Vim: Shell Command
I	Vim: Push Object { "around": false }
A	Vim: Push Object { "around": true }
G then Shift R	Vim: Paste { "preserve_clipboard": true }
G then C	Vim: Toggle Comments
G then B	Vim: Toggle Block Comments

VIM · VIM_MODE == VISUAL (3/3)

G then Q	Vim: Rewrap
G then W	Vim: Rewrap
G then ?	Vim: Convert To Rot13
"	Vim: Push Register

VIM · VIM_MODE == HELIX_SELECT

V	Vim: Normal Before
;	Vim: Helix Collapse Selection
~	Vim: Change Case
Ctrl A	Vim: Increment
Ctrl X	Vim: Decrement
Shift J	Vim: Join Lines
I	Vim: Insert Before
A	Vim: Insert After
O	Vim: Insert Line Below
Shift O	Vim: Insert Line Above
P	Vim: Paste
U	Vim: Undo
R	Vim: Push Replace
S	Vim: Substitute
Ctrl f	Pane: Activate Previous Item
Ctrl ↓	Pane: Activate Next Item
.	Vim: Repeat
Alt .	Vim: Repeat Find

VIM · VIM_MODE == INSERT (1/2)

Ctrl C	Vim: Normal Before
Ctrl [	Vim: Normal Before
⌫	Vim: Normal Before
Ctrl X then Ctrl O	Editor: Show Completions
Ctrl X then Ctrl A	Assistant: Inline Assist
Ctrl X then Ctrl C	Editor: Show Edit Prediction
Ctrl X then Ctrl L	Editor: Toggle Code Actions
Ctrl X then Ctrl Z	Editor: Cancel
Ctrl X then Ctrl E	Vim: Line Down
Ctrl X then Ctrl Y	Vim: Line Up
Ctrl W	Editor: Delete To Previous Word Start { "ignore_newlines": false, "ignore_brackets": false }
Ctrl U	Editor: Delete To Beginning Of Line
Ctrl T	Vim: Indent
Ctrl D	Vim: Outdent
Ctrl Y	Vim: Insert From Above
Ctrl E	Vim: Insert From Below
Ctrl K	Vim: Push Digraph { }
Ctrl V	Vim: Push Literal { }
Ctrl Shift V	Editor: Paste
Ctrl Q	Vim: Push Literal { }
Ctrl Shift Q	Vim: Push Literal { }
Ctrl R	Vim: Push Register

VIM · VIM_MODE == INSERT (2/2)	
insert	Vim: Toggle Replace
Ctrl O	Vim: Temporary Normal
Ctrl S	Editor: Show Signature Help

VIM · SHOWING_COMPLETIONS	
Ctrl D	Vim: Scroll Down
Ctrl U	Vim: Scroll Up
Ctrl E	Vim: Line Down
Ctrl Y	Vim: Line Up

VIM · (VIM_MODE == NORMAL VIM_MODE == HELIX_NORMAL) && !MENU	
⌘	Editor: Cancel
Shift D	Vim: Delete To End Of Line
Shift J	Vim: Join Lines
Shift Y	Vim: Yank Line
Shift I	Vim: Insert First Non Whitespace
Shift A	Vim: Insert End Of Line
O	Vim: Insert Line Below
Shift O	Vim: Insert Line Above
~	Vim: Change Case
Ctrl A	Vim: Increment
Ctrl X	Vim: Decrement
P	Vim: Paste
Shift P	Vim: Paste {"before":true}
U	Vim: Undo
Shift U	Vim: Undo Last Line
R	Vim: Push Replace
S	Vim: Substitute
Shift S	Vim: Substitute Line
"	Vim: Push Register
Ctrl ⌵	Pane: Activate Next Item
Ctrl ⌴	Pane: Activate Previous Item

VIM · VIMCONTROL && VIM_MODE == HELIX_NORMAL && !MENU && !BUFFERSEARCHBAR	
J	Vim: Down {"display_lines":true}
↓	Vim: Down {"display_lines":true}
K	Vim: Up {"display_lines":true}
↑	Vim: Up {"display_lines":true}
G then J	Vim: Down
G then ↓	Vim: Down
G then K	Vim: Up
G then ↑	Vim: Up
⌘	Vim: Switch To Helix Normal Mode
I	Vim: Helix Insert
A	Vim: Helix Append
Shift A	Vim: Helix Insert End Of Line
Ctrl ⌵	Editor: Cancel

VIM · VIM_MODE == HELIX_SELECT && !MENU && !BUFFERSEARCHBAR	
⌘	Vim: Switch To Helix Normal Mode

VIM · (VIM_MODE == HELIX_NORMAL VIM_MODE == HELIX_SELECT) && !MENU (1/5)	
H	Vim: Wrapping Left
←	Vim: Wrapping Left
L	Vim: Wrapping Right
→	Vim: Wrapping Right
T	Vim: Push Find Forward {"before":true,"multiline":true}
F	Vim: Push Find Forward {"before":false,"multiline":true}
Shift T	Vim: Push Find Backward {"after":true,"multiline":true}
Shift F	Vim: Push Find Backward {"after":false,"multiline":true}
Alt .	Vim: Repeat Find
Shift R	Editor: Paste
`	Vim: Convert To Lower Case
Alt `	Vim: Convert To Upper Case
insert	Vim: Insert Before
Shift U	Editor: Redo
Ctrl R	Vim: Redo
Y	Vim: Helix Yank
P	Vim: Helix Paste
Shift P	Vim: Helix Paste {"before":true}
>	Vim: Indent
<	Vim: Outdent
=	Vim: Auto Indent
D	Vim: Helix Delete

VIM · (VIM_MODE == HELIX_NORMAL VIM_MODE == HELIX_SELECT) && !MENU (2/5)	
Alt D	Editor: Delete
C	Vim: Helix Substitute
Alt C	Vim: Helix Substitute No Yank
S	Vim: Helix Select Regex
Alt S	Editor: Split Selection Into Lines {"keep_selections":true}
;	Vim: Helix Collapse Selection
Alt ;	Vim: Other End
,	Vim: Helix Keep Newest Selection
Shift C	Vim: Helix Duplicate Below
Alt Shift C	Vim: Helix Duplicate Above
%	Editor: Select All
X	Vim: Helix Select Line
Shift X	Editor: Select Line
Ctrl C	Editor: Toggle Comments
Alt O	Editor: Select Larger Syntax Node
Alt I	Editor: Select Smaller Syntax Node
Alt P	Editor: Select Previous Syntax Node
Alt N	Editor: Select Next Syntax Node
N	Vim: Helix Select Next
Shift N	Vim: Helix Select Previous
G then E	Vim: End Of Document
G then H	Vim: Start Of Line

VIM · (VIM_MODE == HELIX_NORMAL VIM_MODE == HELIX_SELECT) && !MENU (3/5)	
G then L	Vim: End Of Line
G then S	Vim: First Non Whitespace
G then T	Vim: Window Top
G then C	Vim: Window Middle
G then B	Vim: Window Bottom
G then R	Editor: Find All References
G then N	Pane: Activate Next Item
Shift L	Pane: Activate Next Item
G then P	Pane: Activate Previous Item
Shift H	Pane: Activate Previous Item
G then W	Vim: Helix Jump To Word
G then .	Vim: Helix Goto Last Modification
G then O	Editor: Toggle Selected Diff Hunks
G then Shift O	Git: Toggle Staged
G then Shift R	Git: Restore
G then U	Git: Stage And Next
G then Shift U	Git: Unstage And Next
_ then W then V	Pane: Split Right
_ then W then S	Pane: Split Down
_ then W then H	Workspace: Activate Pane Left
_ then W then J	Workspace: Activate Pane Down
_ then W then K	Workspace: Activate Pane Up

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (4/5)

 then  then 	Workspace: Activate Pane Right
 then  then 	Pane: Close Active Item
 then  then 	Pane: Split Right
 then  then 	Pane: Split Down
 then 	Tab Switcher: Toggle All
 then 	File Finder: Toggle
 then 	Editor: Hover
 then 	Outline: Toggle
 then  	Project Symbols: Toggle
 then 	Editor: Go To Diagnostic
 then 	Editor: Rename
 then 	Editor: Toggle Code Actions
 then 	Editor: Select All Matches
 then 	Editor: Toggle Comments
 then 	Editor: Paste
 then 	Editor: Copy
 then 	Pane: Deploy Search
 :	Command Palette: Toggle
 	Vim: Push Helix Match
 	Vim: Push Helix Next { "around": true }
 	Vim: Push Helix Previous { "around": true }
  	Editor: Save Location

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (5/5)

  then 	Vim: Push Rewrap
---	------------------

VIM · VIM_MODE == INSERT && !(SHOWING_CODE_ACTIONS || SHOWING_COMPLETIONS)

  	Editor: Show Word Completions
  	Editor: Show Word Completions

VIM · (VIM_MODE == INSERT || VIM_MODE == NORMAL) && SHOWING_SIGNATURE_HELP && !SHOWING_COMPLETIONS

  	Editor: Signature Help Previous
  	Editor: Signature Help Next

VIM · VIM_MODE == REPLACE

  	Vim: Normal Before
  	Vim: Normal Before
 	Vim: Normal Before
  	Vim: Push Digraph { }
  	Vim: Push Literal { }
   	Editor: Paste
  	Vim: Push Literal { }
   	Vim: Push Literal { }
 	Vim: Undo Replace
 	Vim: Tab
 	Vim: Enter
 	Vim: Insert Before

VIM · VIM_MODE == WAITING

 	Vim: Tab
 	Vim: Enter
  	Vim: Clear Operators
  	Vim: Clear Operators
 	Vim: Clear Operators
  	Vim: Push Digraph { }
  	Vim: Push Literal { }
  	Vim: Push Literal { }

VIM · EDITOR && VIM_MODE == WAITING && (VIM_OPERATOR == YS || VIM_OPERATOR == CS)

 	Vim: Switch To Normal Mode
---	----------------------------

VIM · VIM_MODE == OPERATOR

  	Vim: Clear Operators
  	Vim: Clear Operators
 	Vim: Clear Operators
  then 	Vim: Comment

VIM · VIM_OPERATOR == A || VIM_OPERATOR == I || VIM_OPERATOR == CS || VIM_OPERATOR == HELIX_NEXT || VIM_OPERATOR == HELIX_PREVIOUS (1/2)

 	Vim: Word { "ignore_punctuation": true }
  	Vim: Word { "ignore_punctuation": true }
 	Vim: Tag
 	Vim: Sentence
 	Vim: Paragraph
 	Vim: Quotes
 	Vim: Back Quotes
 	Vim: Double Quotes
 	Vim: Mini Quotes
 	Vim: Vertical Bars
 	Vim: Parentheses { "opening": true }
 	Vim: Parentheses
 	Vim: Parentheses
 	Vim: Square Brackets { "opening": true }
 	Vim: Square Brackets
 	Vim: Square Brackets
 	Vim: Curly Brackets { "opening": true }
 	Vim: Curly Brackets
  	Vim: Curly Brackets
 	Vim: Angle Brackets { "opening": true }
 	Vim: Angle Brackets
 	Vim: Argument

VIM · VIM_OPERATOR == A || VIM_OPERATOR == I || VIM_OPERATOR == CS || VIM_OPERATOR == HELIX_NEXT || VIM_OPERATOR == HELIX_PREVIOUS (2/2)

 	Vim: Indent Obj
  	Vim: Indent Obj { "include_below": true }
 	Vim: Method
 	Vim: Class
 	Vim: Entire File

VIM · VIM_OPERATOR == HELIX_M

 	Vim: Matching { "match_quotes": true }
 	Vim: Push Helix Surround Add
 	Vim: Push Helix Surround Replace
 	Vim: Push Helix Surround Delete

VIM · VIM_OPERATOR == HELIX_NEXT	
Z	Vim: Next Section Start
Shift Z	Vim: Next Section End
*	Vim: Next Comment
/	Vim: Next Comment
-	Vim: Next Lesser Indent
+	Vim: Next Greater Indent
=	Vim: Next Same Indent
B	Pane: Activate Next Item
Shift B	Pane: Activate Last Item
X	Editor: Select Smaller Syntax Node
D	Editor: Go To Diagnostic
C	Editor: Go To Hunk
_	Vim: Insert Empty Line Below

VIM · VIM_OPERATOR == HELIX_PREVIOUS	
Z	Vim: Previous Section Start
Shift Z	Vim: Previous Section End
*	Vim: Previous Comment
/	Vim: Previous Comment
-	Vim: Previous Lesser Indent
+	Vim: Previous Greater Indent
=	Vim: Previous Same Indent
B	Pane: Activate Previous Item
Shift B	Pane: Activate Item 0
X	Editor: Select Larger Syntax Node
D	Editor: Go To Previous Diagnostic
C	Editor: Go To Previous Hunk
_	Vim: Insert Empty Line Above

VIM · VIM_OPERATOR == C	
C	Vim: Current Line
X	Vim: Exchange
D	Editor: Rename
S	Vim: Push Change Surrounds {}

VIM · VIM_OPERATOR == D	
D	Vim: Current Line
S	Vim: Push Delete Surrounds
V	Vim: Push Forced Motion
O	Editor: Toggle Selected Diff Hunks
Shift O	Git: Toggle Staged
P	Git: Restore
U	Git: Stage And Next
Shift U	Git: Unstage And Next

VIM · VIM_OPERATOR == GU	
G then U	Vim: Current Line
U	Vim: Current Line

VIM · VIM_OPERATOR == GU	
G then Shift U	Vim: Current Line
Shift U	Vim: Current Line

VIM · VIM_OPERATOR == G~	
G then ~	Vim: Current Line
~	Vim: Current Line

VIM · VIM_OPERATOR == G?	
G then ?	Vim: Current Line
?	Vim: Current Line

VIM · VIM_OPERATOR == GQ	
G then Q	Vim: Current Line
Q	Vim: Current Line
G then W	Vim: Current Line
W	Vim: Current Line

VIM · VIM_OPERATOR == Y	
Y	Vim: Current Line
V	Vim: Push Forced Motion
S	Vim: Push Add Surrounds {}

VIM · VIM_OPERATOR == YS	
S	Vim: Current Line

VIM · VIM_OPERATOR == >	
>	Vim: Current Line

VIM · VIM_OPERATOR == <	
<	Vim: Current Line

VIM · VIM_OPERATOR == EQ	
=	Vim: Current Line

VIM · VIM_OPERATOR == SH	
!	Vim: Current Line

VIM · VIM_OPERATOR == GC	
C	Vim: Current Line

VIM · VIM_OPERATOR == GB	
C	Vim: Current Line

VIM · VIM_OPERATOR == GR	
R	Vim: Current Line
Shift R	Vim: Current Line

VIM · VIM_OPERATOR == CX	
X	Vim: Current Line
C	Vim: Clear Exchange

VIM · VIM_MODE == LITERAL (1/2)	
Ctrl @	Vim: Literal ["ctrl-@", "u0000"]
Ctrl A	Vim: Literal ["ctrl-a", "u0001"]
Ctrl B	Vim: Literal ["ctrl-b", "u0002"]
Ctrl C	Vim: Literal ["ctrl-c", "u0003"]
Ctrl D	Vim: Literal ["ctrl-d", "u0004"]
Ctrl E	Vim: Literal ["ctrl-e", "u0005"]
Ctrl F	Vim: Literal ["ctrl-f", "u0006"]
Ctrl G	Vim: Literal ["ctrl-g", "u0007"]
Ctrl H	Vim: Literal ["ctrl-h", "b"]
Ctrl I	Vim: Literal ["ctrl-i", "t"]
Ctrl J	Vim: Literal ["ctrl-j", "n"]
Ctrl K	Vim: Literal ["ctrl-k", "u000b"]
Ctrl L	Vim: Literal ["ctrl-l", "f"]
Ctrl M	Vim: Literal ["ctrl-m", "v"]
Ctrl N	Vim: Literal ["ctrl-n", "u000e"]
Ctrl O	Vim: Literal ["ctrl-o", "u000f"]
Ctrl P	Vim: Literal ["ctrl-p", "u0010"]
Ctrl Q	Vim: Literal ["ctrl-q", "u0011"]
Ctrl R	Vim: Literal ["ctrl-r", "u0012"]
Ctrl S	Vim: Literal ["ctrl-s", "u0013"]
Ctrl T	Vim: Literal ["ctrl-t", "u0014"]
Ctrl U	Vim: Literal ["ctrl-u", "u0015"]

VIM · VIM_MODE == LITERAL (2/2)		
Ctrl V	Vim: Literal	["ctrl-v","\u0016"]
Ctrl W	Vim: Literal	["ctrl-w","\u0017"]
Ctrl X	Vim: Literal	["ctrl-x","\u0018"]
Ctrl Y	Vim: Literal	["ctrl-y","\u0019"]
Ctrl Z	Vim: Literal	["ctrl-z","\u001a"]
Ctrl [	Vim: Literal	["ctrl-["","\u001b"]
Ctrl \	Vim: Literal	["ctrl-\"","\u001c"]
Ctrl]	Vim: Literal	["ctrl-"]","\u001d"]
Ctrl ^	Vim: Literal	["ctrl-^","\u001e"]
Ctrl _	Vim: Literal	["ctrl-_"","\u001f"]
␣	Vim: Literal	["escape","\u001b"]
↵	Vim: Literal	["enter","\r"]
→	Vim: Literal	["tab","\t"]
⌫	Vim: Literal	["backspace","\b"]
⌫	Vim: Literal	["delete","\ "]

VIM · BUFFERSEARCHBAR && !IN_REPLACE		
↵	Vim: Search Submit	
⊞	Buffer Search: Dismiss	

VIM · VIMCONTROL && !MENU !EDITOR && !TERMINAL (1/3)		
Ctrl W then ←	Workspace: Activate Pane Left	
Ctrl W then →	Workspace: Activate Pane Right	
Ctrl W then ↑	Workspace: Activate Pane Up	
Ctrl W then ↓	Workspace: Activate Pane Down	
Ctrl W then Ctrl H	Workspace: Activate Pane Left	
Ctrl W then Ctrl L	Workspace: Activate Pane Right	
Ctrl W then Ctrl K	Workspace: Activate Pane Up	
Ctrl W then Ctrl J	Workspace: Activate Pane Down	
Ctrl W then H	Workspace: Activate Pane Left	
Ctrl W then L	Workspace: Activate Pane Right	
Ctrl W then K	Workspace: Activate Pane Up	
Ctrl W then J	Workspace: Activate Pane Down	
Ctrl W then Shift ←	Workspace: Swap Pane Left	
Ctrl W then Shift →	Workspace: Swap Pane Right	
Ctrl W then Shift ↑	Workspace: Swap Pane Up	
Ctrl W then Shift ↓	Workspace: Swap Pane Down	
Ctrl W then X	Workspace: Swap Pane Adjacent	
Ctrl W then Ctrl X	Workspace: Swap Pane Adjacent	
Ctrl W then Shift H	Workspace: Move Pane Left	
Ctrl W then Shift L	Workspace: Move Pane Right	
Ctrl W then Shift K	Workspace: Move Pane Up	
Ctrl W then Shift J	Workspace: Move Pane Down	

VIM · VIMCONTROL && !MENU !EDITOR && !TERMINAL (2/3)		
Ctrl W then >	Vim: Resize Pane Right	
Ctrl W then <	Vim: Resize Pane Left	
Ctrl W then -	Vim: Resize Pane Down	
Ctrl W then +	Vim: Resize Pane Up	
Ctrl W then _	Vim: Maximize Pane	
Ctrl W then =	Vim: Reset Pane Sizes	
Ctrl W then G then T	Pane: Activate Next Item	
Ctrl W then Ctrl G then T	Pane: Activate Next Item	
Ctrl W then G then Shift T	Pane: Activate Previous Item	
Ctrl W then Ctrl G then Shift T	Pane: Activate Previous Item	
Ctrl W then W	Workspace: Activate Next Pane	
Ctrl W then Ctrl W	Workspace: Activate Next Pane	
Ctrl W then P	Workspace: Activate Previous Pane	
Ctrl W then Ctrl P	Workspace: Activate Previous Pane	
Ctrl W then Shift W	Workspace: Activate Previous Pane	
Ctrl W then Ctrl Shift W	Workspace: Activate Previous Pane	
Ctrl W then Ctrl V	Pane: Split Vertical	
Ctrl W then V	Pane: Split Vertical	
Ctrl W then Shift S	Pane: Split Horizontal	
Ctrl W then Ctrl S	Pane: Split Horizontal	
Ctrl W then S	Pane: Split Horizontal	
Ctrl W then Ctrl C	Pane: Close Active Item	

VIM · VIMCONTROL && !MENU !EDITOR && !TERMINAL (3/3)		
Ctrl W then C	Pane: Close Active Item	
Ctrl W then Ctrl Q	Pane: Close Active Item	
Ctrl W then Q	Pane: Close Active Item	
Ctrl W then Ctrl A	Pane: Close All Items	
Ctrl W then A	Pane: Close All Items	
Ctrl W then Ctrl O	Workspace: Close Inactive Tabs And Panes	
Ctrl W then O	Workspace: Close Inactive Tabs And Panes	
Ctrl W then Ctrl N	Workspace: New File Split Horizontal	
Ctrl W then N	Workspace: New File Split Horizontal	
G then T	Vim: Go To Tab	
G then Shift T	Vim: Go To Previous Tab	

VIM · !EDITOR && !TERMINAL	
:	Command Palette: Toggle
G then /	Pane: Deploy Search
J then B	Pane: Activate Next Item
I then B	Pane: Activate Previous Item
J then Shift B	Pane: Activate Last Item
I then Shift B	Pane: Activate Item 0
_ then F	File Finder: Toggle
_ then /	Pane: Deploy Search
_ then Shift S	Project Symbols: Toggle
_ then W then H	Workspace: Activate Pane Left
_ then W then J	Workspace: Activate Pane Down
_ then W then K	Workspace: Activate Pane Up
_ then W then L	Workspace: Activate Pane Right
_ then W then Q	Pane: Close Active Item

VIM · PROJECTPANEL && NOT_EDITING (1/3)	
:	Command Palette: Toggle
%	Project Panel: New File
/	Project Panel: New Search In Directory
D	Project Panel: New Directory
↻	Project Panel: Open Permanent
⌵	Vim: Toggle Project Panel Focus
H	Project Panel: Collapse Selected Entry
J	Vim: Menu Select Next
K	Vim: Menu Select Previous
↓	Vim: Menu Select Next
↑	Vim: Menu Select Previous
L	Project Panel: Expand Selected Entry
Shift D	Project Panel: Delete
Shift R	Project Panel: Rename
T	Project Panel: Open Permanent
V	Project Panel: Open Split Vertical
O	Project Panel: Open Split Horizontal
P	Project Panel: Open
X	Project Panel: Reveal In File Manager
S	Workspace: Open With System
Z then D	Project Panel: Compare Marked Files
J then C	Project Panel: Select Next Git Entry

VIM · PROJECTPANEL && NOT_EDITING (2/3)	
I then C	Project Panel: Select Prev Git Entry
J then D	Project Panel: Select Next Diagnostic
I then D	Project Panel: Select Prev Diagnostic
}	Project Panel: Select Next Directory
{	Project Panel: Select Prev Directory
Shift G	Menu: Select Last
G then G	Menu: Select First
-	Project Panel: Select Parent
Ctrl U	Project Panel: Scroll Up
Ctrl D	Project Panel: Scroll Down
Z then T	Project Panel: Scroll Cursor Top
Z then Z	Project Panel: Scroll Cursor Center
Z then B	Project Panel: Scroll Cursor Bottom
0	Vim: Number 0
1	Vim: Number 1
2	Vim: Number 2
3	Vim: Number 3
4	Vim: Number 4
5	Vim: Number 5
6	Vim: Number 6
7	Vim: Number 7
8	Vim: Number 8

VIM · PROJECTPANEL && NOT_EDITING (3/3)	
9	Vim: Number 9

VIM · OUTLINEPANEL && NOT_EDITING (1/2)	
H	Outline Panel: Collapse Selected Entry
J	Vim: Menu Select Next
K	Vim: Menu Select Previous
↓	Vim: Menu Select Next
↑	Vim: Menu Select Previous
L	Outline Panel: Expand Selected Entry
Shift G	Menu: Select Last
G then G	Menu: Select First
-	Outline Panel: Select Parent
↔	Editor: Toggle Focus
/	Menu: Cancel
Ctrl U	Outline Panel: Scroll Up
Ctrl D	Outline Panel: Scroll Down
Z then T	Outline Panel: Scroll Cursor Top
Z then Z	Outline Panel: Scroll Cursor Center
Z then B	Outline Panel: Scroll Cursor Bottom
0	Vim: Number 0
1	Vim: Number 1
2	Vim: Number 2
3	Vim: Number 3
4	Vim: Number 4
5	Vim: Number 5

VIM · OUTLINEPANEL && NOT_EDITING (2/2)	
6	Vim: Number 6
7	Vim: Number 7
8	Vim: Number 8
9	Vim: Number 9

VIM · OUTLINEPANEL && EDITING	
↔	Menu: Cancel

VIM · GITGRAPH	
→	Git Graph: Focus Next Tab Stop
Shift →	Git Graph: Focus Previous Tab Stop

VIM · GITGRAPHSEARCHBAR > EDITOR	
→	Git Graph: Focus Next Tab Stop
Shift →	Git Graph: Focus Previous Tab Stop

VIM · GITGRAPH && !GITGRAPHSEARCHBAR	
J	Vim: Menu Select Next
K	Vim: Menu Select Previous
Ctrl D	Git Graph: Scroll Down
Ctrl U	Git Graph: Scroll Up
Shift G	Menu: Select Last
G then G	Menu: Select First

VIM · GITPANEL && CHANGESLIST && !GITBRANCHSELECTOR	
K	Menu: Select Previous
J	Menu: Select Next
G then G	Menu: Select First
Shift G	Menu: Select Last
G then F	Menu: Confirm
I	Git Panel: Focus Editor
X	Git: Toggle Staged
Shift X	Git: Stage All
G then X	Git: Stage Range
Shift U	Git: Unstage All

VIM · PICKER > EDITOR	
Ctrl H	Editor: Backspace
Ctrl U	Editor: Delete To Beginning Of Line
Ctrl W	Editor: Delete To Previous Word Start
Ctrl P	Menu: Select Previous
Ctrl N	Menu: Select Next

VIM · GITCOMMIT > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
Ctrl C	Menu: Cancel
⌫	Menu: Cancel

VIM · EDITOR && EDIT_PREDICTION && EDIT_PREDICTION_MODE == EAGER && !SHOWING_COMPLETIONS	
→	Editor: Accept Edit Prediction

VIM · MESSAGEEDITOR > EDITOR && VIMCONTROL	
↩	Agent: Chat

VIM · SETTINGSWINDOW > NAVIGATIONMENU && !SEARCH	
L	Settings Editor: Expand Nav Entry
H	Settings Editor: Collapse Nav Entry
K	Settings Editor: Focus Previous Nav Entry
J	Settings Editor: Focus Next Nav Entry
G then G	Settings Editor: Focus First Nav Entry
Shift G	Settings Editor: Focus Last Nav Entry

VIM · MARKDOWNPREVIEW	
Ctrl U	Markdown: Scroll Page Up
Ctrl D	Markdown: Scroll Page Down
Ctrl Y	Markdown: Scroll Up
Ctrl E	Markdown: Scroll Down
G then G	Markdown: Scroll To Top
Shift G	Markdown: Scroll To Bottom
/	Buffer Search: Deploy

VIM · FILEHISTORYVIEW	
J	Menu: Select Next
K	Menu: Select Previous
G then G	Menu: Select First
Shift G	Menu: Select Last

VIM · NOTEBOOKEDITOR > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
J	Notebook: Notebook Move Down
K	Notebook: Notebook Move Up
⌫	Notebook: Enter Command Mode

VIM · NOTEBOOKEDITOR && NOTEBOOK_MODE == COMMAND	
J	Menu: Select Next
K	Menu: Select Previous
G then G	Menu: Select First
Shift G	Menu: Select Last
I	Notebook: Enter Edit Mode
A	Notebook: Enter Edit Mode
↩	Notebook: Enter Edit Mode
Shift ↩	Notebook: Run And Advance
Ctrl ↩	Notebook: Run

VIM · THREADSSIDEBAR && !EDITOR	
J	Menu: Select Next
K	Menu: Select Previous
H	Menu: Select Parent
L	Menu: Select Child
G then G	Menu: Select First
Shift G	Menu: Select Last
/	Agents Sidebar: Focus Sidebar Filter
D then D	Agent: Remove Selected Thread
O	Agents Sidebar: New Thread In Group
Shift O	Agents Sidebar: New Thread In Group
J then P	Multi Workspace: Next Project
[then P	Multi Workspace: Previous Project
Z then A	Editor: Toggle Fold
Z then C	Menu: Select Parent
Z then O	Menu: Select Child
Z then Shift M	Editor: Fold All
Z then Shift R	Editor: Unfold All

VIM · THREADSSIDEBAR > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
J	Editor: Move Down
K	Editor: Move Up
/	Vim: Switch To Insert Mode
⌫	Menu: Cancel
↩	Editor: Newline