

DEFAULT · GLOBAL (1/3)	
	Debugger: Start
	Debugger: Stop
	Debugger: Rerun Session
	Debugger: Pause
	Debugger: Step Over
	Debugger: Step Into
	Debugger: Step Out
	Menu: Select First
	Menu: Select First
	Menu: Select First
	Menu: Select First
	Menu: Select Last
	Menu: Select Last
	Menu: Select Last
	Menu: Select Last
	Menu: Select Next
	Menu: Select Next
	Menu: Select Next
	Menu: Select Previous
	Menu: Select Previous
	Menu: Select Previous
	Menu: Confirm

DEFAULT · GLOBAL (2/3)	
	Menu: Secondary Confirm
	Menu: Secondary Confirm
	Menu: Cancel
	Menu: Cancel
	Menu: Cancel
	Menu: Cancel
	Menu: Restart
	Workspace: Close Window
	Workspace: Toggle Zoom
	Workspace: Open
	Zed: Increase Buffer Font Size { "persist": false }
	Zed: Increase Buffer Font Size { "persist": false }
	Zed: Decrease Buffer Font Size { "persist": false }
	Zed: Reset Buffer Font Size { "persist": false }
	Zed: Open Settings File
	Zed: Quit
	Zed: Hide
	Zed: Hide Others
	Zed: Minimize
	Zed: Toggle Full Screen
	Zed: Toggle Full Screen
	Edit Prediction: Rate Predictions

DEFAULT · GLOBAL (3/3)	
	Edit Prediction: Toggle Menu
	Lsp Tool: Toggle Menu
	Editor: Display Cursor Names
	Workspace: Toggle Worktree Security
	Workspace: Follow Next Collaborator
	Collab Panel: Toggle Focus
	Dev: Toggle Inspector

DEFAULT · MENU	
	Menu: Select Child
	Menu: Select Parent

DEFAULT · EDITOR (1/8)	
	Editor: Cancel
	Editor: Backspace
	Editor: Backspace
	Editor: Backspace
	Editor: Delete
	Editor: Delete
	Editor: Tab
	Editor: Backtab
	Editor: Transpose
	Editor: Kill Ring Cut
	Editor: Kill Ring Yank
	Editor: Rewrap
	Editor: Rewrap
	Editor: Delete To Beginning Of Line
	Editor: Delete To End Of Line
	Editor: Delete To Previous Word Start { "ignore_newlines": false, "ignore_brackets": false }
	Editor: Delete To Previous Word Start { "ignore_newlines": false, "ignore_brackets": false }
	Editor: Delete To Next Word End { "ignore_newlines": false, "ignore_brackets": false }
	Editor: Delete To Next Word End { "ignore_newlines": false, "ignore_brackets": false }
	Editor: Cut
	Editor: Copy
	Editor: Paste
	Editor: Undo

DEFAULT · EDITOR (2/8)	
	Editor: Redo
	Editor: Move Up
	Editor: Move To Start Of Paragraph
	Editor: Move Page Up
	Editor: Select Page Up
	Editor: Page Up
	Editor: Line Up
	Editor: Move Down
	Editor: Move To End Of Paragraph
	Editor: Move Page Down
	Editor: Select Page Down
	Editor: Page Down
	Editor: Line Down
	Editor: Move Up
	Editor: Move Down
	Editor: Move Left
	Editor: Move Left
	Editor: Move Right
	Editor: Move Right
	Editor: Scroll Cursor Center
	Editor: Move To Previous Word Start
	Editor: Move To Next Word End

DEFAULT · EDITOR (3/8)	
	Editor: Move To Beginning Of Line { "stop_at_soft_wraps": true, "stop_at_indent": true }
	Editor: Move To Beginning Of Line { "stop_at_soft_wraps": false, "stop_at_indent": true }
	Editor: Move To Beginning Of Line { "stop_at_soft_wraps": true, "stop_at_indent": true }
	Editor: Move To End Of Line { "stop_at_soft_wraps": true }
	Editor: Move To End Of Line { "stop_at_soft_wraps": false }
	Editor: Move To End Of Line { "stop_at_soft_wraps": true }
	Editor: Move To Beginning
	Editor: Move To End
	Editor: Move To Beginning
	Editor: Move To End
	Editor: Select Up
	Editor: Select Up
	Editor: Select Down
	Editor: Select Down
	Editor: Select Left
	Editor: Select Left
	Editor: Select Right
	Editor: Select Right
	Editor: Select To Previous Word Start
	Editor: Select To Next Word End
	Editor: Select To Start Of Paragraph
	Editor: Select To End Of Paragraph

DEFAULT · EDITOR (4/8)

  	Editor: Select To Beginning
  	Editor: Select To End
 	Editor: Select All
 	Editor: Select Line
  	Editor: Format
  	Editor: Organize Imports
  	Editor: Select To Beginning Of Line { "stop_at_soft_wraps": true, "stop_at_indent": true }
  	Editor: Select To Beginning Of Line { "stop_at_soft_wraps": true, "stop_at_indent": true }
  	Editor: Select To Beginning Of Line { "stop_at_soft_wraps": true, "stop_at_indent": true }
  	Editor: Select To End Of Line { "stop_at_soft_wraps": true }
  	Editor: Select To End Of Line { "stop_at_soft_wraps": true }
  	Editor: Select To End Of Line { "stop_at_soft_wraps": true }
 	Editor: Move Page Down { "center_cursor": true }
  	Editor: Move Page Up { "center_cursor": true }
  	Editor: Show Character Palette
 	Editor: Toggle Line Numbers
 	Editor: Toggle Selected Diff Hunks
 	Editor: Expand All Diff Hunks
   then 	Git: Blame
   then 	Git: Open Modified Files
   then 	Git: Review Diff
 	Editor: Show Signature Help

DEFAULT · EDITOR (5/8)

	Editor: Toggle Breakpoint
 	Editor: Edit Log Breakpoint
 	Editor: Go To Declaration
  	Editor: Go To Declaration Split
  	Editor: Toggle Edit Prediction
  	Editor: Outdent
  	Editor: Indent
  	Editor: Add Selection Above { "skip_soft_wrap": false }
  	Editor: Add Selection Above { "skip_soft_wrap": true }
  	Editor: Add Selection Below { "skip_soft_wrap": false }
  	Editor: Add Selection Below { "skip_soft_wrap": true }
  	Editor: Delete Line
 	Editor: Move Line Up
 	Editor: Move Line Down
  	Editor: Duplicate Line Up
  	Editor: Duplicate Line Down
  	Editor: Select Smaller Syntax Node
  	Editor: Select Larger Syntax Node
  	Editor: Select Previous Syntax Node
  	Editor: Select Larger Syntax Node
  	Editor: Select Smaller Syntax Node
  	Editor: Select Next Syntax Node

DEFAULT · EDITOR (6/8)

 	Editor: Select Next { "replace_newest": false }
  	Editor: Select All Matches
 	Editor: Select All Matches
  then  	Editor: Select Next { "replace_newest": true }
  	Editor: Select Previous { "replace_newest": false }
  then   	Editor: Select Previous { "replace_newest": true }
  then  	Editor: Hover
  then  	Editor: Blame Hover
 	Editor: Toggle Comments { "advance_downwards": false }
  then  	Editor: Toggle Block Comments
  	Editor: Toggle Block Comments
	Editor: Go To Diagnostic { "severity": { "min": "hint", "max": "error" } }
 	Editor: Go To Previous Diagnostic { "severity": { "min": "hint", "max": "error" } }
	Editor: Rename
	Editor: Go To Definition
 	Editor: Go To Definition Split
 	Editor: Go To Type Definition
 	Editor: Go To Implementation
  	Editor: Go To Type Definition Split
  	Editor: Find All References
 	Editor: Move To Enclosing Bracket
 	Editor: Move To Enclosing Bracket

DEFAULT · EDITOR (7/8)

  	Editor: Fold
  	Editor: Unfold Lines
  then  	Editor: Toggle Fold
  then  	Editor: Fold Recursive
  then  	Editor: Unfold Recursive
  then  	Editor: Fold At Level_1
  then  	Editor: Fold At Level_2
  then  	Editor: Fold At Level_3
  then  	Editor: Fold At Level_4
  then  	Editor: Fold At Level_5
  then  	Editor: Fold At Level_6
  then  	Editor: Fold At Level_7
  then  	Editor: Fold At Level_8
  then  	Editor: Fold At Level_9
  then  	Editor: Fold All
  then  	Editor: Unfold All
 	Editor: Show Completions
  	Editor: Show Word Completions
 	Editor: Toggle Code Actions
  then 	Editor: Reveal In File Manager
  then 	Editor: Copy Path
 	Pane: Split Right

DEFAULT · EDITOR (8/8)

 	Editor: Undo Selection
  	Editor: Redo Selection
 	Editor: Join Lines
   	Editor: Delete To Previous Subword Start
   	Editor: Delete To Previous Subword Start
   	Editor: Delete To Next Subword End
   	Editor: Delete To Next Subword End
   	Editor: Move To Previous Subword Start
   	Editor: Move To Previous Subword Start
   	Editor: Move To Next Subword End
   	Editor: Move To Next Subword End
   	Editor: Select To Previous Subword Start
   	Editor: Select To Previous Subword Start
   	Editor: Select To Next Subword End
   	Editor: Select To Next Subword End

DEFAULT · EDITOR && MODE == FULL	
 	Editor: Newline
	Editor: Newline
 	Editor: Newline Below
  	Editor: Newline Above
  then 	Editor: Toggle Soft Wrap
 	Buffer Search: Deploy
  	Buffer Search: Deploy Replace
  	Buffer Search: Deploy (*selection_search_enabled*:true)
 	Buffer Search: Use Selection For Find
 	Agent: Add Selection To Thread
  	Editor: Select Enclosing Symbol
 	Editor: Open Selections In Multibuffer
  	Outline: Toggle
 	Go To Line: Toggle
  	Editor: Go To Previous Change
   	Editor: Go To Next Change

DEFAULT · EDITOR && MULTIBUFFER	
 	Editor: Move To Start Of Excerpt
 	Editor: Move To Start Of Next Excerpt
  	Editor: Select To Start Of Excerpt
  	Editor: Select To Start Of Next Excerpt

DEFAULT · EDITOR && MODE == FULL && EDIT_PREDICTION	
 	Editor: Next Edit Prediction
  	Editor: Previous Edit Prediction

DEFAULT · EDITOR && !EDIT_PREDICTION	
 	Editor: Show Edit Prediction

DEFAULT · EDITOR && MODE == AUTO_HEIGHT	
 	Editor: Newline
 	Editor: Newline
  	Editor: Newline Below

DEFAULT · MARKDOWN	
 	Markdown: Copy

DEFAULT · EDITOR && JUPYTER	
  	Repl: Run
  	Repl: Run In Place

DEFAULT · EDITOR && !AGENT_DIFF && !AGENTPANEL	
  	Git: Restore
  	Git: Toggle Staged
 	Git: Stage And Next
  	Git: Unstage And Next

DEFAULT · AGENTDIFF	
 	Agent: Keep
  	Agent: Keep
  	Agent: Reject
  	Agent: Keep All
  	Agent: Reject All

DEFAULT · EDITOR && EDITOR_AGENT_DIFF	
 	Agent: Keep
  	Agent: Keep
  	Agent: Reject
  	Agent: Keep All
  	Agent: Reject All
  	Agent: Open Agent Diff

DEFAULT · AGENTPANEL	
 	Agent: New Thread
  	Agent: Open Settings
  	Agent: Toggle Options Menu
   	Agent: Toggle New Thread Menu
  	Project Panel: Toggle Focus
 	Agents Sidebar: Toggle Thread Switcher
  	Agents Sidebar: Toggle Thread Switcher (*select_last*:true)

DEFAULT · AGENTPANEL > MARKDOWN	
 	Markdown: Copy As Markdown

DEFAULT · AGENTFEEDBACKMESSAGEEDITOR > EDITOR	
	Menu: Cancel
	Menu: Confirm
 	Editor: Newline

DEFAULT · AGENTCONFIGURATION	
 	Pane: Go Back

DEFAULT · ACPTHREAD > MODESELECTOR	
 	Menu: Confirm

DEFAULT · ACPTHREAD (1/2)	
 	Agent: New Thread
 	Pane: Go Back
  	Agent: Open Rules Library
  	Agent: Manage Profiles
 	Agent: Toggle Profile Selector
 	Agent: Cycle Mode Selector
  	Agent: Toggle Model Selector
 	Agent: Cycle Favorite Models
  	Agent: Expand Message Editor
 	Agent: Add Selection To Thread
 	Agent: Allow Once
  	Agent: Open Permission Dropdown
  	Agent: Reject Once
 	Agent: Scroll Output Page Up
	Agent: Scroll Output Page Down
	Agent: Scroll Output To Top
	Agent: Scroll Output To Bottom
	Agent: Scroll Output Line Up
	Agent: Scroll Output Line Down
 	Agent: Scroll Output To Previous Message
 	Agent: Scroll Output To Next Message
 	Agent: Scroll Output Page Up

DEFAULT · ACPTHREAD (2/2)	
 	Agent: Scroll Output Page Down
	Agent: Scroll Output To Top
 	Agent: Scroll Output To Bottom
  	Agent: Scroll Output Line Up
  	Agent: Scroll Output Line Down
  	Agent: Scroll Output To Previous Message
  	Agent: Scroll Output To Next Message

DEFAULT · ACPTHREAD > EDITOR (1/2)	
 	Agent: Scroll Output Page Up
 	Agent: Scroll Output Page Down
 	Agent: Scroll Output To Top
 	Agent: Scroll Output To Bottom
  	Agent: Scroll Output Line Up
  	Agent: Scroll Output Line Down
  	Agent: Scroll Output To Previous Message
  	Agent: Scroll Output To Next Message
  R	Agent: Open Agent Diff
  D	Git: Diff
  Y	Agent: Keep All
  Z	Agent: Reject All
  U	Agent: Undo Last Reject
 	Agent: Chat With Follow
  	Agent: Send Immediately
   	Agent: Send Next Queued Message
  	Agent: Remove First Queued Message
  E	Agent: Edit First Queued Message
  	Agent: Clear Message Queue
  V	Agent: Paste Raw
 I	Agent: Toggle Profile Selector
 	Agent: Cycle Mode Selector

DEFAULT · ACPTHREAD > EDITOR (2/2)	
 	Agent: Cycle Favorite Models
 ;	Agent: Open Add Context Menu
  K	Agent: Toggle Thinking Mode
  '	Agent: Toggle Thinking Effort Menu
 '	Agent: Cycle Thinking Effort
  .	Agent: Toggle Fast Mode

DEFAULT · ACPTHREAD > EDITOR && START_OF_INPUT	
	Agent: Scroll Output Page Up
 	Agent: Scroll Output Page Up
 	Agent: Scroll Output To Top

DEFAULT · ACPTHREAD > EDITOR && END_OF_INPUT	
	Agent: Scroll Output Page Down
 	Agent: Scroll Output Page Down
 	Agent: Scroll Output To Bottom

DEFAULT · ACPTHREAD > EDITOR && MODE == FULL	
 	Editor: Open Excerpts

DEFAULT · ACPTHREAD > EDITOR && !USE_MODIFIER_TO_SEND	
	Agent: Chat

DEFAULT · ACPTHREAD > EDITOR && USE_MODIFIER_TO_SEND	
 	Agent: Chat
	Editor: Newline

DEFAULT · THREADHISTORY	
 	Pane: Go Back

DEFAULT · THREADHISTORY > EDITOR	
 	Agent: Remove Selected Thread

DEFAULT · THREADSARCHIVEVIEW	
	Agent: Archive Selected Thread

DEFAULT · RULESLIBRARY	
 N	Rules Library: New Rule
  S	Rules Library: Toggle Default Rule
 W	Workspace: Close Window

DEFAULT · BUFFERSEARCHBAR	
	Buffer Search: Dismiss
	Buffer Search: Focus Editor
	Search: Select Next Match
 	Search: Select Previous Match
  	Editor: Toggle Fold All
 	Search: Select All Matches
 F	Search: Focus Search
  F	Search: Toggle Replace
  L	Search: Toggle Selection
  O	Outline: Toggle

DEFAULT · BUFFERSEARCHBAR && IN_REPLACE > EDITOR	
	Search: Replace Next
 	Search: Replace All

DEFAULT · BUFFERSEARCHBAR && !IN_REPLACE > EDITOR	
 	Editor: Newline
 	Search: Select Previous Match
 ↑	Search: Previous History Query
	Search: Next History Query

DEFAULT · PROJECTSEARCHBAR	
	Project Search: Toggle Focus
  J	Project Search: Toggle Filters
  	Project Search: Toggle All Search Results
  F	Search: Focus Search
  H	Search: Toggle Replace
  G	Search: Toggle Regex
  X	Search: Toggle Regex

DEFAULT · PROJECTSEARCHBAR > EDITOR	
	Search: Previous History Query
	Search: Next History Query

DEFAULT · PROJECTSEARCHBAR && IN_REPLACE > EDITOR	
	Search: Replace Next
 	Search: Replace All

DEFAULT · PROJECTSEARCHBAR && !IN_REPLACE > EDITOR	
 	Editor: Newline

DEFAULT · PROJECTSEARCHVIEW	
	Project Search: Toggle Focus
  J	Project Search: Toggle Filters
  	Project Search: Toggle All Search Results
  H	Search: Toggle Replace
  G	Search: Toggle Regex
  X	Search: Toggle Regex

DEFAULT · PANE (1/2)	
  ←	Pane: Activate Previous Item
 {	Pane: Activate Previous Item
  →	Pane: Activate Next Item
 }	Pane: Activate Next Item
  	Pane: Swap Item Left
  	Pane: Swap Item Right
 W	Pane: Close Active Item { "close_pinned": false }
  T	Pane: Close Other Items { "close_pinned": false }
   W	Workspace: Close Inactive Tabs And Panes
 K then  E	Pane: Close Items To The Left { "close_pinned": false }
 K then  T	Pane: Close Items To The Right { "close_pinned": false }
 K then  U	Pane: Close Clean Items { "close_pinned": false }
 K then  W	Pane: Close All Items { "close_pinned": false }
 K then   W	Workspace: Close All Items And Panes
 F	Project Search: Toggle Focus
 G	Search: Select Next Match
  G	Search: Select Previous Match
  H	Search: Toggle Replace
  L	Search: Toggle Selection
 	Search: Select All Matches
  C	Search: Toggle Case Sensitive
  W	Search: Toggle Whole Word

DEFAULT · PANE (2/2)

	Project Search: Toggle Filters
	Search: Toggle Regex
	Pane: Toggle Pin Tab
	Pane: Activate Item 0
	Pane: Activate Item 1
	Pane: Activate Item 2
	Pane: Activate Item 3
	Pane: Activate Item 4
	Pane: Activate Item 5
	Pane: Activate Item 6
	Pane: Activate Item 7
	Pane: Activate Item 8
	Pane: Activate Last Item
	Pane: Go Back
	Pane: Go Forward
	Pane: Deploy Search
	Pane: Split Up
	Pane: Split Down
	Pane: Split Left
	Pane: Split Right

DEFAULT · EDITOR && EXTENSION == MD

	Markdown: Open Preview To The Side
	Markdown: Open Preview

DEFAULT · EDITOR && EXTENSION == SVG

	Svg: Open Preview To The Side
	Svg: Open Preview

DEFAULT · WORKSPACE (1/4)

	Projects: Open Recent { "create_new_window": false }
	Projects: Open Recent { "create_new_window": false }
	Projects: Open Remote { "from_existing_connection": false, "create_new_window": false }
	Projects: Open Remote { "from_existing_connection": true, "create_new_window": false }
	Branches: Open Recent
	Git: Worktree
	Workspace: New Terminal
	Workspace: Save
	Workspace: Save Without Format
	Toast: Run Action
	Workspace: Save As
	Workspace: New Window
	Terminal Panel: Toggle
	Workspace: Activate Pane 0
	Workspace: Activate Pane 1
	Workspace: Activate Pane 2
	Workspace: Activate Pane 3
	Workspace: Activate Pane 4
	Workspace: Activate Pane 5
	Workspace: Activate Pane 6
	Workspace: Activate Pane 7
	Workspace: Activate Pane 8

DEFAULT · WORKSPACE (2/4)

	Workspace: Toggle Left Dock
	Workspace: Toggle Right Dock
	Workspace: Toggle Right Dock
	Workspace: Toggle Bottom Dock
	Multi Workspace: Toggle Workspace Sidebar
	Multi Workspace: Focus Workspace Sidebar
	Workspace: Toggle All Docks
	Workspace: Reset Active Dock Size
	Workspace: Decrease Active Dock Size { "px": 0 }
	Workspace: Increase Active Dock Size { "px": 0 }
	Workspace: Reset Open Docks Size
	Workspace: Decrease Open Docks Size { "px": 0 }
	Workspace: Increase Open Docks Size { "px": 0 }
	Pane: Deploy Search
	Pane: Deploy Search { "replace_enabled": true }
	Pane: Reopen Closed Item
	Zed: Open Keymap
	Theme Selector: Toggle
	Theme: Toggle Mode
	Settings Profile Selector: Toggle
	Project Symbols: Toggle
	File Finder: Toggle

DEFAULT · WORKSPACE (3/4)

	Tab Switcher: Toggle { "select_last": true }
	Tab Switcher: Toggle
	Command Palette: Toggle
	Diagnostics: Deploy
	Project Panel: Toggle Focus
	Outline Panel: Toggle Focus
	Git Panel: Toggle Focus
	Debug Panel: Toggle Focus
	Agent: Toggle Focus
	Workspace: Save All
	Encoding Selector: Toggle
	Language Selector: Toggle
	Toolchain: Add Toolchain
	Workspace: Unfollow
	Workspace: Activate Pane Left
	Workspace: Activate Pane Right
	Workspace: Activate Pane Up
	Workspace: Activate Pane Down
	Workspace: Swap Pane Left
	Workspace: Swap Pane Right
	Workspace: Swap Pane Up
	Workspace: Swap Pane Down

DEFAULT · WORKSPACE (4/4)		
  	Zed: Extensions	
	Debugger: Rerun	
 	Workspace: Close Active Dock	

DEFAULT · WORKSPACE && !TERMINAL		
 	Workspace: New File	
  	Task: Spawn	
  	Task: Rerun {\"reevaluate_context\":false}	
   	Task: Spawn {\"reveal_target\":\"center\"}	

DEFAULT · THREADSSIDEBAR		
 	Agents Sidebar: New Thread In Group	
	Menu: Select Parent	
	Menu: Select Child	
	Menu: Confirm	
 	Agents Sidebar: Focus Sidebar Filter	
 	Agents Sidebar: Toggle Thread History	
 	Agent: Archive Selected Thread	
  	Agent: Remove Selected Thread	
 	Agents Sidebar: Toggle Thread Switcher	
  	Agents Sidebar: Toggle Thread Switcher {\"select_last\":true}	

DEFAULT · THREADSSIDEBAR && NOT_SEARCHING		
	Menu: Confirm	

DEFAULT · THREADSWITCHER		
 	Agents Sidebar: Toggle Thread Switcher	
  	Agents Sidebar: Toggle Thread Switcher {\"select_last\":true}	

DEFAULT · WORKSPACE && DEBUGGER_RUNNING		
	Debugger: Step Into	

DEFAULT · WORKSPACE && DEBUGGER_STOPPED		
	Debugger: Continue	

DEFAULT · EDITOR && RENAMING		
	Editor: Confirm Rename	

DEFAULT · EDITOR && SHOWING_COMPLETIONS		
	Editor: Confirm Completion	
 	Editor: Confirm Completion Replace	
	Editor: Compose Completion	

DEFAULT · EDITOR && IN_SNIPPET && HAS_NEXT_TABSTOP && !SHOWING_COMPLETIONS		
	Editor: Next Snippet Tabstop	

DEFAULT · EDITOR && IN_SNIPPET && HAS_PREVIOUS_TABSTOP && !SHOWING_COMPLETIONS		
 	Editor: Previous Snippet Tabstop	

DEFAULT · EDITOR && EDIT_PREDICTION		
 	Editor: Accept Edit Prediction	
  	Editor: Accept Next Word Edit Prediction	
  	Editor: Accept Next Line Edit Prediction	

DEFAULT · EDITOR && EDIT_PREDICTION && EDIT_PREDICTION_MODE == EAGER && !SHOWING_COMPLETIONS		
	Editor: Accept Edit Prediction	

DEFAULT · EDITOR && SHOWING_CODE_ACTIONS		
	Editor: Confirm Code Action	

DEFAULT · EDITOR && (SHOWING_CODE_ACTIONS SHOWING_COMPLETIONS)		
	Editor: Context Menu Previous	
 	Editor: Context Menu Previous	
	Editor: Context Menu Next	
 	Editor: Context Menu Next	
	Editor: Context Menu First	
	Editor: Context Menu Last	

DEFAULT · EDITOR && SHOWING_SIGNATURE_HELP && !SHOWING_COMPLETIONS		
	Editor: Signature Help Previous	
	Editor: Signature Help Next	

DEFAULT · !ACPTHREAD > EDITOR && MODE == FULL		
 	Editor: Open Excerpts	
 	Editor: Expand Excerpts	
  	Editor: Open Excerpts Split	
  	Pane: Reveal In Project Panel	
  	Editor: Go To Hunk	
  	Editor: Go To Previous Hunk	
 	Assistant: Inline Assist	
 	Editor: Toggle Inlay Hints	

DEFAULT · INLINEASSISTANT > EDITOR		
  	Agent: Toggle Model Selector	
  	Agent: Cycle Favorite Models	
  	Agent: Cycle Previous Inline Assist	
  	Agent: Cycle Next Inline Assist	
   	Inline Assistant: Thumbs Up Result	
   	Inline Assistant: Thumbs Down Result	

DEFAULT · PROMPT		
	Menu: Select Previous	
	Menu: Select Next	
 	Menu: Select Previous	
 	Menu: Select Next	

DEFAULT · PROJECTSEARCHBAR && !IN_REPLACE		
 	Project Search: Search In New	

DEFAULT · OUTLINEPANEL && NOT_EDITING		
	Menu: Cancel	
	Outline Panel: Collapse Selected Entry	
	Outline Panel: Expand Selected Entry	
  	Workspace: Copy Path	
   	Workspace: Copy Relative Path	
   	Outline Panel: Reveal In File Manager	
	Outline Panel: Open Selected Entry	
 	Menu: Select Next	
 	Menu: Select Previous	
 	Editor: Open Excerpts	
  	Editor: Open Excerpts Split	

DEFAULT · PROJECTPANEL (1/2)		
	Project Panel: Collapse Selected Entry	
 	Project Panel: Collapse All Entries	
	Project Panel: Expand Selected Entry	
  	Project Panel: New File	
  	Project Panel: Duplicate	
   	Project Panel: New Directory	
  	Project Panel: Cut	
  	Project Panel: Copy	
  	Project Panel: Paste	
   	Workspace: Copy Path	
    	Workspace: Copy Relative Path	
  	Project Panel: Undo	
   	Project Panel: Redo	
	Project Panel: Rename	
 	Project Panel: Rename	
 	Project Panel: Trash {\"skip_prompt\":false}	
  	Project Panel: Trash {\"skip_prompt\":false}	
   	Project Panel: Trash {\"skip_prompt\":true}	
   	Project Panel: Delete {\"skip_prompt\":false}	
   	Project Panel: Reveal In File Manager	
   	Workspace: Open With System	
  	Project Panel: Compare Marked Files	

DEFAULT · PROJECTPANEL (2/2)		
   	Project Panel: Delete {\"skip_prompt\":false}	
    	Project Panel: New Search In Directory	
 	Menu: Select Next	
 	Menu: Select Previous	
	Menu: Cancel	

DEFAULT · PROJECTPANEL && NOT_EDITING		
	Project Panel: Open	

DEFAULT · VARIABLELIST	
	Variable List: Collapse Selected Entry
	Variable List: Expand Selected Entry
	Variable List: Edit Variable
	Variable List: Copy Variable Value
	Variable List: Copy Variable Name
	Variable List: Remove Watch
	Variable List: Remove Watch
	Variable List: Add Watch

DEFAULT · GITPANEL	
	Git Panel: Activate Changes Tab
	Git Panel: Activate History Tab
	Git: Fetch
	Git: Push
	Git: Pull
	Git: Pull Rebase
	Git: Force Push
	Git: Diff
	Git: Restore Tracked Files
	Git: Trash Untracked Files
	Git: Stage All
	Git: Unstage All
	Git: Commit
	Git: Amend

DEFAULT · GITPANEL && CHANGESLIST && !GITBRANCHSELECTOR	
	Git Panel: Previous Entry
	Git Panel: Next Entry
	Git Panel: First Entry
	Git Panel: Last Entry
	Git Panel: Collapse Selected Entry
	Git Panel: Expand Selected Entry
	Menu: Confirm
	Git: Toggle Staged
	Git: Toggle Staged
	Git: Stage Range
	Git: Stage File
	Git: Unstage File
	Git Panel: Focus Editor
	Git Panel: Focus Editor
	Git Panel: Toggle Focus
	Git: Restore File
	Git: Restore File
	Git: Restore File
	Git: Restore File
	Git: Restore File

DEFAULT · GITPANEL && COMMITEDITOR	
	Git: Cancel

DEFAULT · GITDIFF > EDITOR	
	Git: Commit
	Git: Amend
	Git: Stage All
	Git: Unstage All
	Git: Restore And Next

DEFAULT · COMMITEDITOR > EDITOR	
	Editor: Newline
	Git: Commit
	Git: Amend
	Git Panel: Focus Changes
	Git Panel: Focus Changes
	Git Panel: Focus Changes
	Git: Expand Commit Editor
	Git: Toggle Fill Commit Editor
	Git: Generate Commit Message

DEFAULT · GITCOMMIT > EDITOR	
	Editor: Newline
	Menu: Cancel
	Git: Commit
	Git: Amend
	Git: Generate Commit Message

DEFAULT · DEBUGPANEL	
	Debugger: Toggle Thread Picker
	Debugger: Toggle Session Picker
	Debugger: Toggle Expand Item

DEFAULT · BREAKPOINTLIST	
	Debugger: Toggle Enable Breakpoint
	Debugger: Unset Breakpoint
	Debugger: Previous Breakpoint Property
	Debugger: Next Breakpoint Property

DEFAULT · COLLABPANEL && NOT_EDITING	
	Collab Panel: Remove
	Menu: Confirm

DEFAULT · COLLABPANEL	
	Collab Panel: Move Channel Up
	Collab Panel: Move Channel Down
	Collab Panel: Open Selected Channel Notes
	Collab Panel: Toggle Selected Channel Favorite

DEFAULT · (COLLABPANEL && EDITING) > EDITOR	
	Collab Panel: Insert Space

DEFAULT · CHANNELMODAL	
	Channel Modal: Toggle Mode

DEFAULT · PICKER > EDITOR	
	Menu: Cancel
	Menu: Select Previous
	Menu: Select Next
	Picker: Confirm Completion
	Picker: Confirm Input
	Picker: Confirm Input

DEFAULT · CHANNELMODAL > PICKER > EDITOR	
	Channel Modal: Toggle Mode

DEFAULT · TOOLCHAINSELECTOR	
	Toolchain: Add Toolchain

DEFAULT · FILEFINDER (FILEFINDER > PICKER > EDITOR)	
	File Finder: Toggle Split Menu
	File Finder: Toggle Filter Menu

DEFAULT · FILEFINDER (FILEFINDER > PICKER > EDITOR) (FILEFINDER > PICKER > MENU)	
	File Finder: Select Previous
	Pane: Split Down
	Pane: Split Up
	Pane: Split Left
	Pane: Split Right

DEFAULT · RECENTPROJECTS (RECENTPROJECTS > PICKER > EDITOR)	
	Recent Projects: Toggle Actions Menu
	Workspace: Add Folder To Project
	Recent Projects: Remove Selected
	Recent Projects: Add To Workspace

DEFAULT · TABSWITCHER	
	Menu: Select Previous
	Menu: Select Previous
	Menu: Select Next
	Tab Switcher: Close Selected Item

DEFAULT · STASHLIST (STASHLIST > PICKER > EDITOR)	
	Stash Picker: Drop Stash Item
	Stash Picker: Show Stash Item

DEFAULT · TERMINAL (1/3)	
	Terminal: Show Character Palette
	Terminal: Copy
	Terminal: Paste
	Terminal: Paste Text
	Buffer Search: Deploy
	Editor: Select All
	Terminal: Clear
	Workspace: New Terminal
	Assistant: Inline Assist
	Terminal: Send Keystroke "ctrl-u"
	Terminal: Send Text "u001bd"
	Terminal: Send Keystroke "ctrl-k"
	Terminal: Send Keystroke "ctrl-e"
	Terminal: Send Keystroke "ctrl-a"
	Terminal: Send Text "u001bb"
	Terminal: Send Text "u001bf"
	Terminal: Send Text "u001bb"
	Terminal: Send Text "u001bf"
	Terminal: Send Text "u001b[3;5~"
	Terminal: Send Keystroke "up"
	Terminal: Send Keystroke "pageup"
	Terminal: Send Keystroke "down"

DEFAULT · TERMINAL (2/3)	
	Terminal: Send Keystroke "pagedown"
	Terminal: Send Keystroke "escape"
	Terminal: Send Keystroke "enter"
	Terminal: Send Keystroke "ctrl-c"
	Terminal: Send Keystroke "ctrl-r"
	Terminal: Send Keystroke "ctrl-w"
	Terminal: Scroll Page Up
	Terminal: Scroll Page Up
	Terminal: Scroll Page Down
	Terminal: Scroll Page Down
	Terminal: Scroll Line Up
	Terminal: Scroll Line Down
	Terminal: Scroll To Top
	Terminal: Scroll To Top
	Terminal: Scroll To Bottom
	Terminal: Toggle Vi Mode
	Pane: Split Up
	Pane: Split Down
	Pane: Split Left
	Pane: Split Right
	Pane: Split Right

DEFAULT · TERMINAL (3/3)	
	Terminal: Rerun Task
	Agent: Add Selection To Thread

DEFAULT · AGENTPANEL > TERMINAL	
	Agent: New Thread

DEFAULT · RATEPREDICTIONSMODAL	
	Zeta: Thumbs Up Active Prediction
	Zeta: Thumbs Down Active Prediction
	Zeta: Next Edit
	Zeta: Previous Edit
	Zeta: Preview Prediction

DEFAULT · RATEPREDICTIONSMODAL > EDITOR	
	Zeta: Focus Predictions
	Zeta: Thumbs Up Active Prediction
	Zeta: Thumbs Down Active Prediction

DEFAULT · ZEDPREDICTMODAL	
	Menu: Cancel

DEFAULT · CONFIGURECONTEXTSERVERMODAL > EDITOR	
	Menu: Cancel
	Editor: Newline
	Menu: Confirm

DEFAULT · CONTEXTSERVERTOOLSMODAL	
	Menu: Cancel

DEFAULT · ONBOARDINGAICONFIGURATIONMODAL	
	Menu: Cancel

DEFAULT · DIAGNOSTICS	
	Diagnostics: Toggle Diagnostics Refresh

DEFAULT · DEBUGCONSOLE > EDITOR	
	Menu: Confirm
	Console: Watch Expression

DEFAULT · RUNMODAL	
	Pane: Activate Next Item
	Pane: Activate Previous Item
	New Process Modal: Activate Task Tab
	New Process Modal: Activate Debug Tab
	New Process Modal: Activate Attach Tab
	New Process Modal: Activate Launch Tab

DEFAULT · MARKDOWNPREVIEW	
	Markdown: Scroll Page Up
	Markdown: Scroll Page Down
	Markdown: Scroll Up
	Markdown: Scroll Down
	Markdown: Scroll Up By Item
	Markdown: Scroll Down By Item
	Markdown: Scroll To Top
	Markdown: Scroll To Bottom
	Buffer Search: Deploy

DEFAULT · KEYMAPEDITOR	
	Search: Focus Search
	Keymap Editor: Toggle Keystroke Search
	Keymap Editor: Toggle Conflict Filter
	Keymap Editor: Edit Binding
	Keymap Editor: Create Binding
	Keymap Editor: Open Create Keybinding Modal
	Keymap Editor: Copy Action
	Keymap Editor: Copy Context
	Keymap Editor: Show Matching Keybinds
	Zed: Open Keymap File

DEFAULT · KEYSTROKEINPUT		
		Keystroke Input: Start Recording
	then	Keystroke Input: Stop Recording
		Keystroke Input: Clear Keystrokes

DEFAULT · KEYBINDEDITORMODAL		
		Menu: Confirm
		Menu: Cancel

DEFAULT · KEYBINDEDITORMODAL > EDITOR		
		Menu: Select Previous
		Menu: Select Next

DEFAULT · ONBOARDING		
		Zed: Increase Ui Font Size (*persist":false)
		Zed: Increase Ui Font Size (*persist":false)
		Zed: Decrease Ui Font Size (*persist":false)
		Zed: Reset Ui Font Size (*persist":false)
		Onboarding: Finish
		Onboarding: Sign In
		Onboarding: Open Account

DEFAULT · WELCOME		
		Workspace: New File
		Zed: Increase Ui Font Size (*persist":false)
		Zed: Increase Ui Font Size (*persist":false)
		Zed: Decrease Ui Font Size (*persist":false)
		Zed: Reset Ui Font Size (*persist":false)
		Welcome: Open Recent Project 0
		Welcome: Open Recent Project 1
		Welcome: Open Recent Project 2
		Welcome: Open Recent Project 3
		Welcome: Open Recent Project 4

DEFAULT · INVALIDBUFFER		
		Workspace: Open With System

DEFAULT · !SETTINGSWINDOW		
		Zed: Open Settings

DEFAULT · SETTINGSWINDOW		
		Workspace: Close Window
		Workspace: Close Window
		Settings Editor: Minimize
		Search: Focus Search
		Settings Editor: Open Current File
		Settings Editor: Toggle Focus Nav
		Settings Editor: Toggle Focus Nav
		Settings Editor: Focus File 0
		Settings Editor: Focus File 1
		Settings Editor: Focus File 2
		Settings Editor: Focus File 3
		Settings Editor: Focus File 4
		Settings Editor: Focus File 5
		Settings Editor: Focus File 6
		Settings Editor: Focus File 7
		Settings Editor: Focus File 8
		Settings Editor: Focus File 9
		Settings Editor: Focus Previous File
		Settings Editor: Focus Next File

DEFAULT · STASHDIFF > EDITOR		
		Git: Apply Current Stash
		Git: Pop Current Stash
		Git: Drop Current Stash

DEFAULT · SETTINGSWINDOW > NAVIGATIONMENU		
		Settings Editor: Focus Previous Nav Entry
		Settings Editor: Focus Previous Nav Entry
		Settings Editor: Focus Next Nav Entry
		Settings Editor: Focus Next Nav Entry
		Settings Editor: Expand Nav Entry
		Settings Editor: Collapse Nav Entry
		Settings Editor: Focus Previous Root Nav Entry
		Settings Editor: Focus Next Root Nav Entry
		Settings Editor: Focus First Nav Entry
		Settings Editor: Focus Last Nav Entry

DEFAULT · EDITPREDICTIONCONTEXT > EDITOR		
		Dev: Edit Prediction Context Go Back
		Dev: Edit Prediction Context Go Forward

DEFAULT · GITBRANCHSELECTOR (GITBRANCHSELECTOR > PICKER > EDITOR)		
		Branch Picker: Delete Branch
		Branch Picker: Force Delete Branch
		Branch Picker: Filter Remotes

DEFAULT · IMAGEVIEWER		
		Image Viewer: Zoom In
		Image Viewer: Zoom In
		Image Viewer: Zoom Out
		Image Viewer: Reset Zoom
		Image Viewer: Zoom To Actual Size
		Image Viewer: Fit To View

DEFAULT · GITPICKER		
		Git Picker: Activate Branches Tab
		Git Picker: Activate Stash Tab

DEFAULT · WORKTREEPICKER (WORKTREEPICKER > PICKER > EDITOR)		
		Worktree Picker: Delete Worktree
		Worktree Picker: Force Delete Worktree

DEFAULT · NOTEBOOKEDITOR		
		Notebook: Run And Advance
		Notebook: Run
		Notebook: Run All
		Notebook: Move Cell Up
		Notebook: Move Cell Down
		Notebook: Add Code Block
		Notebook: Add Markdown Block
		Notebook: Restart Kernel
		Notebook: Interrupt Kernel

DEFAULT · NOTEBOOKEDITOR && NOTEBOOK_MODE == COMMAND		
		Notebook: Enter Edit Mode
		Menu: Select Next
		Menu: Select Previous

DEFAULT · NOTEBOOKEDITOR > EDITOR		
		Editor: Newline
		Notebook: Run And Advance
		Notebook: Run
		Notebook: Run All
		Notebook: Move Cell Up
		Notebook: Move Cell Down
		Notebook: Add Code Block
		Notebook: Add Markdown Block
		Notebook: Restart Kernel
		Notebook: Interrupt Kernel
		Notebook: Enter Command Mode

DEFAULT · GITGRAPH		
		Git Graph: Focus Next Tab Stop
		Git Graph: Focus Previous Tab Stop

DEFAULT · GITGRAPHSEARCHBAR > EDITOR		
		Git Graph: Focus Next Tab Stop
		Git Graph: Focus Previous Tab Stop

VIM MODE

VIM · VIMCONTROL && !MENU (1/8)

I	Vim: Push Object { "around": false }
A	Vim: Push Object { "around": true }
←	Vim: Left
H	Vim: Left
↵	Vim: Wrapping Left
↓	Vim: Down
^ J	Vim: Down
J	Vim: Down
^ M	Vim: Next Line Start
+	Vim: Next Line Start
↶	Vim: Next Line Start
-	Vim: Previous Line Start
⏪ →	Vim: Tab
↶	Vim: Tab
↑	Vim: Up
K	Vim: Up
→	Vim: Right
L	Vim: Right
↷	Vim: Wrapping Right
↵	Vim: End Of Line
\$	Vim: End Of Line
^	Vim: First Non Whitespace

VIM · VIMCONTROL && !MENU (2/8)

↵	Vim: Start Of Line Downward
G then ↵	Vim: End Of Line Downward
⏪ G	Vim: End Of Document
{	Vim: Start Of Paragraph
}	Vim: End Of Paragraph
(	Vim: Sentence Backward
)	Vim: Sentence Forward
 	Vim: Go To Column
W	Vim: Next Word Start
E	Vim: Next Word End
B	Vim: Previous Word Start
G then E	Vim: Previous Word End
⏪ W	Vim: Next Word Start { "ignore_punctuation": true }
⏪ E	Vim: Next Word End { "ignore_punctuation": true }
⏪ B	Vim: Previous Word Start { "ignore_punctuation": true }
G then ⏪ E	Vim: Previous Word End { "ignore_punctuation": true }
/	Vim: Search
G then /	Pane: Deploy Search
?	Vim: Search { "backwards": true }
*	Vim: Move To Next
#	Vim: Move To Previous
N	Vim: Move To Next Match

VIM · VIMCONTROL && !MENU (3/8)

⏪ N	Vim: Move To Previous Match
%	Vim: Matching { "match_quotes": true }
F	Vim: Push Find Forward { "before": false, "multiline": false }
T	Vim: Push Find Forward { "before": true, "multiline": false }
⏪ F	Vim: Push Find Backward { "after": false, "multiline": false }
⏪ T	Vim: Push Find Backward { "after": true, "multiline": false }
M	Vim: Push Mark
'	Vim: Push Jump { "line": true }
`	Vim: Push Jump { "line": false }
;	Vim: Repeat Find
,	Vim: Repeat Find Reversed
^ O	Pane: Go Back
^ I	Pane: Go Forward
^ J	Editor: Go To Definition
^ T	Pane: Go To Older Tag
⌘	Vim: Switch To Normal Mode
^ I	Vim: Switch To Normal Mode
V	Vim: Toggle Visual
⏪ V	Vim: Toggle Visual Line
^ G	Vim: Show Location
^ V	Vim: Toggle Visual Block
^ Q	Vim: Toggle Visual Block

VIM · VIMCONTROL && !MENU (4/8)

⏪ K	Editor: Hover
⏪ R	Vim: Toggle Replace
⌘	Vim: Start Of Line
↵	Vim: Start Of Line
^ F	Vim: Page Down
⌘	Vim: Page Down
^ B	Vim: Page Up
⌘	Vim: Page Up
^ D	Vim: Scroll Down
^ U	Vim: Scroll Up
^ E	Vim: Line Down
^ Y	Vim: Line Up
G then ⏪ R	Vim: Push Replace With Register
G then R then N	Editor: Rename
G then R then R	Editor: Find All References
G then R then I	Editor: Go To Implementation
G then R then A	Editor: Toggle Code Actions
G then G	Vim: Start Of Document
G then H	Editor: Hover
G then B	Editor: Blame Hover
G then D	Editor: Go To Definition
G then ⏪ D	Editor: Go To Declaration

VIM · VIMCONTROL && !MENU (5/8)

G then Y	Editor: Go To Type Definition
G then ⏪ I	Editor: Go To Implementation
G then X	Editor: Open Uri
G then F	Editor: Open Selected Filename
G then N	Vim: Select Next Match
G then ⏪ N	Vim: Select Previous Match
G then L	Vim: Select Next
G then ⏪ L	Vim: Select Previous
G then >	Editor: Select Next { "replace_newest": true }
G then <	Editor: Select Previous { "replace_newest": true }
G then A	Editor: Select All Matches
G then S	Outline: Toggle
G then ⏪ O	Outline: Toggle
G then ⏪ S	Project Symbols: Toggle
G then .	Editor: Toggle Code Actions
G then ⏪ A	Editor: Find All References
G then ⋮	Editor: Open Excerpts
G then *	Vim: Move To Next { "partial_word": true }
G then #	Vim: Move To Previous { "partial_word": true }
G then J	Vim: Down { "display_lines": true }
G then ↓	Vim: Down { "display_lines": true }
G then K	Vim: Up { "display_lines": true }

VIM · VIMCONTROL && !MENU (6/8)

G then ↑	Vim: Up {"display_lines":true}
G then \$	Vim: End Of Line {"display_lines":true}
G then ↘	Vim: End Of Line {"display_lines":true}
G then 0	Vim: Start Of Line {"display_lines":true}
G then ↖	Vim: Start Of Line {"display_lines":true}
G then ⌕ M	Vim: Middle Of Line {"display_lines":true}
G then ^	Vim: First Non Whitespace {"display_lines":true}
G then V	Vim: Restore Visual Selection
G then J	Editor: Go To Diagnostic
G then [	Editor: Go To Previous Diagnostic
G then I	Vim: Insert At Previous
G then ,	Vim: Change List Newer
G then ;	Vim: Change List Older
⌕ H	Vim: Window Top
⌕ M	Vim: Window Middle
⌕ L	Vim: Window Bottom
Q	Vim: Toggle Record
⌕ Q	Vim: Replay Last Recording
@	Vim: Push Replay Register
Z then ↻	Workspace: Send Keystrokes "z t ^"
Z then -	Workspace: Send Keystrokes "z b ^"
Z then ^	Workspace: Send Keystrokes "shift-h k z b ^"

VIM · VIMCONTROL && !MENU (7/8)

Z then +	Workspace: Send Keystrokes "shift-l j z t ^"
Z then T	Editor: Scroll Cursor Top
Z then Z	Editor: Scroll Cursor Center
Z then .	Workspace: Send Keystrokes "z z ^"
Z then B	Editor: Scroll Cursor Bottom
Z then A	Editor: Toggle Fold
Z then ⌕ A	Editor: Toggle Fold Recursive
Z then C	Editor: Fold
Z then ⌕ C	Editor: Fold Recursive
Z then O	Editor: Unfold Lines
Z then ⌕ O	Editor: Unfold Recursive
Z then F	Editor: Fold Selected Ranges
Z then ⌕ M	Editor: Fold All
Z then ⌕ R	Editor: Unfold All
Z then L	Vim: Column Right
Z then H	Vim: Column Left
Z then ⌕ L	Vim: Half Page Right
Z then ⌕ H	Vim: Half Page Left
⌕ Z then ⌕ Q	Pane: Close Active Item {"save_intent":"skip"}
⌕ Z then ⌕ Z	Pane: Close Active Item {"save_intent":"save_all"}
1	Vim: Number 1
2	Vim: Number 2

VIM · VIMCONTROL && !MENU (8/8)

3	Vim: Number 3
4	Vim: Number 4
5	Vim: Number 5
6	Vim: Number 6
7	Vim: Number 7
8	Vim: Number 8
9	Vim: Number 9
^ W then D	Editor: Go To Definition Split
^ W then G then D	Editor: Go To Definition Split
^ W then J	Editor: Go To Definition Split
^ W then ^ J	Editor: Go To Definition Split
^ W then ⌕ D	Editor: Go To Type Definition Split
^ W then G then ⌕	Editor: Go To Type Definition Split
D	
^ W then ␣	Editor: Open Excerpts Split
^ W then G then ␣	Editor: Open Excerpts Split
^ ^	Pane: Alternate File
.	Vim: Repeat

VIM · VIM_MODE == NORMAL || VIM_MODE == VISUAL || VIM_MODE == OPERATOR (1/2)

J then J	Vim: Next Section Start
J then [	Vim: Next Section End
[then [	Vim: Previous Section Start
[then J	Vim: Previous Section End
J then M	Vim: Next Method Start
J then ⌕ M	Vim: Next Method End
[then M	Vim: Previous Method Start
[then ⌕ M	Vim: Previous Method End
[then *	Vim: Previous Comment
[then /	Vim: Previous Comment
J then *	Vim: Next Comment
J then /	Vim: Next Comment
[then -	Vim: Previous Lesser Indent
[then +	Vim: Previous Greater Indent
[then =	Vim: Previous Same Indent
J then -	Vim: Next Lesser Indent
J then +	Vim: Next Greater Indent
J then =	Vim: Next Same Indent
J then B	Pane: Activate Next Item
[then B	Pane: Activate Previous Item
J then ⌕ B	Pane: Activate Last Item
[then ⌕ B	Pane: Activate Item 0

VIM · VIM_MODE == NORMAL || VIM_MODE == VISUAL || VIM_MODE == OPERATOR (2/2)

J then ␣	Vim: Insert Empty Line Below
[then ␣	Vim: Insert Empty Line Above
[then E	Editor: Move Line Up
J then E	Editor: Move Line Down
[then F	Workspace: Follow Next Collaborator
J then F	Workspace: Follow Next Collaborator
J then }	Vim: Unmatched Forward {"char":"}"
[then {	Vim: Unmatched Backward {"char":"{"}
J then)	Vim: Unmatched Forward {"char":")"
[then (	Vim: Unmatched Backward {"char":"("}
[then R	Vim: Go To Previous Reference
J then R	Vim: Go To Next Reference
[then X	Vim: Select Larger Syntax Node
J then X	Vim: Select Smaller Syntax Node

VIM · VIM_MODE == NORMAL (1/3)	
I	Vim: Insert Before
A	Vim: Insert After
^ I	Editor: Cancel
:	Command Palette: Toggle
C	Vim: Push Change
⇧ C	Vim: Change To End Of Line
D	Vim: Push Delete
⌫	Vim: Delete Right
G then ⇧ J	Vim: Join Lines No Whitespace
Y	Vim: Push Yank
⇧ Y	Vim: Yank Line
X	Vim: Delete Right
⇧ X	Vim: Delete Left
^ A	Vim: Increment
^ X	Vim: Decrement
^ R	Vim: Redo
>	Vim: Push Indent
<	Vim: Push Outdent
=	Vim: Push Auto Indent
!	Vim: Push Shell Command
G then U	Vim: Push Lowercase
G then ⇧ U	Vim: Push Uppercase

VIM · VIM_MODE == NORMAL (2/2)	
G then ~	Vim: Push Opposite Case
G then ?	Vim: Push Rot13
G then W	Vim: Push Rewrap
G then Q	Vim: Push Rewrap
insert	Vim: Insert Before
J then D	Editor: Go To Diagnostic
[then D	Editor: Go To Previous Diagnostic
J then C	Editor: Go To Hunk
[then C	Editor: Go To Previous Hunk
G then C	Vim: Push Toggle Comments
G then B	Vim: Push Toggle Block Comments

VIM · VIMCONTROL && VIMCOUNT	
0	Vim: Number 0
:	Vim: Count Command
%	Vim: Go To Percentage

VIM · VIM_MODE == VISUAL (1/3)	
:	Vim: Visual Command
U	Vim: Convert To Lower Case
⇧ U	Vim: Convert To Upper Case
⇧ O	Vim: Other End
O	Vim: Other End Row Aware
D	Vim: Visual Delete
X	Vim: Visual Delete
⌫	Vim: Visual Delete
⇧ D	Vim: Visual Delete Line
⇧ X	Vim: Visual Delete Line
Y	Vim: Visual Yank
⇧ Y	Vim: Visual Yank Line
P	Vim: Paste
⇧ P	Vim: Paste { "preserve_clipboard": true }
C	Vim: Substitute
S	Vim: Substitute
⇧ R	Vim: Substitute Line
⇧ S	Vim: Substitute Line
~	Vim: Change Case
*	Vim: Move To Next { "partial_word": true }
#	Vim: Move To Previous { "partial_word": true }
^ A	Vim: Increment

VIM · VIM_MODE == VISUAL (2/3)	
^ X	Vim: Decrement
G then ^ A	Vim: Increment { "step": true }
G then ^ X	Vim: Decrement { "step": true }
⇧ I	Vim: Insert Before
⇧ A	Vim: Insert After
G then ⇧ I	Vim: Visual Insert First Non White Space
G then ⇧ A	Vim: Visual Insert End Of Line
⇧ J	Vim: Join Lines
G then ⇧ J	Vim: Join Lines No Whitespace
R	Vim: Push Replace
^ C	Vim: Switch To Normal Mode
^ [	Vim: Switch To Normal Mode
o	Vim: Switch To Normal Mode
>	Vim: Indent
<	Vim: Outdent
=	Vim: Auto Indent
!	Vim: Shell Command
I	Vim: Push Object { "around": false }
A	Vim: Push Object { "around": true }
G then ⇧ R	Vim: Paste { "preserve_clipboard": true }
G then C	Vim: Toggle Comments
G then B	Vim: Toggle Block Comments

VIM · VIM_MODE == VISUAL (3/3)	
G then Q	Vim: Rewrap
G then W	Vim: Rewrap
G then ?	Vim: Convert To Rot13
"	Vim: Push Register

VIM · VIM_MODE == HELIX_SELECT	
V	Vim: Normal Before
;	Vim: Helix Collapse Selection
~	Vim: Change Case
^ A	Vim: Increment
^ X	Vim: Decrement
⇧ J	Vim: Join Lines
I	Vim: Insert Before
A	Vim: Insert After
O	Vim: Insert Line Below
⇧ O	Vim: Insert Line Above
P	Vim: Paste
U	Vim: Undo
R	Vim: Push Replace
S	Vim: Substitute
^ #	Pane: Activate Previous Item
^ ↓	Pane: Activate Next Item
.	Vim: Repeat
⌵ .	Vim: Repeat Find

VIM · VIM_MODE == INSERT (1/2)	
^ C	Vim: Normal Before
^ [	Vim: Normal Before
o	Vim: Normal Before
^ X then ^ O	Editor: Show Completions
^ X then ^ A	Assistant: Inline Assist
^ X then ^ C	Editor: Show Edit Prediction
^ X then ^ L	Editor: Toggle Code Actions
^ X then ^ Z	Editor: Cancel
^ X then ^ E	Vim: Line Down
^ X then ^ Y	Vim: Line Up
^ W	Editor: Delete To Previous Word Start { "ignore_newlines": false, "ignore_brackets": false }
^ U	Editor: Delete To Beginning Of Line
^ T	Vim: Indent
^ D	Vim: Outdent
^ Y	Vim: Insert From Above
^ E	Vim: Insert From Below
^ K	Vim: Push Digraph { }
^ V	Vim: Push Literal { }
^ ⇧ V	Editor: Paste
^ Q	Vim: Push Literal { }
^ ⇧ Q	Vim: Push Literal { }
^ R	Vim: Push Register

VIM · VIM_MODE == INSERT (2/2)

	Vim: Toggle Replace
	Vim: Temporary Normal
	Editor: Show Signature Help

VIM · SHOWING_COMPLETIONS

	Vim: Scroll Down
	Vim: Scroll Up
	Vim: Line Down
	Vim: Line Up

VIM · (VIM_MODE == NORMAL || VIM_MODE == HELIX_NORMAL) && !MENU

	Editor: Cancel
	Vim: Delete To End Of Line
	Vim: Join Lines
	Vim: Yank Line
	Vim: Insert First Non Whitespace
	Vim: Insert End Of Line
	Vim: Insert Line Below
	Vim: Insert Line Above
	Vim: Change Case
	Vim: Increment
	Vim: Decrement
	Vim: Paste
	Vim: Paste ({"before":true})
	Vim: Undo
	Vim: Undo Last Line
	Vim: Push Replace
	Vim: Substitute
	Vim: Substitute Line
	Vim: Push Register
	Pane: Activate Next Item
	Pane: Activate Previous Item

VIM · VIMCONTROL && VIM_MODE == HELIX_NORMAL && !MENU && !BUFFERSEARCHBAR

	Vim: Down ({"display_lines":true})
	Vim: Down ({"display_lines":true})
	Vim: Up ({"display_lines":true})
	Vim: Up ({"display_lines":true})
	Vim: Down
	Vim: Down
	Vim: Up
	Vim: Up
	Vim: Switch To Helix Normal Mode
	Vim: Helix Insert
	Vim: Helix Append
	Vim: Helix Insert End Of Line
	Editor: Cancel

VIM · VIM_MODE == HELIX_SELECT && !MENU && !BUFFERSEARCHBAR

	Vim: Switch To Helix Normal Mode
--	----------------------------------

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (1/5)

	Vim: Wrapping Left
	Vim: Wrapping Left
	Vim: Wrapping Right
	Vim: Wrapping Right
	Vim: Push Find Forward ({"before":true,"multiline":true})
	Vim: Push Find Forward ({"before":false,"multiline":true})
	Vim: Push Find Backward ({"after":true,"multiline":true})
	Vim: Push Find Backward ({"after":false,"multiline":true})
	Vim: Repeat Find
	Editor: Paste
	Vim: Convert To Lower Case
	Vim: Convert To Upper Case
	Vim: Insert Before
	Editor: Redo
	Vim: Redo
	Vim: Helix Yank
	Vim: Helix Paste
	Vim: Helix Paste ({"before":true})
	Vim: Indent
	Vim: Undo
	Vim: Outdent
	Vim: Auto Indent
	Vim: Helix Delete

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (2/5)

	Editor: Delete
	Vim: Helix Substitute
	Vim: Helix Substitute No Yank
	Vim: Helix Select Regex
	Editor: Split Selection Into Lines ({"keep_selections":true})
	Vim: Helix Collapse Selection
	Vim: Other End
	Vim: Helix Keep Newest Selection
	Vim: Helix Duplicate Below
	Vim: Helix Duplicate Above
	Editor: Select All
	Vim: Helix Select Line
	Editor: Select Line
	Editor: Toggle Comments
	Editor: Select Larger Syntax Node
	Editor: Select Smaller Syntax Node
	Editor: Select Previous Syntax Node
	Editor: Select Next Syntax Node
	Vim: Helix Select Next
	Vim: Helix Select Previous
	Vim: End Of Document
	Vim: Start Of Line

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (3/5)

	Vim: End Of Line
	Vim: First Non Whitespace
	Vim: Window Top
	Vim: Window Middle
	Vim: Window Bottom
	Editor: Find All References
	Pane: Activate Next Item
	Pane: Activate Next Item
	Pane: Activate Previous Item
	Pane: Activate Previous Item
	Vim: Helix Jump To Word
	Vim: Helix Goto Last Modification
	Editor: Toggle Selected Diff Hunks
	Git: Toggle Staged
	Git: Restore
	Git: Stage And Next
	Git: Unstage And Next
	Pane: Split Right
	Pane: Split Down
	Workspace: Activate Pane Left
	Workspace: Activate Pane Down
	Workspace: Activate Pane Up

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (4/5)

 then  then 	Workspace: Activate Pane Right
 then  then 	Pane: Close Active Item
 then  then 	Pane: Split Right
 then  then 	Pane: Split Down
 then 	Tab Switcher: Toggle All
 then 	File Finder: Toggle
 then 	Editor: Hover
 then 	Outline: Toggle
 then  	Project Symbols: Toggle
 then 	Editor: Go To Diagnostic
 then 	Editor: Rename
 then 	Editor: Toggle Code Actions
 then 	Editor: Select All Matches
 then 	Editor: Toggle Comments
 then 	Editor: Paste
 then 	Editor: Copy
 then 	Pane: Deploy Search
	Command Palette: Toggle
	Vim: Push Helix Match
	Vim: Push Helix Next { "around": true }
	Vim: Push Helix Previous { "around": true }
 	Editor: Save Location

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (5/5)

 then 	Vim: Push Rewrap
---	------------------

VIM · VIM_MODE == INSERT && !(SHOWING_CODE_ACTIONS || SHOWING_COMPLETIONS)

 	Editor: Show Word Completions
 	Editor: Show Word Completions

VIM · (VIM_MODE == INSERT || VIM_MODE == NORMAL) && SHOWING_SIGNATURE_HELP && !SHOWING_COMPLETIONS

 	Editor: Signature Help Previous
 	Editor: Signature Help Next

VIM · VIM_MODE == REPLACE

 	Vim: Normal Before
 	Vim: Normal Before
	Vim: Normal Before
 	Vim: Push Digraph ⌫
 	Vim: Push Literal ⌫
  	Editor: Paste
 	Vim: Push Literal ⌫
  	Vim: Push Literal ⌫
	Vim: Undo Replace
	Vim: Tab
	Vim: Enter
	Vim: Insert Before

VIM · VIM_MODE == WAITING

	Vim: Tab
	Vim: Enter
 	Vim: Clear Operators
 	Vim: Clear Operators
	Vim: Clear Operators
 	Vim: Push Digraph ⌫
 	Vim: Push Literal ⌫
 	Vim: Push Literal ⌫

VIM · EDITOR && VIM_MODE == WAITING && (VIM_OPERATOR == YS || VIM_OPERATOR == CS)

	Vim: Switch To Normal Mode
---	----------------------------

VIM · VIM_MODE == OPERATOR

 	Vim: Clear Operators
 	Vim: Clear Operators
	Vim: Clear Operators
 then 	Vim: Comment

VIM · VIM_OPERATOR == A || VIM_OPERATOR == I || VIM_OPERATOR == CS || VIM_OPERATOR == HELIX_NEXT || VIM_OPERATOR == HELIX_PREVIOUS (1/2)

	Vim: Word
 	Vim: Word { "ignore_punctuation": true }
	Vim: Tag
	Vim: Sentence
	Vim: Paragraph
	Vim: Quotes
	Vim: Back Quotes
	Vim: Double Quotes
	Vim: Mini Quotes
	Vim: Vertical Bars
	Vim: Parentheses { "opening": true }
	Vim: Parentheses
	Vim: Parentheses
	Vim: Square Brackets { "opening": true }
	Vim: Square Brackets
	Vim: Square Brackets
	Vim: Curly Brackets { "opening": true }
	Vim: Curly Brackets
 	Vim: Curly Brackets
	Vim: Angle Brackets { "opening": true }
	Vim: Angle Brackets
	Vim: Argument

VIM · VIM_OPERATOR == A || VIM_OPERATOR == I || VIM_OPERATOR == CS || VIM_OPERATOR == HELIX_NEXT || VIM_OPERATOR == HELIX_PREVIOUS (2/2)

	Vim: Indent Obj
 	Vim: Indent Obj { "include_below": true }
	Vim: Method
	Vim: Class
	Vim: Entire File

VIM · VIM_OPERATOR == HELIX_M

	Vim: Matching { "match_quotes": true }
	Vim: Push Helix Surround Add
	Vim: Push Helix Surround Replace
	Vim: Push Helix Surround Delete

VIM · VIM_OPERATOR == HELIX_NEXT	
Z	Vim: Next Section Start
↑ Z	Vim: Next Section End
*	Vim: Next Comment
/	Vim: Next Comment
-	Vim: Next Lesser Indent
+	Vim: Next Greater Indent
=	Vim: Next Same Indent
B	Pane: Activate Next Item
↑ B	Pane: Activate Last Item
X	Editor: Select Smaller Syntax Node
D	Editor: Go To Diagnostic
C	Editor: Go To Hunk
_	Vim: Insert Empty Line Below

VIM · VIM_OPERATOR == HELIX_PREVIOUS	
Z	Vim: Previous Section Start
↑ Z	Vim: Previous Section End
*	Vim: Previous Comment
/	Vim: Previous Comment
-	Vim: Previous Lesser Indent
+	Vim: Previous Greater Indent
=	Vim: Previous Same Indent
B	Pane: Activate Previous Item
↑ B	Pane: Activate Item 0
X	Editor: Select Larger Syntax Node
D	Editor: Go To Previous Diagnostic
C	Editor: Go To Previous Hunk
_	Vim: Insert Empty Line Above

VIM · VIM_OPERATOR == C	
C	Vim: Current Line
X	Vim: Exchange
D	Editor: Rename
S	Vim: Push Change Surrounds {}

VIM · VIM_OPERATOR == D	
D	Vim: Current Line
S	Vim: Push Delete Surrounds
V	Vim: Push Forced Motion
O	Editor: Toggle Selected Diff Hunks
↑ O	Git: Toggle Staged
P	Git: Restore
U	Git: Stage And Next
↑ U	Git: Unstage And Next

VIM · VIM_OPERATOR == GU	
G then U	Vim: Current Line
U	Vim: Current Line

VIM · VIM_OPERATOR == GU	
G then ↑ U	Vim: Current Line
↑ U	Vim: Current Line

VIM · VIM_OPERATOR == G~	
G then ~	Vim: Current Line
~	Vim: Current Line

VIM · VIM_OPERATOR == G?	
G then ?	Vim: Current Line
?	Vim: Current Line

VIM · VIM_OPERATOR == GQ	
G then Q	Vim: Current Line
Q	Vim: Current Line
G then W	Vim: Current Line
W	Vim: Current Line

VIM · VIM_OPERATOR == Y	
Y	Vim: Current Line
V	Vim: Push Forced Motion
S	Vim: Push Add Surrounds {}

VIM · VIM_OPERATOR == YS	
S	Vim: Current Line

VIM · VIM_OPERATOR == >	
>	Vim: Current Line

VIM · VIM_OPERATOR == <	
<	Vim: Current Line

VIM · VIM_OPERATOR == EQ	
=	Vim: Current Line

VIM · VIM_OPERATOR == SH	
!	Vim: Current Line

VIM · VIM_OPERATOR == GC	
C	Vim: Current Line

VIM · VIM_OPERATOR == GB	
C	Vim: Current Line

VIM · VIM_OPERATOR == GR	
R	Vim: Current Line
↑ R	Vim: Current Line

VIM · VIM_OPERATOR == CX	
X	Vim: Current Line
C	Vim: Clear Exchange

VIM · VIM_MODE == LITERAL (1/2)	
^ @	Vim: Literal ["ctrl-@", "u0000"]
^ A	Vim: Literal ["ctrl-a", "u0001"]
^ B	Vim: Literal ["ctrl-b", "u0002"]
^ C	Vim: Literal ["ctrl-c", "u0003"]
^ D	Vim: Literal ["ctrl-d", "u0004"]
^ E	Vim: Literal ["ctrl-e", "u0005"]
^ F	Vim: Literal ["ctrl-f", "u0006"]
^ G	Vim: Literal ["ctrl-g", "u0007"]
^ H	Vim: Literal ["ctrl-h", "u0008"]
^ I	Vim: Literal ["ctrl-i", "u0009"]
^ J	Vim: Literal ["ctrl-j", "u000a"]
^ K	Vim: Literal ["ctrl-k", "u000b"]
^ L	Vim: Literal ["ctrl-l", "u000c"]
^ M	Vim: Literal ["ctrl-m", "u000d"]
^ N	Vim: Literal ["ctrl-n", "u000e"]
^ O	Vim: Literal ["ctrl-o", "u000f"]
^ P	Vim: Literal ["ctrl-p", "u0010"]
^ Q	Vim: Literal ["ctrl-q", "u0011"]
^ R	Vim: Literal ["ctrl-r", "u0012"]
^ S	Vim: Literal ["ctrl-s", "u0013"]
^ T	Vim: Literal ["ctrl-t", "u0014"]
^ U	Vim: Literal ["ctrl-u", "u0015"]

VIM · VIM_MODE == LITERAL (2/2)

	Vim: Literal ["ctrl-v","u0016"]
	Vim: Literal ["ctrl-w","u0017"]
	Vim: Literal ["ctrl-x","u0018"]
	Vim: Literal ["ctrl-y","u0019"]
	Vim: Literal ["ctrl-z","u001a"]
	Vim: Literal ["ctrl-[","u001b"]
	Vim: Literal ["ctrl-\\","u001c"]
	Vim: Literal ["ctrl-]","u001d"]
	Vim: Literal ["ctrl-^","u001e"]
	Vim: Literal ["ctrl-_","u001f"]
	Vim: Literal ["escape","u001b"]
	Vim: Literal ["enter","v"]
	Vim: Literal ["tab","t"]
	Vim: Literal ["backspace","b"]
	Vim: Literal ["delete"," "]

VIM · BUFFERSEARCHBAR && !IN_REPLACE

	Vim: Search Submit
	Buffer Search: Dismiss

VIM · VIMCONTROL && !MENU || !EDITOR && !TERMINAL (1/3)

 then 	Workspace: Activate Pane Left
 then 	Workspace: Activate Pane Right
 then 	Workspace: Activate Pane Up
 then 	Workspace: Activate Pane Down
 then 	Workspace: Activate Pane Left
 then 	Workspace: Activate Pane Right
 then 	Workspace: Activate Pane Up
 then 	Workspace: Activate Pane Down
 then 	Workspace: Activate Pane Left
 then 	Workspace: Activate Pane Right
 then 	Workspace: Activate Pane Up
 then 	Workspace: Activate Pane Down
 then 	Workspace: Swap Pane Left
 then 	Workspace: Swap Pane Right
 then 	Workspace: Swap Pane Up
 then 	Workspace: Swap Pane Down
 then 	Workspace: Swap Pane Adjacent
 then 	Workspace: Move Pane Left
 then 	Workspace: Move Pane Right
 then 	Workspace: Move Pane Up
 then 	Workspace: Move Pane Down

VIM · VIMCONTROL && !MENU || !EDITOR && !TERMINAL (2/3)

 then 	Vim: Resize Pane Right
 then 	Vim: Resize Pane Left
 then 	Vim: Resize Pane Down
 then 	Vim: Resize Pane Up
 then 	Vim: Maximize Pane
 then 	Vim: Reset Pane Sizes
 then  then 	Pane: Activate Next Item
 then  then 	Pane: Activate Next Item
 then  then 	Pane: Activate Previous Item
 then  then 	Pane: Activate Previous Item
 then 	Workspace: Activate Next Pane
 then 	Workspace: Activate Next Pane
 then 	Workspace: Activate Previous Pane
 then 	Workspace: Activate Previous Pane
 then  	Workspace: Activate Previous Pane
 then  	Pane: Split Vertical
 then 	Pane: Split Vertical
 then  	Pane: Split Horizontal
 then  	Pane: Split Horizontal
 then 	Pane: Split Horizontal
 then  	Pane: Close Active Item

VIM · VIMCONTROL && !MENU || !EDITOR && !TERMINAL (3/3)

 then 	Pane: Close Active Item
 then  	Pane: Close Active Item
 then 	Pane: Close Active Item
 then  	Pane: Close All Items
 then 	Pane: Close All Items
 then  	Workspace: Close Inactive Tabs And Panes
 then 	Workspace: Close Inactive Tabs And Panes
 then  	Workspace: New File Split Horizontal
 then 	Workspace: New File Split Horizontal
 then 	Vim: Go To Tab
 then  	Vim: Go To Previous Tab

VIM · !EDITOR && !TERMINAL

	Command Palette: Toggle
 then 	Pane: Deploy Search
 then 	Pane: Activate Next Item
 then 	Pane: Activate Previous Item
 then  	Pane: Activate Last Item
 then  	Pane: Activate Item 0
 then 	File Finder: Toggle
 then 	Pane: Deploy Search
 then  	Project Symbols: Toggle
 then  then 	Workspace: Activate Pane Left
 then  then 	Workspace: Activate Pane Down
 then  then 	Workspace: Activate Pane Up
 then  then 	Workspace: Activate Pane Right
 then  then 	Pane: Close Active Item

VIM · PROJECTPANEL && NOT_EDITING (1/3)

	Command Palette: Toggle
	Project Panel: New File
	Project Panel: New Search In Directory
	Project Panel: New Directory
	Project Panel: Open Permanent
	Vim: Toggle Project Panel Focus
	Project Panel: Collapse Selected Entry
	Vim: Menu Select Next
	Vim: Menu Select Previous
	Vim: Menu Select Next
	Vim: Menu Select Previous
	Project Panel: Expand Selected Entry
 	Project Panel: Delete
 	Project Panel: Rename
	Project Panel: Open Permanent
	Project Panel: Open Split Vertical
	Project Panel: Open Split Horizontal
	Project Panel: Open
	Project Panel: Reveal In File Manager
	Workspace: Open With System
 then 	Project Panel: Compare Marked Files
 then 	Project Panel: Select Next Git Entry

VIM · PROJECTPANEL && NOT_EDITING (2/3)		
[then [C	Project Panel: Select Prev Git Entry	
] then [D	Project Panel: Select Next Diagnostic	
[then [D	Project Panel: Select Prev Diagnostic	
}	Project Panel: Select Next Directory	
{	Project Panel: Select Prev Directory	
↑ G	Menu: Select Last	
G then G	Menu: Select First	
-	Project Panel: Select Parent	
^ U	Project Panel: Scroll Up	
^ D	Project Panel: Scroll Down	
Z then T	Project Panel: Scroll Cursor Top	
Z then Z	Project Panel: Scroll Cursor Center	
Z then B	Project Panel: Scroll Cursor Bottom	
0	Vim: Number 0	
1	Vim: Number 1	
2	Vim: Number 2	
3	Vim: Number 3	
4	Vim: Number 4	
5	Vim: Number 5	
6	Vim: Number 6	
7	Vim: Number 7	
8	Vim: Number 8	

VIM · PROJECTPANEL && NOT_EDITING (3/3)		
9	Vim: Number 9	

VIM · OUTLINEPANEL && NOT_EDITING (1/2)		
H	Outline Panel: Collapse Selected Entry	
J	Vim: Menu Select Next	
K	Vim: Menu Select Previous	
↓	Vim: Menu Select Next	
↑	Vim: Menu Select Previous	
L	Outline Panel: Expand Selected Entry	
↑ G	Menu: Select Last	
G then G	Menu: Select First	
-	Outline Panel: Select Parent	
↵	Editor: Toggle Focus	
/	Menu: Cancel	
^ U	Outline Panel: Scroll Up	
^ D	Outline Panel: Scroll Down	
Z then T	Outline Panel: Scroll Cursor Top	
Z then Z	Outline Panel: Scroll Cursor Center	
Z then B	Outline Panel: Scroll Cursor Bottom	
0	Vim: Number 0	
1	Vim: Number 1	
2	Vim: Number 2	
3	Vim: Number 3	
4	Vim: Number 4	
5	Vim: Number 5	

VIM · OUTLINEPANEL && NOT_EDITING (2/2)		
6	Vim: Number 6	
7	Vim: Number 7	
8	Vim: Number 8	
9	Vim: Number 9	

VIM · OUTLINEPANEL && EDITING		
↵	Menu: Cancel	

VIM · GITGRAPH		
→	Git Graph: Focus Next Tab Stop	
↑ →	Git Graph: Focus Previous Tab Stop	

VIM · GITGRAPHSEARCHBAR > EDITOR		
→	Git Graph: Focus Next Tab Stop	
↑ →	Git Graph: Focus Previous Tab Stop	

VIM · GITGRAPH && !GITGRAPHSEARCHBAR		
J	Vim: Menu Select Next	
K	Vim: Menu Select Previous	
^ D	Git Graph: Scroll Down	
^ U	Git Graph: Scroll Up	
↑ G	Menu: Select Last	
G then G	Menu: Select First	

VIM · GITPANEL && CHANGESLIST && !GITBRANCHSELECTOR		
K	Menu: Select Previous	
J	Menu: Select Next	
G then G	Menu: Select First	
↑ G	Menu: Select Last	
G then F	Menu: Confirm	
I	Git Panel: Focus Editor	
X	Git: Toggle Staged	
↑ X	Git: Stage All	
G then X	Git: Stage Range	
↑ U	Git: Unstage All	

VIM · PICKER > EDITOR		
^ H	Editor: Backspace	
^ U	Editor: Delete To Beginning Of Line	
^ W	Editor: Delete To Previous Word Start	
^ P	Menu: Select Previous	
^ N	Menu: Select Next	

VIM · GITCOMMIT > EDITOR && VIMCONTROL && VIM_MODE == NORMAL		
^ C	Menu: Cancel	
Ⓢ	Menu: Cancel	

VIM · EDITOR && EDIT_PREDICTION && EDIT_PREDICTION_MODE == EAGER && !SHOWING_COMPLETIONS		
→	Editor: Accept Edit Prediction	

VIM · MESSAGEEDITOR > EDITOR && VIMCONTROL		
↵	Agent: Chat	

VIM · SETTINGSWINDOW > NAVIGATIONMENU && !SEARCH		
L	Settings Editor: Expand Nav Entry	
H	Settings Editor: Collapse Nav Entry	
K	Settings Editor: Focus Previous Nav Entry	
J	Settings Editor: Focus Next Nav Entry	
G then G	Settings Editor: Focus First Nav Entry	
↑ G	Settings Editor: Focus Last Nav Entry	

VIM · MARKDOWNPREVIEW	
⌘U	Markdown: Scroll Page Up
⌘D	Markdown: Scroll Page Down
⌘Y	Markdown: Scroll Up
⌘E	Markdown: Scroll Down
G then G	Markdown: Scroll To Top
⇧G	Markdown: Scroll To Bottom
/	Buffer Search: Deploy

VIM · FILEHISTORYVIEW	
J	Menu: Select Next
K	Menu: Select Previous
G then G	Menu: Select First
⇧G	Menu: Select Last

VIM · NOTEBOOKEDITOR > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
J	Notebook: Notebook Move Down
K	Notebook: Notebook Move Up
⌘	Notebook: Enter Command Mode

VIM · NOTEBOOKEDITOR && NOTEBOOK_MODE == COMMAND	
J	Menu: Select Next
K	Menu: Select Previous
G then G	Menu: Select First
⇧G	Menu: Select Last
I	Notebook: Enter Edit Mode
A	Notebook: Enter Edit Mode
↵	Notebook: Enter Edit Mode
⇧↵	Notebook: Run And Advance
⌘↵	Notebook: Run

VIM · THREADSSIDEBAR && IEDITOR	
J	Menu: Select Next
K	Menu: Select Previous
H	Menu: Select Parent
L	Menu: Select Child
G then G	Menu: Select First
⇧G	Menu: Select Last
/	Agents Sidebar: Focus Sidebar Filter
D then D	Agent: Remove Selected Thread
O	Agents Sidebar: New Thread In Group
⇧O	Agents Sidebar: New Thread In Group
J then P	Multi Workspace: Next Project
[then P	Multi Workspace: Previous Project
Z then A	Editor: Toggle Fold
Z then C	Menu: Select Parent
Z then O	Menu: Select Child
Z then ⇧M	Editor: Fold All
Z then ⇧R	Editor: Unfold All

VIM · THREADSSIDEBAR > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
J	Editor: Move Down
K	Editor: Move Up
/	Vim: Switch To Insert Mode
⌘	Menu: Cancel
↵	Editor: Newline