

DEFAULT · GLOBAL (1/2)	
⌘	Menu: Select First
Shift ⌘	Menu: Select First
⌘	Menu: Select First
⌘	Menu: Select Last
Shift ⌘	Menu: Select Last
⌘	Menu: Select Last
Ctrl N	Menu: Select Next
→	Menu: Select Next
↓	Menu: Select Next
Ctrl P	Menu: Select Previous
Shift →	Menu: Select Previous
↑	Menu: Select Previous
↵	Menu: Confirm
Ctrl ↵	Menu: Secondary Confirm
Ctrl C	Menu: Cancel
⌫	Menu: Cancel
Alt Shift ↵	Menu: Restart
Alt ↵	Picker: Confirm Input { "secondary":false }
Ctrl Alt ↵	Picker: Confirm Input { "secondary":true }
Ctrl Shift W	Workspace: Close Window
Shift ⌫	Workspace: Toggle Zoom
Ctrl O	Workspace: Open Files

DEFAULT · GLOBAL (2/2)	
Ctrl K then Ctrl O	Workspace: Open
Ctrl =	Zed: Increase Buffer Font Size { "persist":false }
Ctrl Shift =	Zed: Increase Buffer Font Size { "persist":false }
Ctrl -	Zed: Decrease Buffer Font Size { "persist":false }
Ctrl Ø	Zed: Reset Buffer Font Size { "persist":false }
Ctrl Alt ,	Zed: Open Settings File
Ctrl Q	Zed: Quit
F4	Debugger: Start
Shift F5	Debugger: Stop
Ctrl Shift F5	Debugger: Rerun Session
F6	Debugger: Pause
F10	Debugger: Step Over
Shift F11	Debugger: Step Out
F11	Zed: Toggle Full Screen
Ctrl Shift I	Edit Prediction: Toggle Menu
Alt Shift L	Lsp Tool: Toggle Menu
Ctrl Alt Shift C	Editor: Display Cursor Names
Ctrl Alt Shift S	Workspace: Toggle Worktree Security
Ctrl Alt Shift F	Workspace: Follow Next Collaborator
Alt Shift I	Dev: Toggle Inspector

DEFAULT · PICKER MENU	
↑	Menu: Select Previous
↓	Menu: Select Next

DEFAULT · MENU	
→	Menu: Select Child
←	Menu: Select Parent

DEFAULT · EDITOR (1/6)	
⌫	Editor: Cancel
Shift ⌫	Editor: Backspace
⌫	Editor: Backspace
⌫	Editor: Delete
→	Editor: Tab
Shift →	Editor: Backtab
Ctrl K then Ctrl Q	Editor: Rewrap
Ctrl K then Q	Editor: Rewrap
Ctrl ⌫	Editor: Delete To Previous Word Start { "ignore_newlines":false,"ignore_brackets":false}
Ctrl ⌫	Editor: Delete To Next Word End { "ignore_newlines":false,"ignore_brackets":false}
Ctrl ⌫	Editor: Cut
Shift ⌫	Editor: Cut
Ctrl X	Editor: Cut
Ctrl insert	Editor: Copy
Ctrl C	Editor: Copy
Shift insert	Editor: Paste
Ctrl V	Editor: Paste
Ctrl Z	Editor: Undo
Ctrl Y	Editor: Redo
Ctrl Shift Z	Editor: Redo
↑	Editor: Move Up
Ctrl ↑	Editor: Line Up
Ctrl ↓	Editor: Line Down

DEFAULT · EDITOR (2/6)	
⌘	Editor: Move Page Up
Alt ⌘	Editor: Page Up
Shift ⌘	Editor: Select Page Up
⌘	Editor: Move To Beginning Of Line { "stop_at_soft_wraps":true,"stop_at_indent":true}
↓	Editor: Move Down
⌘	Editor: Move Page Down
Alt ⌘	Editor: Page Down
Shift ⌘	Editor: Select Page Down
⌘	Editor: Move To End Of Line { "stop_at_soft_wraps":true }
←	Editor: Move Left
→	Editor: Move Right
Ctrl ←	Editor: Move To Previous Word Start
Ctrl →	Editor: Move To Next Word End
Ctrl ⌘	Editor: Move To Beginning
Ctrl ⌘	Editor: Move To End
Shift ↑	Editor: Select Up
Shift ↓	Editor: Select Down
Shift ←	Editor: Select Left
Shift →	Editor: Select Right
Ctrl Shift ←	Editor: Select To Previous Word Start
Ctrl Shift →	Editor: Select To Next Word End
Ctrl Shift ⌘	Editor: Select To Beginning

DEFAULT · EDITOR (3/6)	
Ctrl Shift ⌘	Editor: Select To End
Ctrl A	Editor: Select All
Ctrl L	Editor: Select Line
Alt Shift F	Editor: Format
Alt Shift O	Editor: Organize Imports
Shift ⌘	Editor: Select To Beginning Of Line { "stop_at_soft_wraps":true,"stop_at_indent":true}
Shift ⌘	Editor: Select To End Of Line { "stop_at_soft_wraps":true }
Ctrl Alt ..	Editor: Show Character Palette
Ctrl ;	Editor: Toggle Line Numbers
Ctrl '	Editor: Toggle Selected Diff Hunks
Ctrl "	Editor: Expand All Diff Hunks
Ctrl I	Editor: Show Signature Help
Alt G then B	Git: Blame
Alt G then M	Git: Open Modified Files
Alt G then R	Git: Review Diff
menu	Editor: Open Context Menu
Shift F10	Editor: Open Context Menu
Ctrl Alt E	Editor: Toggle Edit Prediction
F9	Editor: Toggle Breakpoint
Shift F9	Editor: Edit Log Breakpoint
Ctrl I	Editor: Outdent
Ctrl J	Editor: Indent

DEFAULT · EDITOR (4/6)

Ctrl Alt ↑	Editor: Add Selection Above (*skip_soft_wrap":true)
Ctrl Alt ↓	Editor: Add Selection Below (*skip_soft_wrap":true)
Ctrl Shift K	Editor: Delete Line
Alt ↑	Editor: Move Line Up
Alt ↓	Editor: Move Line Down
Alt Shift ↑	Editor: Duplicate Line Up
Alt Shift ↓	Editor: Duplicate Line Down
Alt Shift →	Editor: Select Larger Syntax Node
Alt Shift ←	Editor: Select Smaller Syntax Node
Ctrl Shift L	Editor: Select All Matches
Ctrl F2	Editor: Select All Matches
Ctrl D	Editor: Select Next (*replace_newest":false)
Ctrl F3	Editor: Select Next (*replace_newest":false)
Ctrl K then Ctrl D	Editor: Select Next (*replace_newest":true)
Ctrl Shift F3	Editor: Select Previous (*replace_newest":false)
Ctrl K then Ctrl I	Editor: Hover
Ctrl K then Ctrl B	Editor: Blame Hover
Ctrl K then Ctrl F	Editor: Format Selections
Ctrl /	Editor: Toggle Comments (*advance_downwards":false)
Ctrl K then Ctrl C	Editor: Toggle Comments (*advance_downwards":false)
Ctrl K then Ctrl /	Editor: Toggle Block Comments
Alt Shift A	Editor: Toggle Block Comments

DEFAULT · EDITOR (5/6)

F8	Editor: Go To Diagnostic (*severity":{"min":"","hint","max":"","error"})
Shift F8	Editor: Go To Previous Diagnostic (*severity":{"min":"","hint","max":"","error"})
F2	Editor: Rename
F12	Editor: Go To Definition
Alt F12	Editor: Go To Definition Split
Ctrl F12	Editor: Go To Implementation
Alt Shift F12	Editor: Find All References
Ctrl Shift \	Editor: Move To Enclosing Bracket
Ctrl Shift I	Editor: Fold
Ctrl Shift J	Editor: Unfold Lines
Ctrl K then Ctrl L	Editor: Toggle Fold
Ctrl K then Ctrl I	Editor: Fold Recursive
Ctrl K then Ctrl J	Editor: Unfold Recursive
Ctrl K then Ctrl 1	Editor: Fold At Level_1
Ctrl K then Ctrl 2	Editor: Fold At Level_2
Ctrl K then Ctrl 3	Editor: Fold At Level_3
Ctrl K then Ctrl 4	Editor: Fold At Level_4
Ctrl K then Ctrl 5	Editor: Fold At Level_5
Ctrl K then Ctrl 6	Editor: Fold At Level_6
Ctrl K then Ctrl 7	Editor: Fold At Level_7
Ctrl K then Ctrl 8	Editor: Fold At Level_8
Ctrl K then Ctrl 9	Editor: Fold At Level_9

DEFAULT · EDITOR (6/6)

Ctrl K then Ctrl 0	Editor: Fold All
Ctrl K then Ctrl J	Editor: Unfold All
Ctrl _	Editor: Show Completions
Ctrl Shift _	Editor: Show Word Completions
Ctrl .	Editor: Toggle Code Actions
Ctrl K then R	Editor: Reveal In File Manager
Ctrl K then P	Editor: Copy Path
Ctrl \	Pane: Split Right
Alt .	Editor: Go To Hunk
Alt ,	Editor: Go To Previous Hunk
Ctrl U	Editor: Undo Selection
Ctrl Shift U	Editor: Redo Selection
Ctrl Shift J	Editor: Join Lines
Ctrl Alt ⌫	Editor: Delete To Previous Subword Start
Alt Shift H	Editor: Delete To Previous Subword Start
Ctrl Alt ⌫	Editor: Delete To Next Subword End
Alt Shift D	Editor: Delete To Next Subword End
Ctrl Alt ←	Editor: Move To Previous Subword Start
Ctrl Alt →	Editor: Move To Next Subword End
Ctrl Alt Shift ←	Editor: Select To Previous Subword Start
Ctrl Alt Shift →	Editor: Select To Next Subword End

DEFAULT · EDITOR && MODE == FULL

Shift ↵	Editor: Newline
↵	Editor: Newline
Ctrl ↵	Editor: Newline Below
Ctrl Shift ↵	Editor: Newline Above
Ctrl K then Ctrl Z	Editor: Toggle Soft Wrap
Ctrl K then Z	Editor: Toggle Soft Wrap
Ctrl F	Buffer Search: Deploy
Ctrl H	Buffer Search: Deploy Replace
Ctrl Shift .	Agent: Add Selection To Thread
Alt Shift E	Editor: Select Enclosing Symbol
Ctrl Shift ⌫	Editor: Go To Previous Change
Ctrl Alt Shift ⌫	Editor: Go To Next Change
Alt ↵	Editor: Open Selections In Multibuffer
Ctrl Shift 0	Outline: Toggle
Ctrl G	Go To Line: Toggle

DEFAULT · EDITOR && MODE == FULL && EDIT_PREDICTION

Alt J	Editor: Next Edit Prediction
Alt I	Editor: Previous Edit Prediction

DEFAULT · EDITOR && IEDIT_PREDICTION

Alt \	Editor: Show Edit Prediction
---------------------	------------------------------

DEFAULT · EDITOR && MODE == AUTO_HEIGHT

Ctrl ↵	Editor: Newline
Shift ↵	Editor: Newline
Ctrl Shift ↵	Editor: Newline Below

DEFAULT · MARKDOWN

Ctrl C	Markdown: Copy
----------------------	----------------

DEFAULT · EDITOR && JUPYTER

Ctrl Shift ↵	Repl: Run
Ctrl Alt ↵	Repl: Run In Place

DEFAULT · EDITOR && IAGENT_DIFF

Ctrl K then Ctrl R	Git: Restore
Alt Y	Git: Stage And Next
Alt Shift Y	Git: Unstage And Next

DEFAULT · EDITOR && EDITOR_AGENT_DIFF

Alt Y	Agent: Keep
Ctrl Alt Y	Agent: Keep
Ctrl Alt Z	Agent: Reject
Alt Shift Y	Agent: Keep All
Alt Shift Z	Agent: Reject All
Ctrl Shift R	Agent: Open Agent Diff

DEFAULT · AGENTDIFF

Alt Y	Agent: Keep
Ctrl Alt Y	Agent: Keep
Ctrl Alt Z	Agent: Reject
Alt Shift Y	Agent: Keep All
Alt Shift Z	Agent: Reject All

DEFAULT · AGENTPANEL

Ctrl N	Agent: New Thread
Alt Shift C	Agent: Open Settings
Alt Shift I	Agent: Toggle Options Menu
Ctrl Alt Shift N	Agent: Toggle New Thread Menu
Ctrl Shift E	Project Panel: Toggle Focus
Ctrl ⇧	Agents Sidebar: Toggle Thread Switcher
Ctrl Shift ⇧	Agents Sidebar: Toggle Thread Switcher (*select_last":true)

DEFAULT · AGENTPANEL > MARKDOWN

Ctrl C	Markdown: Copy As Markdown
----------------------	----------------------------

DEFAULT · AGENTFEEDBACKMESSAGEEDITOR > EDITOR

⌫	Menu: Cancel
↵	Menu: Confirm
Alt ↵	Editor: Newline

DEFAULT · ACPTHREAD > MODESELECTOR

Ctrl ↵	Menu: Confirm
----------------------	---------------

DEFAULT · ACPTHREAD (1/2)	
Ctrl N	Agent: New Thread
Ctrl -	Pane: Go Back
Alt Shift L	Agent: Open Rules Library
Alt Shift P	Agent: Manage Profiles
Ctrl I	Agent: Toggle Profile Selector
Shift ⇨	Agent: Cycle Mode Selector
Alt Shift /	Agent: Toggle Model Selector
Alt ⇨	Agent: Cycle Favorite Models
Alt L	Agent: Cycle Favorite Models
Alt Shift Ⓢ	Agent: Expand Message Editor
Ctrl Shift .	Agent: Add Selection To Thread
Alt Shift Q	Agent: Allow Always
Alt Shift A	Agent: Allow Once
Ctrl Alt A	Agent: Open Permission Dropdown
Alt Shift X	Agent: Reject Once
⌵	Agent: Scroll Output Page Up
⌴	Agent: Scroll Output Page Down
⌵	Agent: Scroll Output To Top
⌴	Agent: Scroll Output To Bottom
↑	Agent: Scroll Output Line Up
↓	Agent: Scroll Output Line Down
Shift ⌵	Agent: Scroll Output To Previous Message

DEFAULT · ACPTHREAD (2/2)	
Shift ⌴	Agent: Scroll Output To Next Message
Ctrl Alt ⌵	Agent: Scroll Output Page Up
Ctrl Alt ⌴	Agent: Scroll Output Page Down
Ctrl Alt ⌵	Agent: Scroll Output To Top
Ctrl Alt ⌴	Agent: Scroll Output To Bottom
Ctrl Alt ↑	Agent: Scroll Output Line Up
Ctrl Alt ↓	Agent: Scroll Output Line Down
Ctrl Alt Shift ⌵	Agent: Scroll Output To Previous Message
Ctrl Alt Shift ⌴	Agent: Scroll Output To Next Message

DEFAULT · ACPTHREAD > EDITOR (1/2)	
Ctrl Alt ⌵	Agent: Scroll Output Page Up
Ctrl Alt ⌴	Agent: Scroll Output Page Down
Ctrl Alt ⌵	Agent: Scroll Output To Top
Ctrl Alt ⌴	Agent: Scroll Output To Bottom
Ctrl Alt ↑	Agent: Scroll Output Line Up
Ctrl Alt ↓	Agent: Scroll Output Line Down
Ctrl Alt Shift ⌵	Agent: Scroll Output To Previous Message
Ctrl Alt Shift ⌴	Agent: Scroll Output To Next Message
Ctrl Shift R	Agent: Open Agent Diff
Ctrl Shift D	Git: Diff
Alt Shift Y	Agent: Keep All
Alt Shift Z	Agent: Reject All
Alt Shift U	Agent: Undo Last Reject
Ctrl ↻	Agent: Chat With Follow
Ctrl Shift ↻	Agent: Send Immediately
Ctrl Alt Shift ↻	Agent: Send Next Queued Message
Ctrl Shift ☒	Agent: Remove First Queued Message
Ctrl Alt E	Agent: Edit First Queued Message
Ctrl Alt ☒	Agent: Clear Message Queue
Ctrl Shift V	Agent: Paste Raw
Ctrl I	Agent: Toggle Profile Selector
Shift ⇨	Agent: Cycle Mode Selector

DEFAULT · ACPTHREAD > EDITOR (2/2)	
Alt ⇨	Agent: Cycle Favorite Models
Alt L	Agent: Cycle Favorite Models
Ctrl ;	Agent: Open Add Context Menu
Ctrl Alt K	Agent: Toggle Thinking Mode
Ctrl Alt '	Agent: Toggle Thinking Effort Menu
Ctrl '	Agent: Cycle Thinking Effort
Ctrl Alt .	Agent: Toggle Fast Mode

DEFAULT · ACPTHREAD > EDITOR && START_OF_INPUT	
⌵	Agent: Scroll Output Page Up
Ctrl ⌵	Agent: Scroll Output Page Up
Ctrl ⌵	Agent: Scroll Output To Top

DEFAULT · ACPTHREAD > EDITOR && END_OF_INPUT	
⌴	Agent: Scroll Output Page Down
Ctrl ⌴	Agent: Scroll Output Page Down
Ctrl ⌴	Agent: Scroll Output To Bottom

DEFAULT · ACPTHREAD > EDITOR && MODE == FULL	
Alt ↻	Editor: Open Excerpts

DEFAULT · ACPTHREAD > EDITOR && !USE_MODIFIER_TO_SEND	
↻	Agent: Chat

DEFAULT · ACPTHREAD > EDITOR && USE_MODIFIER_TO_SEND	
Ctrl ↻	Agent: Chat
↻	Editor: Newline

DEFAULT · THREADHISTORY	
☒	Agent: Remove Selected Thread

DEFAULT · THREADSARCHIVEVIEW	
Shift ☒	Agent: Archive Selected Thread

DEFAULT · RULESLIBRARY	
Ctrl N	Rules Library: New Rule
Ctrl Shift S	Rules Library: Toggle Default Rule
Ctrl W	Workspace: Close Window

DEFAULT · BUFFERSEARCHBAR	
Ⓢ	Buffer Search: Dismiss
⇨	Buffer Search: Focus Editor
↻	Search: Select Next Match
Shift ↻	Search: Select Previous Match
Ctrl Shift ↻	Editor: Toggle Fold All
Alt ↻	Search: Select All Matches
Ctrl F	Search: Focus Search
Ctrl H	Search: Toggle Replace
Ctrl L	Search: Toggle Selection

DEFAULT · BUFFERSEARCHBAR && IN_REPLACE > EDITOR	
↻	Search: Replace Next
Ctrl ↻	Search: Replace All

DEFAULT · BUFFERSEARCHBAR && !IN_REPLACE > EDITOR	
Ctrl ↻	Editor: Newline
Shift ↻	Search: Select Previous Match
↑	Search: Previous History Query
↓	Search: Next History Query

DEFAULT · PROJECTSEARCHBAR	
Ⓢ	Project Search: Toggle Focus
Ctrl Shift F	Search: Focus Search
Ctrl Shift H	Search: Toggle Replace
Alt R	Search: Toggle Regex

DEFAULT · PROJECTSEARCHBAR > EDITOR	
↑	Search: Previous History Query
↓	Search: Next History Query

DEFAULT · PROJECTSEARCHBAR && IN_REPLACE > EDITOR	
↻	Search: Replace Next
Ctrl Alt ↻	Search: Replace All

DEFAULT · PROJECTSEARCHBAR && !IN_REPLACE > EDITOR	
Ctrl ↻	Editor: Newline

DEFAULT · PROJECTSEARCHVIEW	
<code>[S]</code>	Project Search: Toggle Focus
<code>[Ctrl][Shift][H]</code>	Search: Toggle Replace
<code>[Alt][R]</code>	Search: Toggle Regex

DEFAULT · PANE (1/3)	
<code>[Alt][1]</code>	Pane: Activate Item 0
<code>[Alt][2]</code>	Pane: Activate Item 1
<code>[Alt][3]</code>	Pane: Activate Item 2
<code>[Alt][4]</code>	Pane: Activate Item 3
<code>[Alt][5]</code>	Pane: Activate Item 4
<code>[Alt][6]</code>	Pane: Activate Item 5
<code>[Alt][7]</code>	Pane: Activate Item 6
<code>[Alt][8]</code>	Pane: Activate Item 7
<code>[Alt][9]</code>	Pane: Activate Item 8
<code>[Alt][0]</code>	Pane: Activate Last Item
<code>[Ctrl][f]</code>	Pane: Activate Previous Item
<code>[Ctrl][↓]</code>	Pane: Activate Next Item
<code>[Ctrl][Shift][f]</code>	Pane: Swap Item Left
<code>[Ctrl][Shift][↑]</code>	Pane: Swap Item Right
<code>[Ctrl][F4]</code>	Pane: Close Active Item { "close_pinned": false }
<code>[Ctrl][W]</code>	Pane: Close Active Item { "close_pinned": false }
<code>[Ctrl][Alt][Shift][T]</code>	Pane: Close Other Items { "close_pinned": false }
<code>[Ctrl][Alt][Shift][W]</code>	Workspace: Close Inactive Tabs And Panes
<code>[Ctrl][K]</code> then <code>[E]</code>	Pane: Close Items To The Left { "close_pinned": false }
<code>[Ctrl][K]</code> then <code>[T]</code>	Pane: Close Items To The Right { "close_pinned": false }
<code>[Ctrl][K]</code> then <code>[U]</code>	Pane: Close Clean Items { "close_pinned": false }
<code>[Ctrl][K]</code> then <code>[W]</code>	Pane: Close All Items { "close_pinned": false }

DEFAULT · PANE (2/3)	
<code>[Ctrl][K]</code> then <code>[Ctrl][W]</code>	Workspace: Close All Items And Panes
<code>[back]</code>	Pane: Go Back
<code>[Alt][-]</code>	Pane: Go Back
<code>[Alt][←]</code>	Pane: Go Back
<code>[forward]</code>	Pane: Go Forward
<code>[Alt][=]</code>	Pane: Go Forward
<code>[Alt][→]</code>	Pane: Go Forward
<code>[F3]</code>	Search: Select Next Match
<code>[Shift][F3]</code>	Search: Select Previous Match
<code>[Ctrl][Shift][F]</code>	Project Search: Toggle Focus
<code>[Alt][Shift][H]</code>	Search: Toggle Replace
<code>[Alt][L]</code>	Search: Toggle Selection
<code>[Alt][↔]</code>	Search: Select All Matches
<code>[Alt][C]</code>	Search: Toggle Case Sensitive
<code>[Alt][W]</code>	Search: Toggle Whole Word
<code>[Alt][F]</code>	Project Search: Toggle Filters
<code>[Ctrl][Shift][↔]</code>	Project Search: Toggle All Search Results
<code>[Alt][R]</code>	Search: Toggle Regex
<code>[Ctrl][K]</code> then <code>[Shift][↔]</code>	Pane: Toggle Pin Tab
<code>[Ctrl][K]</code> then <code>[↑]</code>	Pane: Split Up
<code>[Ctrl][K]</code> then <code>[↓]</code>	Pane: Split Down
<code>[Ctrl][K]</code> then <code>[←]</code>	Pane: Split Left

DEFAULT · PANE (3/3)	
<code>[Ctrl][K]</code> then <code>[→]</code>	Pane: Split Right

DEFAULT · EDITOR && EXTENSION == MD	
<code>[Ctrl][K]</code> then <code>[V]</code>	Markdown: Open Preview To The Side
<code>[Ctrl][Shift][V]</code>	Markdown: Open Preview

DEFAULT · EDITOR && EXTENSION == SVG	
<code>[Ctrl][K]</code> then <code>[V]</code>	Svg: Open Preview To The Side
<code>[Ctrl][Shift][V]</code>	Svg: Open Preview

DEFAULT · WORKSPACE (1/4)	
<code>[Ctrl][R]</code>	Projects: Open Recent { "create_new_window": false }
<code>[Ctrl][Alt][Shift][O]</code>	Projects: Open Remote { "from_existing_connection": false, "create_new_window": false }
<code>[Alt][Shift][B]</code>	Branches: Open Recent
<code>[Alt][Shift][W]</code>	Git: Worktree
<code>[Alt][Shift][↔]</code>	Toast: Run Action
<code>[Ctrl][Shift][`]</code>	Workspace: New Terminal
<code>[Ctrl][S]</code>	Workspace: Save
<code>[Ctrl][K]</code> then <code>[Ctrl][Shift][S]</code>	Workspace: Save Without Format
<code>[Ctrl][Shift][S]</code>	Workspace: Save As
<code>[Ctrl][N]</code>	Workspace: New File
<code>[Ctrl][Shift][N]</code>	Workspace: New Window
<code>[Ctrl][`]</code>	Terminal Panel: Toggle
<code>[F10]</code>	App Menu: Open Application Menu "Zed"
<code>[Alt][1]</code>	Workspace: Activate Pane 0
<code>[Alt][2]</code>	Workspace: Activate Pane 1
<code>[Alt][3]</code>	Workspace: Activate Pane 2
<code>[Alt][4]</code>	Workspace: Activate Pane 3
<code>[Alt][5]</code>	Workspace: Activate Pane 4
<code>[Alt][6]</code>	Workspace: Activate Pane 5
<code>[Alt][7]</code>	Workspace: Activate Pane 6
<code>[Alt][8]</code>	Workspace: Activate Pane 7
<code>[Alt][9]</code>	Workspace: Activate Pane 8

DEFAULT · PROJECTSEARCHBAR && !IN_REPLACE	
Ctrl ↵	Project Search: Search In New

DEFAULT · OUTLINEPANEL && NOT_EDITING	
←	Outline Panel: Collapse Selected Entry
→	Outline Panel: Expand Selected Entry
Alt Shift C	Outline Panel: Copy Path
Ctrl Alt Shift C	Workspace: Copy Relative Path
Ctrl Alt R	Outline Panel: Reveal In File Manager
_	Outline Panel: Open Selected Entry
Shift ↓	Menu: Select Next
Shift ↑	Menu: Select Previous
Alt ⇐	Editor: Open Excerpts
Ctrl Alt ⇐	Editor: Open Excerpts Split

DEFAULT · PROJECTPANEL (1/2)	
←	Project Panel: Collapse Selected Entry
Ctrl ←	Project Panel: Collapse All Entries
→	Project Panel: Expand Selected Entry
Ctrl N	Project Panel: New File
Alt N	Project Panel: New Directory
Ctrl X	Project Panel: Cut
Ctrl insert	Project Panel: Copy
Ctrl C	Project Panel: Copy
Shift insert	Project Panel: Paste
Ctrl V	Project Panel: Paste
Alt Shift C	Project Panel: Copy Path
Ctrl K then Ctrl	Workspace: Copy Relative Path
Shift C	
Ctrl Z	Project Panel: Undo
Ctrl Shift Z	Project Panel: Redo
⇐	Project Panel: Rename
F2	Project Panel: Rename
⌫	Project Panel: Trash {"skip_prompt":false}
⌫	Project Panel: Trash {"skip_prompt":false}
Shift ⌫	Project Panel: Delete {"skip_prompt":false}
Ctrl ⌫	Project Panel: Delete {"skip_prompt":false}
Ctrl ⌫	Project Panel: Delete {"skip_prompt":false}
Ctrl Alt R	Project Panel: Reveal In File Manager

DEFAULT · PROJECTPANEL (2/2)	
Ctrl Shift ⇐	Project Panel: Open With System
Alt D	Project Panel: Compare Marked Files
Ctrl K then Ctrl	Project Panel: New Search In Directory
Shift F	
Shift ↓	Menu: Select Next
Shift ↑	Menu: Select Previous
⊞	Menu: Cancel

DEFAULT · PROJECTPANEL && NOT_EDITING	
_	Project Panel: Open

DEFAULT · GITPANEL	
Ctrl 1	Git Panel: Activate Changes Tab
Ctrl 2	Git Panel: Activate History Tab
Ctrl G then Ctrl G	Git: Fetch
Ctrl G then ↑	Git: Push
Ctrl G then ↓	Git: Pull
Ctrl G then Shift	Git: Pull Rebase
↓	
Ctrl G then Shift	Git: Force Push
↑	
Ctrl G then D	Git: Diff
Ctrl G then ⌫	Git: Restore Tracked Files
Ctrl G then Shift	Git: Trash Untracked Files
⌫	
Ctrl _	Git: Stage All
Ctrl Shift _	Git: Unstage All
Ctrl ⇐	Git: Commit
Ctrl Shift ⇐	Git: Amend

DEFAULT · GITPANEL && CHANGESLIST && !GITBRANCHSELECTOR	
↑	Git Panel: Previous Entry
↓	Git Panel: Next Entry
←	Git Panel: Collapse Selected Entry
→	Git Panel: Expand Selected Entry
⇐	Menu: Confirm
Alt Y	Git: Stage File
Alt Shift Y	Git: Unstage File
_	Git: Toggle Staged
Shift _	Git: Stage Range
→	Git Panel: Focus Editor
Shift →	Git Panel: Focus Editor
⊞	Git Panel: Toggle Focus
Alt ⇐	Menu: Secondary Confirm
⌫	Git: Restore File {"skip_prompt":false}
⌫	Git: Restore File {"skip_prompt":false}
Shift ⌫	Git: Restore File {"skip_prompt":false}
Ctrl ⌫	Git: Restore File {"skip_prompt":false}
Ctrl ⌫	Git: Restore File {"skip_prompt":false}

DEFAULT · GITPANEL && COMMITEDITOR	
⊞	Git: Cancel

DEFAULT · GITCOMMIT > EDITOR	
⊞	Menu: Cancel
⇐	Editor: Newline
Ctrl ⇐	Git: Commit
Ctrl Shift ⇐	Git: Amend
Alt L	Git: Generate Commit Message

DEFAULT · GITDIFF > EDITOR	
Ctrl ⇐	Git: Commit
Ctrl Shift ⇐	Git: Amend
Ctrl _	Git: Stage All
Ctrl Shift _	Git: Unstage All
Ctrl K then Ctrl R	Git: Restore And Next

DEFAULT · ASKPASS > EDITOR	
⇐	Menu: Confirm

DEFAULT · COMMITEDITOR > EDITOR	
⊞	Git Panel: Focus Changes
→	Git Panel: Focus Changes
Shift →	Git Panel: Focus Changes
⇐	Editor: Newline
Ctrl ⇐	Git: Commit
Ctrl Shift ⇐	Git: Amend
Alt ↑	Git Panel: Focus Changes
Alt L	Git: Generate Commit Message
Shift ⊞	Git: Expand Commit Editor
Alt Shift ⊞	Git: Toggle Fill Commit Editor

DEFAULT · DEBUGPANEL	
Ctrl T	Debugger: Toggle Thread Picker
Ctrl I	Debugger: Toggle Session Picker
Alt Shift ⊞	Debugger: Toggle Expand Item

DEFAULT · VARIABLELIST	
←	Variable List: Collapse Selected Entry
→	Variable List: Expand Selected Entry
⇐	Variable List: Edit Variable
Ctrl C	Variable List: Copy Variable Value
Ctrl Alt C	Variable List: Copy Variable Name
⌫	Variable List: Remove Watch
⌫	Variable List: Remove Watch
Alt ⇐	Variable List: Add Watch

DEFAULT · BREAKPOINTLIST	
_	Debugger: Toggle Enable Breakpoint
⌫	Debugger: Unset Breakpoint
←	Debugger: Previous Breakpoint Property
→	Debugger: Next Breakpoint Property

DEFAULT · COLLABPANEL && NOT_EDITING	
Ctrl⌘	Collab Panel: Remove
⌵	Menu: Confirm

DEFAULT · COLLABPANEL	
Alt↑	Collab Panel: Move Channel Up
Alt↓	Collab Panel: Move Channel Down
Alt↩	Collab Panel: Open Selected Channel Notes
Shift↩	Collab Panel: Toggle Selected Channel Favorite

DEFAULT · (COLLABPANEL && EDITING) > EDITOR	
⌵	Collab Panel: Insert Space

DEFAULT · CHANNELMODAL	
→	Channel Modal: Toggle Mode

DEFAULT · PICKER > EDITOR	
⊞	Menu: Cancel
↑	Menu: Select Previous
↓	Menu: Select Next
→	Picker: Confirm Completion
Alt↩	Picker: Confirm Input (*secondary*:false)

DEFAULT · CHANNELMODAL > PICKER > EDITOR	
→	Channel Modal: Toggle Mode

DEFAULT · TOOLCHAINSELECTOR	
CtrlShiftA	Toolchain: Add Toolchain

DEFAULT · FILEFINDER (FILEFINDER > PICKER > EDITOR)	
CtrlP	File Finder: Toggle
CtrlShiftA	File Finder: Toggle Split Menu
CtrlShiftI	File Finder: Toggle Filter Menu

DEFAULT · FILEFINDER (FILEFINDER > PICKER > EDITOR) (FILEFINDER > PICKER > MENU)	
CtrlShiftP	File Finder: Select Previous
CtrlJ	Pane: Split Down
CtrlK	Pane: Split Up
CtrlH	Pane: Split Left
CtrlL	Pane: Split Right

DEFAULT · RECENTPROJECTS (RECENTPROJECTS > PICKER > EDITOR)	
CtrlK	Recent Projects: Toggle Actions Menu
CtrlShiftA	Workspace: Add Folder To Project
Shift⌘	Recent Projects: Remove Selected
CtrlShift↩	Recent Projects: Add To Workspace

DEFAULT · TABSWITCHER	
CtrlShift→	Menu: Select Previous
Ctrl↑	Menu: Select Previous
Ctrl↓	Menu: Select Next
Ctrl⌘	Tab Switcher: Close Selected Item

DEFAULT · STASHLIST (STASHLIST > PICKER > EDITOR)	
CtrlShift⌘	Stash Picker: Drop Stash Item
CtrlShiftV	Stash Picker: Show Stash Item

DEFAULT · TERMINAL (1/2)	
CtrlAlt⌵	Terminal: Show Character Palette
Ctrlinsert	Terminal: Copy
CtrlShiftC	Terminal: Copy
Shiftinsert	Terminal: Paste
CtrlV	Terminal: Paste
CtrlShiftV	Terminal: Paste
CtrlAltV	Terminal: Paste Text
CtrlI	Assistant: Inline Assist
AltB	Terminal: Send Text "�001bb"
AltF	Terminal: Send Text "�001bf"
Alt.	Terminal: Send Text "�001b."
Ctrl⌘	Terminal: Send Text "�001bd"
CtrlN	Workspace: New Terminal
AltF4	Workspace: Close Window
CtrlB	Terminal: Send Keystroke "ctrl-b"
CtrlC	Terminal: Send Keystroke "ctrl-c"
CtrlE	Terminal: Send Keystroke "ctrl-e"
CtrlO	Terminal: Send Keystroke "ctrl-o"
CtrlW	Terminal: Send Keystroke "ctrl-w"
CtrlQ	Terminal: Send Keystroke "ctrl-q"
CtrlR	Terminal: Send Keystroke "ctrl-r"
Ctrl⌘	Terminal: Send Keystroke "ctrl-w"

DEFAULT · TERMINAL (2/2)	
CtrlShiftA	Editor: Select All
CtrlShiftF	Buffer Search: Deploy
CtrlShiftL	Terminal: Clear
CtrlShiftW	Pane: Close Active Item
↑	Terminal: Send Keystroke "up"
⌵	Terminal: Send Keystroke "pageup"
↓	Terminal: Send Keystroke "down"
⌵	Terminal: Send Keystroke "pagedown"
⊞	Terminal: Send Keystroke "escape"
↩	Terminal: Send Keystroke "enter"
Shift⌵	Terminal: Scroll Page Up
Shift⌵	Terminal: Scroll Page Down
Shift↑	Terminal: Scroll Line Up
Shift↓	Terminal: Scroll Line Down
Shift↶	Terminal: Scroll To Top
Shift↷	Terminal: Scroll To Bottom
CtrlShift⌵	Terminal: Toggle Vi Mode
CtrlShiftR	Terminal: Rerun Task
CtrlAltR	Terminal: Rerun Task
AltT	Terminal: Rerun Task
CtrlShift5	Pane: Split Right
CtrlShift.	Agent: Add Selection To Thread

DEFAULT · AGENTPANEL > TERMINAL	
CtrlN	Agent: New Thread

DEFAULT · TERMINAL && SELECTION	
CtrlC	Terminal: Copy

DEFAULT · ZEDPREDICTMODAL	
⊞	Menu: Cancel

DEFAULT · CONFIGURECONTEXTSERVERMODAL > EDITOR	
⊞	Menu: Cancel
↩	Editor: Newline
Ctrl↩	Menu: Confirm

DEFAULT · CONTEXTSERVERTOOLSMODAL	
⊞	Menu: Cancel

DEFAULT · ONBOARDINGAICONFIGURATIONMODAL	
⊞	Menu: Cancel

DEFAULT · DIAGNOSTICS	
CtrlR	Diagnostics: Toggle Diagnostics Refresh

DEFAULT · DEBUGCONSOLE > EDITOR	
↩	Menu: Confirm
Alt ↩	Console: Watch Expression

DEFAULT · RUNMODAL	
Ctrl →	Pane: Activate Next Item
Ctrl Shift →	Pane: Activate Previous Item
Alt 1	New Process Modal: Activate Task Tab
Alt 2	New Process Modal: Activate Debug Tab
Alt 3	New Process Modal: Activate Attach Tab
Alt 4	New Process Modal: Activate Launch Tab

DEFAULT · MARKDOWNPREVIEW	
⌵	Markdown: Scroll Page Up
⌴	Markdown: Scroll Page Down
↑	Markdown: Scroll Up
↓	Markdown: Scroll Down
Alt ↑	Markdown: Scroll Up By Item
Alt ↓	Markdown: Scroll Down By Item
Ctrl ↶	Markdown: Scroll To Top
Ctrl ↷	Markdown: Scroll To Bottom
find	Buffer Search: Deploy
Ctrl F	Buffer Search: Deploy

DEFAULT · KEYMAPEDITOR	
Ctrl F	Search: Focus Search
Alt F	Keymap Editor: Toggle Keystroke Search
Alt C	Keymap Editor: Toggle Conflict Filter
↩	Keymap Editor: Edit Binding
Alt ↩	Keymap Editor: Create Binding
Ctrl K	Keymap Editor: Open Create Keybinding Modal
Ctrl C	Keymap Editor: Copy Action
Ctrl Shift C	Keymap Editor: Copy Context
Ctrl T	Keymap Editor: Show Matching Keybinds
Ctrl E	Zed: Open Keymap File

DEFAULT · KEYSTROKEINPUT	
↩	Keystroke Input: Start Recording
⌵ then ⌵ then ⌵	Keystroke Input: Stop Recording
⌫	Keystroke Input: Clear Keystrokes

DEFAULT · KEYBINDEDITORMODAL	
Ctrl ↩	Menu: Confirm
⌵	Menu: Cancel

DEFAULT · KEYBINDEDITORMODAL > EDITOR	
↑	Menu: Select Previous
↓	Menu: Select Next

DEFAULT · ONBOARDING	
Ctrl =	Zed: Increase Ui Font Size ({"persist":false})
Ctrl +	Zed: Increase Ui Font Size ({"persist":false})
Ctrl -	Zed: Decrease Ui Font Size ({"persist":false})
Ctrl 0	Zed: Reset Ui Font Size ({"persist":false})
Ctrl ↩	Onboarding: Finish
Alt Shift L	Onboarding: Sign In
Alt Shift A	Onboarding: Open Account

DEFAULT · WELCOME	
Ctrl N	Workspace: New File
Ctrl =	Zed: Increase Ui Font Size ({"persist":false})
Ctrl +	Zed: Increase Ui Font Size ({"persist":false})
Ctrl -	Zed: Decrease Ui Font Size ({"persist":false})
Ctrl 0	Zed: Reset Ui Font Size ({"persist":false})
Ctrl 1	Welcome: Open Recent Project 0
Ctrl 2	Welcome: Open Recent Project 1
Ctrl 3	Welcome: Open Recent Project 2
Ctrl 4	Welcome: Open Recent Project 3
Ctrl 5	Welcome: Open Recent Project 4

DEFAULT · !SETTINGSWINDOW	
Ctrl ,	Zed: Open Settings

DEFAULT · SETTINGSWINDOW	
Ctrl W	Workspace: Close Window
⌵	Workspace: Close Window
Ctrl M	Settings Editor: Minimize
Ctrl F	Search: Focus Search
Ctrl ,	Settings Editor: Open Current File
←	Settings Editor: Toggle Focus Nav
Ctrl Shift E	Settings Editor: Toggle Focus Nav
Ctrl 1	Settings Editor: Focus File 0
Ctrl 2	Settings Editor: Focus File 1
Ctrl 3	Settings Editor: Focus File 2
Ctrl 4	Settings Editor: Focus File 3
Ctrl 5	Settings Editor: Focus File 4
Ctrl 6	Settings Editor: Focus File 5
Ctrl 7	Settings Editor: Focus File 6
Ctrl 8	Settings Editor: Focus File 7
Ctrl 9	Settings Editor: Focus File 8
Ctrl 0	Settings Editor: Focus File 9
Ctrl ⌵	Settings Editor: Focus Previous File
Ctrl ⌴	Settings Editor: Focus Next File

DEFAULT · STASHDIFF > EDITOR	
Ctrl ..	Git: Apply Current Stash
Ctrl Shift ..	Git: Pop Current Stash
Ctrl Shift ⌫	Git: Drop Current Stash

DEFAULT · SETTINGSWINDOW > NAVIGATIONMENU	
↑	Settings Editor: Focus Previous Nav Entry
Shift →	Settings Editor: Focus Previous Nav Entry
↓	Settings Editor: Focus Next Nav Entry
→	Settings Editor: Focus Next Nav Entry
→	Settings Editor: Expand Nav Entry
←	Settings Editor: Collapse Nav Entry
⌵	Settings Editor: Focus Previous Root Nav Entry
⌴	Settings Editor: Focus Next Root Nav Entry
↶	Settings Editor: Focus First Nav Entry
↷	Settings Editor: Focus Last Nav Entry

DEFAULT · EDITPREDICTIONCONTEXT > EDITOR	
Alt ←	Dev: Edit Prediction Context Go Back
Alt →	Dev: Edit Prediction Context Go Forward

DEFAULT · GITBRANCHSELECTOR (GITBRANCHSELECTOR > PICKER > EDITOR)	
Ctrl Shift ⌫	Branch Picker: Delete Branch
Ctrl Alt Shift ⌫	Branch Picker: Force Delete Branch
Ctrl Shift I	Branch Picker: Filter Remotes

DEFAULT · IMAGEVIEWER		
Ctrl	=	Image Viewer: Zoom In
Ctrl	+	Image Viewer: Zoom In
Ctrl	-	Image Viewer: Zoom Out
Ctrl	0	Image Viewer: Reset Zoom
Ctrl	1	Image Viewer: Zoom To Actual Size
Ctrl	Shift 0	Image Viewer: Fit To View

DEFAULT · GITPICKER		
Alt	1	Git Picker: Activate Branches Tab
Alt	2	Git Picker: Activate Stash Tab

DEFAULT · WORKTREEPICKER || (WORKTREEPICKER > PICKER > EDITOR)

Ctrl	Shift	⌘	Worktree Picker: Delete Worktree	
Ctrl	Alt	Shift	⌘	Worktree Picker: Force Delete Worktree

DEFAULT · NOTEBOOKEDITOR		
Shift ↵	Notebook: Run And Advance	
Ctrl ↵	Notebook: Run	
Ctrl Shift ↵	Notebook: Run All	
Alt ↑	Notebook: Move Cell Up	
Alt ↓	Notebook: Move Cell Down	
Ctrl M	Notebook: Add Code Block	
Ctrl Shift M	Notebook: Add Markdown Block	
Ctrl Shift R	Notebook: Restart Kernel	
Ctrl C	Notebook: Interrupt Kernel	

DEFAULT · NOTEBOOKEDITOR && NOTEBOOK_MODE == COMMAND		
↵	Notebook: Enter Edit Mode	
↓	Menu: Select Next	
↑	Menu: Select Previous	

DEFAULT · NOTEBOOKEDITOR > EDITOR	
	Editor: Newline
 	Notebook: Run And Advance
 	Notebook: Run
  	Notebook: Run All
 	Notebook: Move Cell Up
 	Notebook: Move Cell Down
 	Notebook: Add Code Block
  	Notebook: Add Markdown Block
  	Notebook: Restart Kernel
 	Notebook: Interrupt Kernel
	Notebook: Enter Command Mode

DEFAULT · GITGRAPH		
→	Git Graph: Focus Next Tab Stop	
Shift	→	Git Graph: Focus Previous Tab Stop

DEFAULT · GITGRAPHSEARCHBAR > EDITOR		
→	Git Graph: Focus Next Tab Stop	
Shift	→	Git Graph: Focus Previous Tab Stop

VIM MODE

VIM · VIMCONTROL && !MENU (1/8)

I	Vim: Push Object { "around": false }
A	Vim: Push Object { "around": true }
←	Vim: Left
H	Vim: Left
⌘	Vim: Wrapping Left
↓	Vim: Down
Ctrl J	Vim: Down
J	Vim: Down
Ctrl M	Vim: Next Line Start
+	Vim: Next Line Start
↵	Vim: Next Line Start
-	Vim: Previous Line Start
Shift ⌘	Vim: Tab
↵	Vim: Tab
↑	Vim: Up
K	Vim: Up
→	Vim: Right
L	Vim: Right
⌘	Vim: Wrapping Right
↵	Vim: End Of Line
\$	Vim: End Of Line
^	Vim: First Non Whitespace

VIM · VIMCONTROL && !MENU (2/8)

⏏	Vim: Start Of Line Downward
G then ⏏	Vim: End Of Line Downward
Shift G	Vim: End Of Document
{	Vim: Start Of Paragraph
}	Vim: End Of Paragraph
(	Vim: Sentence Backward
)	Vim: Sentence Forward
 	Vim: Go To Column
W	Vim: Next Word Start
E	Vim: Next Word End
B	Vim: Previous Word Start
G then E	Vim: Previous Word End
Shift W	Vim: Next Word Start { "ignore_punctuation": true }
Shift E	Vim: Next Word End { "ignore_punctuation": true }
Shift B	Vim: Previous Word Start { "ignore_punctuation": true }
G then Shift E	Vim: Previous Word End { "ignore_punctuation": true }
/	Vim: Search
G then /	Pane: Deploy Search
?	Vim: Search { "backwards": true }
*	Vim: Move To Next
#	Vim: Move To Previous
N	Vim: Move To Next Match

VIM · VIMCONTROL && !MENU (3/8)

Shift N	Vim: Move To Previous Match
%	Vim: Matching { "match_quotes": true }
F	Vim: Push Find Forward { "before": false, "multiline": false }
T	Vim: Push Find Forward { "before": true, "multiline": false }
Shift F	Vim: Push Find Backward { "after": false, "multiline": false }
Shift T	Vim: Push Find Backward { "after": true, "multiline": false }
M	Vim: Push Mark
'	Vim: Push Jump { "line": true }
`	Vim: Push Jump { "line": false }
;	Vim: Repeat Find
,	Vim: Repeat Find Reversed
Ctrl O	Pane: Go Back
Ctrl I	Pane: Go Forward
Ctrl J	Editor: Go To Definition
Ctrl T	Pane: Go To Older Tag
⌘	Vim: Switch To Normal Mode
Ctrl [	Vim: Switch To Normal Mode
V	Vim: Toggle Visual
Shift V	Vim: Toggle Visual Line
Ctrl G	Vim: Show Location
Ctrl V	Vim: Toggle Visual Block
Ctrl Q	Vim: Toggle Visual Block

VIM · VIMCONTROL && !MENU (4/8)

Shift K	Editor: Hover
Shift R	Vim: Toggle Replace
␣	Vim: Start Of Line
↵	Vim: Start Of Line
Ctrl F	Vim: Page Down
↓	Vim: Page Down
Ctrl B	Vim: Page Up
↑	Vim: Page Up
Ctrl D	Vim: Scroll Down
Ctrl U	Vim: Scroll Up
Ctrl E	Vim: Line Down
Ctrl Y	Vim: Line Up
G then Shift R	Vim: Push Replace With Register
G then R then N	Editor: Rename
G then R then R	Editor: Find All References
G then R then I	Editor: Go To Implementation
G then R then A	Editor: Toggle Code Actions
G then G	Vim: Start Of Document
G then H	Editor: Hover
G then B	Editor: Blame Hover
G then D	Editor: Go To Definition
G then Shift D	Editor: Go To Declaration

VIM · VIMCONTROL && !MENU (5/8)

G then Y	Editor: Go To Type Definition
G then Shift I	Editor: Go To Implementation
G then X	Editor: Open Uri
G then F	Editor: Open Selected Filename
G then N	Vim: Select Next Match
G then Shift N	Vim: Select Previous Match
G then L	Vim: Select Next
G then Shift L	Vim: Select Previous
G then >	Editor: Select Next { "replace_newest": true }
G then <	Editor: Select Previous { "replace_newest": true }
G then A	Editor: Select All Matches
G then S	Outline: Toggle
G then Shift O	Outline: Toggle
G then Shift S	Project Symbols: Toggle
G then .	Editor: Toggle Code Actions
G then Shift A	Editor: Find All References
G then _	Editor: Open Excerpts
G then *	Vim: Move To Next { "partial_word": true }
G then #	Vim: Move To Previous { "partial_word": true }
G then J	Vim: Down { "display_lines": true }
G then ↓	Vim: Down { "display_lines": true }
G then K	Vim: Up { "display_lines": true }

VIM · VIMCONTROL && !MENU (6/8)

G then ↑	Vim: Up {"display_lines":true}
G then \$	Vim: End Of Line {"display_lines":true}
G then ↘	Vim: End Of Line {"display_lines":true}
G then 0	Vim: Start Of Line {"display_lines":true}
G then ↖	Vim: Start Of Line {"display_lines":true}
G then Shift M	Vim: Middle Of Line {"display_lines":true}
G then ^	Vim: First Non Whitespace {"display_lines":true}
G then V	Vim: Restore Visual Selection
G then J	Editor: Go To Diagnostic
G then [	Editor: Go To Previous Diagnostic
G then I	Vim: Insert At Previous
G then ,	Vim: Change List Newer
G then ;	Vim: Change List Older
Shift H	Vim: Window Top
Shift M	Vim: Window Middle
Shift L	Vim: Window Bottom
Q	Vim: Toggle Record
Shift Q	Vim: Replay Last Recording
@	Vim: Push Replay Register
Z then ↻	Workspace: Send Keystrokes "z t ^"
Z then -	Workspace: Send Keystrokes "z b ^"
Z then ^	Workspace: Send Keystrokes "shift-h k z b ^"

VIM · VIMCONTROL && !MENU (7/8)

Z then +	Workspace: Send Keystrokes "shift-l j z t ^"
Z then T	Editor: Scroll Cursor Top
Z then Z	Editor: Scroll Cursor Center
Z then .	Workspace: Send Keystrokes "z z ^"
Z then B	Editor: Scroll Cursor Bottom
Z then A	Editor: Toggle Fold
Z then Shift A	Editor: Toggle Fold Recursive
Z then C	Editor: Fold
Z then Shift C	Editor: Fold Recursive
Z then O	Editor: Unfold Lines
Z then Shift O	Editor: Unfold Recursive
Z then F	Editor: Fold Selected Ranges
Z then Shift M	Editor: Fold All
Z then Shift R	Editor: Unfold All
Z then L	Vim: Column Right
Z then H	Vim: Column Left
Z then Shift L	Vim: Half Page Right
Z then Shift H	Vim: Half Page Left
Shift Z then Shift Q	Pane: Close Active Item {"save_intent":"skip"}
Shift Z Z then Shift Z	Pane: Close Active Item {"save_intent":"save_all"}
1	Vim: Number 1
2	Vim: Number 2

VIM · VIMCONTROL && !MENU (8/8)

3	Vim: Number 3
4	Vim: Number 4
5	Vim: Number 5
6	Vim: Number 6
7	Vim: Number 7
8	Vim: Number 8
9	Vim: Number 9
Ctrl W then D	Editor: Go To Definition Split
Ctrl W then G then D	Editor: Go To Definition Split
Ctrl W then J	Editor: Go To Definition Split
Ctrl W then Ctrl J	Editor: Go To Definition Split
Ctrl W then Shift D	Editor: Go To Type Definition Split
Ctrl W then G then Shift D	Editor: Go To Type Definition Split
Ctrl W then ↵	Editor: Open Excerpts Split
Ctrl W then G then ↵	Editor: Open Excerpts Split
Ctrl ^	Pane: Alternate File
.	Vim: Repeat

VIM · VIM_MODE == NORMAL || VIM_MODE == VISUAL || VIM_MODE == OPERATOR (1/2)

J then J	Vim: Next Section Start
J then [	Vim: Next Section End
[then [	Vim: Previous Section Start
[then J	Vim: Previous Section End
J then M	Vim: Next Method Start
J then Shift M	Vim: Next Method End
[then M	Vim: Previous Method Start
[then Shift M	Vim: Previous Method End
[then *	Vim: Previous Comment
[then /	Vim: Previous Comment
J then *	Vim: Next Comment
J then /	Vim: Next Comment
[then -	Vim: Previous Lesser Indent
[then +	Vim: Previous Greater Indent
[then =	Vim: Previous Same Indent
J then -	Vim: Next Lesser Indent
J then +	Vim: Next Greater Indent
J then =	Vim: Next Same Indent
J then B	Pane: Activate Next Item
[then B	Pane: Activate Previous Item
J then Shift B	Pane: Activate Last Item
[then Shift B	Pane: Activate Item 0

VIM · VIM_MODE == NORMAL || VIM_MODE == VISUAL || VIM_MODE == OPERATOR (2/2)

J then ↵	Vim: Insert Empty Line Below
[then ↵	Vim: Insert Empty Line Above
[then E	Editor: Move Line Up
J then E	Editor: Move Line Down
[then F	Workspace: Follow Next Collaborator
J then F	Workspace: Follow Next Collaborator
J then }	Vim: Unmatched Forward {"char":"}"
[then {	Vim: Unmatched Backward {"char": "{"}
J then)	Vim: Unmatched Forward {"char":")"
[then (	Vim: Unmatched Backward {"char": "("}
[then R	Vim: Go To Previous Reference
J then R	Vim: Go To Next Reference
[then X	Vim: Select Larger Syntax Node
J then X	Vim: Select Smaller Syntax Node

VIM · VIM_MODE == NORMAL (1/3)

I	Vim: Insert Before
A	Vim: Insert After
Ctrl [	Editor: Cancel
:	Command Palette: Toggle
C	Vim: Push Change
Shift C	Vim: Change To End Of Line
D	Vim: Push Delete
⌫	Vim: Delete Right
G then Shift J	Vim: Join Lines No Whitespace
Y	Vim: Push Yank
Shift Y	Vim: Yank Line
X	Vim: Delete Right
Shift X	Vim: Delete Left
Ctrl A	Vim: Increment
Ctrl X	Vim: Decrement
Ctrl R	Vim: Redo
>	Vim: Push Indent
<	Vim: Push Outdent
=	Vim: Push Auto Indent
!	Vim: Push Shell Command
G then U	Vim: Push Lowercase
G then Shift U	Vim: Push Uppercase

VIM · VIM_MODE == NORMAL (2/2)

G then ~	Vim: Push Opposite Case
G then ?	Vim: Push Rot13
G then W	Vim: Push Rewrap
G then Q	Vim: Push Rewrap
insert	Vim: Insert Before
J then D	Editor: Go To Diagnostic
[then D	Editor: Go To Previous Diagnostic
J then C	Editor: Go To Hunk
[then C	Editor: Go To Previous Hunk
G then C	Vim: Push Toggle Comments
G then B	Vim: Push Toggle Block Comments

VIM · VIMCONTROL && VIMCOUNT

0	Vim: Number 0
:	Vim: Count Command
%	Vim: Go To Percentage

VIM · VIM_MODE == VISUAL (1/3)

:	Vim: Visual Command
U	Vim: Convert To Lower Case
Shift U	Vim: Convert To Upper Case
Shift O	Vim: Other End
O	Vim: Other End Row Aware
D	Vim: Visual Delete
X	Vim: Visual Delete
⌫	Vim: Visual Delete
Shift D	Vim: Visual Delete Line
Shift X	Vim: Visual Delete Line
Y	Vim: Visual Yank
Shift Y	Vim: Visual Yank Line
P	Vim: Paste
Shift P	Vim: Paste { "preserve_clipboard": true }
C	Vim: Substitute
S	Vim: Substitute
Shift R	Vim: Substitute Line
Shift S	Vim: Substitute Line
~	Vim: Change Case
*	Vim: Move To Next { "partial_word": true }
#	Vim: Move To Previous { "partial_word": true }
Ctrl A	Vim: Increment

VIM · VIM_MODE == VISUAL (2/3)

Ctrl X	Vim: Decrement
G then Ctrl A	Vim: Increment { "step": true }
G then Ctrl X	Vim: Decrement { "step": true }
Shift I	Vim: Insert Before
Shift A	Vim: Insert After
G then Shift I	Vim: Visual Insert First Non White Space
G then Shift A	Vim: Visual Insert End Of Line
Shift J	Vim: Join Lines
G then Shift J	Vim: Join Lines No Whitespace
R	Vim: Push Replace
Ctrl C	Vim: Switch To Normal Mode
Ctrl [	Vim: Switch To Normal Mode
⌫	Vim: Switch To Normal Mode
>	Vim: Indent
<	Vim: Outdent
=	Vim: Auto Indent
!	Vim: Shell Command
I	Vim: Push Object { "around": false }
A	Vim: Push Object { "around": true }
G then Shift R	Vim: Paste { "preserve_clipboard": true }
G then C	Vim: Toggle Comments
G then B	Vim: Toggle Block Comments

VIM · VIM_MODE == VISUAL (3/3)

G then Q	Vim: Rewrap
G then W	Vim: Rewrap
G then ?	Vim: Convert To Rot13
"	Vim: Push Register

VIM · VIM_MODE == HELIX_SELECT

V	Vim: Normal Before
;	Vim: Helix Collapse Selection
~	Vim: Change Case
Ctrl A	Vim: Increment
Ctrl X	Vim: Decrement
Shift J	Vim: Join Lines
I	Vim: Insert Before
A	Vim: Insert After
O	Vim: Insert Line Below
Shift O	Vim: Insert Line Above
P	Vim: Paste
U	Vim: Undo
R	Vim: Push Replace
S	Vim: Substitute
Ctrl f	Pane: Activate Previous Item
Ctrl ↓	Pane: Activate Next Item
.	Vim: Repeat
Alt .	Vim: Repeat Find

VIM · VIM_MODE == INSERT (1/2)

Ctrl C	Vim: Normal Before
Ctrl [	Vim: Normal Before
⌫	Vim: Normal Before
Ctrl X then Ctrl O	Editor: Show Completions
Ctrl X then Ctrl A	Assistant: Inline Assist
Ctrl X then Ctrl C	Editor: Show Edit Prediction
Ctrl X then Ctrl L	Editor: Toggle Code Actions
Ctrl X then Ctrl Z	Editor: Cancel
Ctrl X then Ctrl E	Vim: Line Down
Ctrl X then Ctrl Y	Vim: Line Up
Ctrl W	Editor: Delete To Previous Word Start { "ignore_newlines": false, "ignore_brackets": false }
Ctrl U	Editor: Delete To Beginning Of Line
Ctrl T	Vim: Indent
Ctrl D	Vim: Outdent
Ctrl Y	Vim: Insert From Above
Ctrl E	Vim: Insert From Below
Ctrl K	Vim: Push Digraph { }
Ctrl V	Vim: Push Literal { }
Ctrl Shift V	Editor: Paste
Ctrl Q	Vim: Push Literal { }
Ctrl Shift Q	Vim: Push Literal { }
Ctrl R	Vim: Push Register

VIM · VIM_MODE == INSERT (2/2)	
insert	Vim: Toggle Replace
Ctrl O	Vim: Temporary Normal
Ctrl S	Editor: Show Signature Help

VIM · SHOWING_COMPLETIONS	
Ctrl D	Vim: Scroll Down
Ctrl U	Vim: Scroll Up
Ctrl E	Vim: Line Down
Ctrl Y	Vim: Line Up

VIM · (VIM_MODE == NORMAL VIM_MODE == HELIX_NORMAL) && !MENU	
⌘	Editor: Cancel
Shift D	Vim: Delete To End Of Line
Shift J	Vim: Join Lines
Shift Y	Vim: Yank Line
Shift I	Vim: Insert First Non Whitespace
Shift A	Vim: Insert End Of Line
O	Vim: Insert Line Below
Shift O	Vim: Insert Line Above
~	Vim: Change Case
Ctrl A	Vim: Increment
Ctrl X	Vim: Decrement
P	Vim: Paste
Shift P	Vim: Paste {"before":true}
U	Vim: Undo
Shift U	Vim: Undo Last Line
R	Vim: Push Replace
S	Vim: Substitute
Shift S	Vim: Substitute Line
"	Vim: Push Register
Ctrl ⏏	Pane: Activate Next Item
Ctrl ⏪	Pane: Activate Previous Item

VIM · VIMCONTROL && VIM_MODE == HELIX_NORMAL && !MENU && !BUFFERSEARCHBAR	
J	Vim: Down {"display_lines":true}
↓	Vim: Down {"display_lines":true}
K	Vim: Up {"display_lines":true}
↑	Vim: Up {"display_lines":true}
G then J	Vim: Down
G then ↓	Vim: Down
G then K	Vim: Up
G then ↑	Vim: Up
⌘	Vim: Switch To Helix Normal Mode
I	Vim: Helix Insert
A	Vim: Helix Append
Shift A	Vim: Helix Insert End Of Line
Ctrl [	Editor: Cancel

VIM · VIM_MODE == HELIX_SELECT && !MENU && !BUFFERSEARCHBAR	
⌘	Vim: Switch To Helix Normal Mode

VIM · (VIM_MODE == HELIX_NORMAL VIM_MODE == HELIX_SELECT) && !MENU (1/5)	
H	Vim: Wrapping Left
←	Vim: Wrapping Left
L	Vim: Wrapping Right
→	Vim: Wrapping Right
T	Vim: Push Find Forward {"before":true,"multiline":true}
F	Vim: Push Find Forward {"before":false,"multiline":true}
Shift T	Vim: Push Find Backward {"after":true,"multiline":true}
Shift F	Vim: Push Find Backward {"after":false,"multiline":true}
Alt .	Vim: Repeat Find
Shift R	Editor: Paste
`	Vim: Convert To Lower Case
Alt `	Vim: Convert To Upper Case
insert	Vim: Insert Before
Shift U	Editor: Redo
Ctrl R	Vim: Redo
Y	Vim: Helix Yank
P	Vim: Helix Paste
Shift P	Vim: Helix Paste {"before":true}
>	Vim: Indent
<	Vim: Outdent
=	Vim: Auto Indent
D	Vim: Helix Delete

VIM · (VIM_MODE == HELIX_NORMAL VIM_MODE == HELIX_SELECT) && !MENU (2/5)	
Alt D	Editor: Delete
C	Vim: Helix Substitute
Alt C	Vim: Helix Substitute No Yank
S	Vim: Helix Select Regex
Alt S	Editor: Split Selection Into Lines {"keep_selections":true}
;	Vim: Helix Collapse Selection
Alt ;	Vim: Other End
,	Vim: Helix Keep Newest Selection
Shift C	Vim: Helix Duplicate Below
Alt Shift C	Vim: Helix Duplicate Above
%	Editor: Select All
X	Vim: Helix Select Line
Shift X	Editor: Select Line
Ctrl C	Editor: Toggle Comments
Alt O	Editor: Select Larger Syntax Node
Alt I	Editor: Select Smaller Syntax Node
Alt P	Editor: Select Previous Syntax Node
Alt N	Editor: Select Next Syntax Node
N	Vim: Helix Select Next
Shift N	Vim: Helix Select Previous
G then E	Vim: End Of Document
G then H	Vim: Start Of Line

VIM · (VIM_MODE == HELIX_NORMAL VIM_MODE == HELIX_SELECT) && !MENU (3/5)	
G then L	Vim: End Of Line
G then S	Vim: First Non Whitespace
G then T	Vim: Window Top
G then C	Vim: Window Middle
G then B	Vim: Window Bottom
G then R	Editor: Find All References
G then N	Pane: Activate Next Item
Shift L	Pane: Activate Next Item
G then P	Pane: Activate Previous Item
Shift H	Pane: Activate Previous Item
G then W	Vim: Helix Jump To Word
G then .	Vim: Helix Goto Last Modification
G then O	Editor: Toggle Selected Diff Hunks
G then Shift O	Git: Toggle Staged
G then Shift R	Git: Restore
G then U	Git: Stage And Next
G then Shift U	Git: Unstage And Next
_ then W then V	Pane: Split Right
_ then W then S	Pane: Split Down
_ then W then H	Workspace: Activate Pane Left
_ then W then J	Workspace: Activate Pane Down
_ then W then K	Workspace: Activate Pane Up

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (4/5)

 then W then L	Workspace: Activate Pane Right
 then W then Q	Pane: Close Active Item
 then W then R	Pane: Split Right
 then W then D	Pane: Split Down
 then B	Tab Switcher: Toggle All
 then F	File Finder: Toggle
 then K	Editor: Hover
 then S	Outline: Toggle
 then Shift S	Project Symbols: Toggle
 then D	Editor: Go To Diagnostic
 then R	Editor: Rename
 then A	Editor: Toggle Code Actions
 then H	Editor: Select All Matches
 then C	Editor: Toggle Comments
 then P	Editor: Paste
 then Y	Editor: Copy
 then /	Pane: Deploy Search
:	Command Palette: Toggle
M	Vim: Push Helix Match
]	Vim: Push Helix Next { "around": true }
[	Vim: Push Helix Previous { "around": true }
Ctrl S	Editor: Save Location

VIM · (VIM_MODE == HELIX_NORMAL || VIM_MODE == HELIX_SELECT) && !MENU (5/5)

G then Q	Vim: Push Rewrap
------------------------	------------------

VIM · VIM_MODE == INSERT && !(SHOWING_CODE_ACTIONS || SHOWING_COMPLETIONS)

Ctrl P	Editor: Show Word Completions
Ctrl N	Editor: Show Word Completions

VIM · (VIM_MODE == INSERT || VIM_MODE == NORMAL) && SHOWING_SIGNATURE_HELP && !SHOWING_COMPLETIONS

Ctrl P	Editor: Signature Help Previous
Ctrl N	Editor: Signature Help Next

VIM · VIM_MODE == REPLACE

Ctrl C	Vim: Normal Before
Ctrl [	Vim: Normal Before
⌘	Vim: Normal Before
Ctrl K	Vim: Push Digraph { }
Ctrl V	Vim: Push Literal { }
Ctrl Shift V	Editor: Paste
Ctrl Q	Vim: Push Literal { }
Ctrl Shift Q	Vim: Push Literal { }
⌘	Vim: Undo Replace
→	Vim: Tab
↵	Vim: Enter
insert	Vim: Insert Before

VIM · VIM_MODE == WAITING

→	Vim: Tab
↵	Vim: Enter
Ctrl C	Vim: Clear Operators
Ctrl [	Vim: Clear Operators
⌘	Vim: Clear Operators
Ctrl K	Vim: Push Digraph { }
Ctrl V	Vim: Push Literal { }
Ctrl Q	Vim: Push Literal { }

VIM · EDITOR && VIM_MODE == WAITING && (VIM_OPERATOR == YS || VIM_OPERATOR == CS)

⌘	Vim: Switch To Normal Mode
----------	----------------------------

VIM · VIM_MODE == OPERATOR

Ctrl C	Vim: Clear Operators
Ctrl [	Vim: Clear Operators
⌘	Vim: Clear Operators
G then C	Vim: Comment

VIM · VIM_OPERATOR == A || VIM_OPERATOR == I || VIM_OPERATOR == CS || VIM_OPERATOR == HELIX_NEXT || VIM_OPERATOR == HELIX_PREVIOUS (1/2)

W	Vim: Word
Shift W	Vim: Word { "ignore_punctuation": true }
T	Vim: Tag
S	Vim: Sentence
P	Vim: Paragraph
'	Vim: Quotes
`	Vim: Back Quotes
"	Vim: Double Quotes
Q	Vim: Mini Quotes
 	Vim: Vertical Bars
(	Vim: Parentheses { "opening": true }
)	Vim: Parentheses
B	Vim: Parentheses
[	Vim: Square Brackets { "opening": true }
]	Vim: Square Brackets
R	Vim: Square Brackets
{	Vim: Curly Brackets { "opening": true }
}	Vim: Curly Brackets
Shift B	Vim: Curly Brackets
<	Vim: Angle Brackets { "opening": true }
>	Vim: Angle Brackets
A	Vim: Argument

VIM · VIM_OPERATOR == A || VIM_OPERATOR == I || VIM_OPERATOR == CS || VIM_OPERATOR == HELIX_NEXT || VIM_OPERATOR == HELIX_PREVIOUS (2/2)

I	Vim: Indent Obj
Shift I	Vim: Indent Obj { "include_below": true }
F	Vim: Method
C	Vim: Class
E	Vim: Entire File

VIM · VIM_OPERATOR == HELIX_M

M	Vim: Matching { "match_quotes": true }
S	Vim: Push Helix Surround Add
R	Vim: Push Helix Surround Replace
D	Vim: Push Helix Surround Delete

VIM · VIM_OPERATOR == HELIX_NEXT	
Z	Vim: Next Section Start
Shift Z	Vim: Next Section End
*	Vim: Next Comment
/	Vim: Next Comment
-	Vim: Next Lesser Indent
+	Vim: Next Greater Indent
=	Vim: Next Same Indent
B	Pane: Activate Next Item
Shift B	Pane: Activate Last Item
X	Editor: Select Smaller Syntax Node
D	Editor: Go To Diagnostic
C	Editor: Go To Hunk
_	Vim: Insert Empty Line Below

VIM · VIM_OPERATOR == HELIX_PREVIOUS	
Z	Vim: Previous Section Start
Shift Z	Vim: Previous Section End
*	Vim: Previous Comment
/	Vim: Previous Comment
-	Vim: Previous Lesser Indent
+	Vim: Previous Greater Indent
=	Vim: Previous Same Indent
B	Pane: Activate Previous Item
Shift B	Pane: Activate Item 0
X	Editor: Select Larger Syntax Node
D	Editor: Go To Previous Diagnostic
C	Editor: Go To Previous Hunk
_	Vim: Insert Empty Line Above

VIM · VIM_OPERATOR == C	
C	Vim: Current Line
X	Vim: Exchange
D	Editor: Rename
S	Vim: Push Change Surrounds {}

VIM · VIM_OPERATOR == D	
D	Vim: Current Line
S	Vim: Push Delete Surrounds
V	Vim: Push Forced Motion
O	Editor: Toggle Selected Diff Hunks
Shift O	Git: Toggle Staged
P	Git: Restore
U	Git: Stage And Next
Shift U	Git: Unstage And Next

VIM · VIM_OPERATOR == GU	
G then U	Vim: Current Line
U	Vim: Current Line

VIM · VIM_OPERATOR == GU	
G then Shift U	Vim: Current Line
Shift U	Vim: Current Line

VIM · VIM_OPERATOR == G~	
G then ~	Vim: Current Line
~	Vim: Current Line

VIM · VIM_OPERATOR == G?	
G then ?	Vim: Current Line
?	Vim: Current Line

VIM · VIM_OPERATOR == GQ	
G then Q	Vim: Current Line
Q	Vim: Current Line
G then W	Vim: Current Line
W	Vim: Current Line

VIM · VIM_OPERATOR == Y	
Y	Vim: Current Line
V	Vim: Push Forced Motion
S	Vim: Push Add Surrounds {}

VIM · VIM_OPERATOR == YS	
S	Vim: Current Line

VIM · VIM_OPERATOR == >	
>	Vim: Current Line

VIM · VIM_OPERATOR == <	
<	Vim: Current Line

VIM · VIM_OPERATOR == EQ	
=	Vim: Current Line

VIM · VIM_OPERATOR == SH	
!	Vim: Current Line

VIM · VIM_OPERATOR == GC	
C	Vim: Current Line

VIM · VIM_OPERATOR == GB	
C	Vim: Current Line

VIM · VIM_OPERATOR == GR	
R	Vim: Current Line
Shift R	Vim: Current Line

VIM · VIM_OPERATOR == CX	
X	Vim: Current Line
C	Vim: Clear Exchange

VIM · VIM_MODE == LITERAL (1/2)	
Ctrl @	Vim: Literal ["ctrl-@", "u0000"]
Ctrl A	Vim: Literal ["ctrl-a", "u0001"]
Ctrl B	Vim: Literal ["ctrl-b", "u0002"]
Ctrl C	Vim: Literal ["ctrl-c", "u0003"]
Ctrl D	Vim: Literal ["ctrl-d", "u0004"]
Ctrl E	Vim: Literal ["ctrl-e", "u0005"]
Ctrl F	Vim: Literal ["ctrl-f", "u0006"]
Ctrl G	Vim: Literal ["ctrl-g", "u0007"]
Ctrl H	Vim: Literal ["ctrl-h", "u0008"]
Ctrl I	Vim: Literal ["ctrl-i", "u0009"]
Ctrl J	Vim: Literal ["ctrl-j", "u000a"]
Ctrl K	Vim: Literal ["ctrl-k", "u000b"]
Ctrl L	Vim: Literal ["ctrl-l", "u000c"]
Ctrl M	Vim: Literal ["ctrl-m", "u000d"]
Ctrl N	Vim: Literal ["ctrl-n", "u000e"]
Ctrl O	Vim: Literal ["ctrl-o", "u000f"]
Ctrl P	Vim: Literal ["ctrl-p", "u0010"]
Ctrl Q	Vim: Literal ["ctrl-q", "u0011"]
Ctrl R	Vim: Literal ["ctrl-r", "u0012"]
Ctrl S	Vim: Literal ["ctrl-s", "u0013"]
Ctrl T	Vim: Literal ["ctrl-t", "u0014"]
Ctrl U	Vim: Literal ["ctrl-u", "u0015"]

VIM · VIM_MODE == LITERAL (2/2)		
Ctrl V	Vim: Literal	["ctrl-v","\u0016"]
Ctrl W	Vim: Literal	["ctrl-w","\u0017"]
Ctrl X	Vim: Literal	["ctrl-x","\u0018"]
Ctrl Y	Vim: Literal	["ctrl-y","\u0019"]
Ctrl Z	Vim: Literal	["ctrl-z","\u001a"]
Ctrl [	Vim: Literal	["ctrl-["","\u001b"]
Ctrl \	Vim: Literal	["ctrl-\"","\u001c"]
Ctrl]	Vim: Literal	["ctrl-"]","\u001d"]
Ctrl ^	Vim: Literal	["ctrl-^","\u001e"]
Ctrl _	Vim: Literal	["ctrl-_"","\u001f"]
␣	Vim: Literal	["escape","\u001b"]
↵	Vim: Literal	["enter","\r"]
→	Vim: Literal	["tab","\t"]
⌫	Vim: Literal	["backspace","\b"]
⌫	Vim: Literal	["delete","\ "]

VIM · BUFFERSEARCHBAR && !IN_REPLACE		
↵	Vim: Search Submit	
⊞	Buffer Search: Dismiss	

VIM · VIMCONTROL && !MENU !EDITOR && !TERMINAL (1/3)		
Ctrl W then ←	Workspace: Activate Pane Left	
Ctrl W then →	Workspace: Activate Pane Right	
Ctrl W then ↑	Workspace: Activate Pane Up	
Ctrl W then ↓	Workspace: Activate Pane Down	
Ctrl W then Ctrl H	Workspace: Activate Pane Left	
Ctrl W then Ctrl L	Workspace: Activate Pane Right	
Ctrl W then Ctrl K	Workspace: Activate Pane Up	
Ctrl W then Ctrl J	Workspace: Activate Pane Down	
Ctrl W then H	Workspace: Activate Pane Left	
Ctrl W then L	Workspace: Activate Pane Right	
Ctrl W then K	Workspace: Activate Pane Up	
Ctrl W then J	Workspace: Activate Pane Down	
Ctrl W then Shift ←	Workspace: Swap Pane Left	
Ctrl W then Shift →	Workspace: Swap Pane Right	
Ctrl W then Shift ↑	Workspace: Swap Pane Up	
Ctrl W then Shift ↓	Workspace: Swap Pane Down	
Ctrl W then X	Workspace: Swap Pane Adjacent	
Ctrl W then Ctrl X	Workspace: Swap Pane Adjacent	
Ctrl W then Shift H	Workspace: Move Pane Left	
Ctrl W then Shift L	Workspace: Move Pane Right	
Ctrl W then Shift K	Workspace: Move Pane Up	
Ctrl W then Shift J	Workspace: Move Pane Down	

VIM · VIMCONTROL && !MENU !EDITOR && !TERMINAL (2/3)		
Ctrl W then >	Vim: Resize Pane Right	
Ctrl W then <	Vim: Resize Pane Left	
Ctrl W then -	Vim: Resize Pane Down	
Ctrl W then +	Vim: Resize Pane Up	
Ctrl W then _	Vim: Maximize Pane	
Ctrl W then =	Vim: Reset Pane Sizes	
Ctrl W then G then T	Pane: Activate Next Item	
Ctrl W then Ctrl G then T	Pane: Activate Next Item	
Ctrl W then G then Shift T	Pane: Activate Previous Item	
Ctrl W then Ctrl G then Shift T	Pane: Activate Previous Item	
Ctrl W then W	Workspace: Activate Next Pane	
Ctrl W then Ctrl W	Workspace: Activate Next Pane	
Ctrl W then P	Workspace: Activate Previous Pane	
Ctrl W then Ctrl P	Workspace: Activate Previous Pane	
Ctrl W then Shift W	Workspace: Activate Previous Pane	
Ctrl W then Ctrl Shift W	Workspace: Activate Previous Pane	
Ctrl W then Ctrl V	Pane: Split Vertical	
Ctrl W then V	Pane: Split Vertical	
Ctrl W then Shift S	Pane: Split Horizontal	
Ctrl W then Ctrl S	Pane: Split Horizontal	
Ctrl W then S	Pane: Split Horizontal	
Ctrl W then Ctrl C	Pane: Close Active Item	

VIM · VIMCONTROL && !MENU !EDITOR && !TERMINAL (3/3)		
Ctrl W then C	Pane: Close Active Item	
Ctrl W then Ctrl Q	Pane: Close Active Item	
Ctrl W then Q	Pane: Close Active Item	
Ctrl W then Ctrl A	Pane: Close All Items	
Ctrl W then A	Pane: Close All Items	
Ctrl W then Ctrl O	Workspace: Close Inactive Tabs And Panes	
Ctrl W then O	Workspace: Close Inactive Tabs And Panes	
Ctrl W then Ctrl N	Workspace: New File Split Horizontal	
Ctrl W then N	Workspace: New File Split Horizontal	
G then T	Vim: Go To Tab	
G then Shift T	Vim: Go To Previous Tab	

VIM · !EDITOR && !TERMINAL	
:	Command Palette: Toggle
G then /	Pane: Deploy Search
J then B	Pane: Activate Next Item
I then B	Pane: Activate Previous Item
J then Shift B	Pane: Activate Last Item
I then Shift B	Pane: Activate Item 0
_ then F	File Finder: Toggle
_ then /	Pane: Deploy Search
_ then Shift S	Project Symbols: Toggle
_ then W then H	Workspace: Activate Pane Left
_ then W then J	Workspace: Activate Pane Down
_ then W then K	Workspace: Activate Pane Up
_ then W then L	Workspace: Activate Pane Right
_ then W then Q	Pane: Close Active Item

VIM · PROJECTPANEL && NOT_EDITING (1/3)	
:	Command Palette: Toggle
%	Project Panel: New File
/	Project Panel: New Search In Directory
D	Project Panel: New Directory
↻	Project Panel: Open Permanent
☰	Vim: Toggle Project Panel Focus
H	Project Panel: Collapse Selected Entry
J	Vim: Menu Select Next
K	Vim: Menu Select Previous
↓	Vim: Menu Select Next
↑	Vim: Menu Select Previous
L	Project Panel: Expand Selected Entry
Shift D	Project Panel: Delete
Shift R	Project Panel: Rename
T	Project Panel: Open Permanent
V	Project Panel: Open Split Vertical
O	Project Panel: Open Split Horizontal
P	Project Panel: Open
X	Project Panel: Reveal In File Manager
S	Workspace: Open With System
Z then D	Project Panel: Compare Marked Files
J then C	Project Panel: Select Next Git Entry

VIM · PROJECTPANEL && NOT_EDITING (2/3)	
I then C	Project Panel: Select Prev Git Entry
J then D	Project Panel: Select Next Diagnostic
I then D	Project Panel: Select Prev Diagnostic
}	Project Panel: Select Next Directory
{	Project Panel: Select Prev Directory
Shift G	Menu: Select Last
G then G	Menu: Select First
-	Project Panel: Select Parent
Ctrl U	Project Panel: Scroll Up
Ctrl D	Project Panel: Scroll Down
Z then T	Project Panel: Scroll Cursor Top
Z then Z	Project Panel: Scroll Cursor Center
Z then B	Project Panel: Scroll Cursor Bottom
0	Vim: Number 0
1	Vim: Number 1
2	Vim: Number 2
3	Vim: Number 3
4	Vim: Number 4
5	Vim: Number 5
6	Vim: Number 6
7	Vim: Number 7
8	Vim: Number 8

VIM · PROJECTPANEL && NOT_EDITING (3/3)	
9	Vim: Number 9

VIM · OUTLINEPANEL && NOT_EDITING (1/2)	
H	Outline Panel: Collapse Selected Entry
J	Vim: Menu Select Next
K	Vim: Menu Select Previous
↓	Vim: Menu Select Next
↑	Vim: Menu Select Previous
L	Outline Panel: Expand Selected Entry
Shift G	Menu: Select Last
G then G	Menu: Select First
-	Outline Panel: Select Parent
↔	Editor: Toggle Focus
/	Menu: Cancel
Ctrl U	Outline Panel: Scroll Up
Ctrl D	Outline Panel: Scroll Down
Z then T	Outline Panel: Scroll Cursor Top
Z then Z	Outline Panel: Scroll Cursor Center
Z then B	Outline Panel: Scroll Cursor Bottom
0	Vim: Number 0
1	Vim: Number 1
2	Vim: Number 2
3	Vim: Number 3
4	Vim: Number 4
5	Vim: Number 5

VIM · OUTLINEPANEL && NOT_EDITING (2/2)	
6	Vim: Number 6
7	Vim: Number 7
8	Vim: Number 8
9	Vim: Number 9

VIM · OUTLINEPANEL && EDITING	
↔	Menu: Cancel

VIM · GITGRAPH	
→	Git Graph: Focus Next Tab Stop
Shift →	Git Graph: Focus Previous Tab Stop

VIM · GITGRAPHSEARCHBAR > EDITOR	
→	Git Graph: Focus Next Tab Stop
Shift →	Git Graph: Focus Previous Tab Stop

VIM · GITGRAPH && !GITGRAPHSEARCHBAR	
J	Vim: Menu Select Next
K	Vim: Menu Select Previous
Ctrl D	Git Graph: Scroll Down
Ctrl U	Git Graph: Scroll Up
Shift G	Menu: Select Last
G then G	Menu: Select First

VIM · GITPANEL && CHANGESLIST && !GITBRANCHSELECTOR	
K	Menu: Select Previous
J	Menu: Select Next
G then G	Menu: Select First
Shift G	Menu: Select Last
G then F	Menu: Confirm
I	Git Panel: Focus Editor
X	Git: Toggle Staged
Shift X	Git: Stage All
G then X	Git: Stage Range
Shift U	Git: Unstage All

VIM · PICKER > EDITOR	
Ctrl H	Editor: Backspace
Ctrl U	Editor: Delete To Beginning Of Line
Ctrl W	Editor: Delete To Previous Word Start
Ctrl P	Menu: Select Previous
Ctrl N	Menu: Select Next

VIM · GITCOMMIT > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
Ctrl C	Menu: Cancel
⌫	Menu: Cancel

VIM · EDITOR && EDIT_PREDICTION && EDIT_PREDICTION_MODE == EAGER && !SHOWING_COMPLETIONS	
→	Editor: Accept Edit Prediction

VIM · MESSAGEEDITOR > EDITOR && VIMCONTROL	
↩	Agent: Chat

VIM · SETTINGSWINDOW > NAVIGATIONMENU && !SEARCH	
L	Settings Editor: Expand Nav Entry
H	Settings Editor: Collapse Nav Entry
K	Settings Editor: Focus Previous Nav Entry
J	Settings Editor: Focus Next Nav Entry
G then G	Settings Editor: Focus First Nav Entry
Shift G	Settings Editor: Focus Last Nav Entry

VIM · MARKDOWNPREVIEW	
Ctrl U	Markdown: Scroll Page Up
Ctrl D	Markdown: Scroll Page Down
Ctrl Y	Markdown: Scroll Up
Ctrl E	Markdown: Scroll Down
G then G	Markdown: Scroll To Top
Shift G	Markdown: Scroll To Bottom
/	Buffer Search: Deploy

VIM · FILEHISTORYVIEW	
J	Menu: Select Next
K	Menu: Select Previous
G then G	Menu: Select First
Shift G	Menu: Select Last

VIM · NOTEBOOKEDITOR > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
J	Notebook: Notebook Move Down
K	Notebook: Notebook Move Up
⌫	Notebook: Enter Command Mode

VIM · NOTEBOOKEDITOR && NOTEBOOK_MODE == COMMAND	
J	Menu: Select Next
K	Menu: Select Previous
G then G	Menu: Select First
Shift G	Menu: Select Last
I	Notebook: Enter Edit Mode
A	Notebook: Enter Edit Mode
↩	Notebook: Enter Edit Mode
Shift ↩	Notebook: Run And Advance
Ctrl ↩	Notebook: Run

VIM · THREADSSIDEBAR && !EDITOR	
J	Menu: Select Next
K	Menu: Select Previous
H	Menu: Select Parent
L	Menu: Select Child
G then G	Menu: Select First
Shift G	Menu: Select Last
/	Agents Sidebar: Focus Sidebar Filter
D then D	Agent: Remove Selected Thread
O	Agents Sidebar: New Thread In Group
Shift O	Agents Sidebar: New Thread In Group
J then P	Multi Workspace: Next Project
[then P	Multi Workspace: Previous Project
Z then A	Editor: Toggle Fold
Z then C	Menu: Select Parent
Z then O	Menu: Select Child
Z then Shift M	Editor: Fold All
Z then Shift R	Editor: Unfold All

VIM · THREADSSIDEBAR > EDITOR && VIMCONTROL && VIM_MODE == NORMAL	
J	Editor: Move Down
K	Editor: Move Up
/	Vim: Switch To Insert Mode
⌫	Menu: Cancel
↩	Editor: Newline