Mean Dataset Correlation Report

Run: full_run_20260617_selected_handwritings

Each handwriting dataset gets its own Pearson correlation matrix across PLL, WER, CER, and Levenshtein. The final table is the elementwise mean of those dataset-level matrices, so every handwriting style has equal weight.

Variant	Datasets	PLL-WER	PLL-CER	PLL-Lev
base_valid_all_pages	7	0.785	0.759	0.772
base_valid_after_worst20_t	7	0.785	0.759	0.772
high_confidence_after_worst2	7	0.649	0.676	0.713

base_valid_after_worst20_trim: mean of per-dataset correlations

Mean correlation matrix

	PLL	WER	CER	Levenshtein
PLL	1.000	0.785	0.759	0.772
WER	0.785	1.000	0.854	0.841
CER	0.759	0.854	1.000	0.979
Levenshtein	0.772	0.841	0.979	1.000

Dataset counts per cell

	PLL	WER	CER	Levenshtein
PLL	7	7	7	7
WER	7	7	7	7
CER	7	7	7	7
Levenshtein	7	7	7	7

base_valid_all_pages: mean of per-dataset correlations

Mean correlation matrix

	PLL	WER	CER	Levenshtein
PLL	1.000	0.785	0.759	0.772
WER	0.785	1.000	0.854	0.841
CER	0.759	0.854	1.000	0.979
Levenshtein	0.772	0.841	0.979	1.000

Dataset counts per cell

	PLL	WER	CER	Levenshtein
PLL	7	7	7	7
WER	7	7	7	7
CER	7	7	7	7
Levenshtein	7	7	7	7

high_confidence_after_worst20_trim: mean of per-dataset correlations

Mean correlation matrix

	PLL	WER	CER	Levenshtein
PLL	1.000	0.649	0.676	0.713
WER	0.649	1.000	0.845	0.846
CER	0.676	0.845	1.000	0.928
Levenshtein	0.713	0.846	0.928	1.000

Dataset counts per cell

	PLL	WER	CER	Levenshtein
PLL	7	7	7	7
WER	7	7	7	7
CER	7	7	7	7
Levenshtein	7	7	7	7