

Full OCR Report Across All Handwriting Styles

Run: full_run_20260613

Executive summary



This report summarizes the full handwriting corpus in `datasets/` using 20 handwriting styles, 94 images, 7 OCR models, and 658 model-image comparisons. After removing 111 fallback-penalty rows and 196 missing-score rows, 351 comparisons remain usable across 17 handwriting styles. The strongest average result on PLL is `italian 7`, with the lowest mean PLL 5156.402, mean WER 0.723, mean CER 0.356, and mean Levenshtein 741.200. The main correlation matrix in this report is not the raw pooled correlation. Instead, each handwriting style gets its own Pearson matrix first, and the final matrix is the elementwise mean of those style-level matrices. That makes every handwriting style count equally, which is the right choice when the point is to compare styles rather than let the largest set dominate the statistics. On that equal-weight mean matrix, PLL correlates 0.408 with WER, 0.426 with CER, and 0.499 with Levenshtein. For comparison, the pooled all-rows correlations are 0.325, 0.447, and 0.922. The model wins by handwriting style are: sephardi: 5, italian 7: 5, ashkenazy: 3, sinai no voc 61: 2, prenumeranten: 1, biblia9: 1.

Metric	Value
Handwriting styles	20
Images	94
Models	7
Comparisons	658
Valid comparisons	351
Fallback penalties	111
Missing scores	196
Best average model	italian 7
Best mean PLL	5156.402


Interpretation

Every handwriting style contributes equally to the headline correlation matrix. Lower PLL is the better side of the scale here. That makes the report useful for comparing styles, not just counting lines. The model summary and winner counts show which recognizer is most stable across the corpus.

Corpus overview and model ranking




Handwriting-level model behavior




Correlation analysis

Equal-weight mean Pearson matrix




Pooled Pearson matrix



PLL alignment across handwriting styles

Summary of dataset-wise correlations



Pair	Mean	Std	Datasets
PLL vs CER	0.426	0.396	17
PLL vs Levenshtein	0.499	0.385	17
PLL vs WER	0.408	0.378	17

Best model by handwriting style

Handwriting style	Best PLL	Best WER	Best CER	Best Levenshtein
BNF 150 Amitai Tanchuma 2	sephardi	italian 7	italian 7	italian 7
BNF 150 test 2	italian 7	italian 7	italian 7	italian 7
Bodleian Oppenheim Add. 4-128	ashkenazy	italian 7	italian 7	italian 7
Constantinople 1520	sinai no voc 61	vat44	vat44	ashkenazy
Huntington Amitai Tanchuma 2	sephardi	sephardi	italian 7	italian 7
Matteo Zz MS Oxford Huntington 2	prenumeranten	italian 7	italian 7	italian 7
Midrash Hagadol Dvarim	italian 7	vat44	sinai no voc 61	sinai no voc 61
Bodleian MS Huntington 115	italian 7	italian 7	italian 7	italian 7
Munich 229 Amitai Tanchuma 2	ashkenazy	ashkenazy	ashkenazy	ashkenazy
Munich Staatsbibliothek test 2	ashkenazy	vat44	ashkenazy	ashkenazy
Neubauer 147 Amitai Tanchuma 2	sinai no voc 61	italian 7	italian 7	italian 7
Oppenheim Add. Fol. 3 test 2	sephardi	italian 7	sephardi	italian 7
Parma 3122 test 2	sephardi	vat44	vat44	vat44
Sefer Haikarim BNF 740 experiment	sephardi	italian 7	italian 7	italian 7
Vat Ebr 34	italian 7	vat44	italian 7	ashkenazy
Vatican 34 Midrash Tanchuma	italian 7	italian 7	italian 7	italian 7
Vatican 44 Amitai Midrash Tanchuma	biblia9	biblia9	biblia9	biblia9

Rows excluded from the statistical summary

Handwriting style	Valid	Penalty	Missing
Bodleian Oppenheim Add. 4-128	77	56	0
Matteo Zz MS Oxford Huntington 2	7	14	0
Vayber Taytsh experiment	0	14	0
Vat 44	0	7	77
Oppenheim Add. Fol. 3 test 2	7	7	0
Print edition Mantoue 1544	0	7	0
Bodleian MS Huntington 115	59	4	0
Munich Staatsbibliothek test 2	12	2	0
Huntington Amitai Tanchuma 2	14	0	56
Vatican 44 Amitai Midrash Tanchuma	14	0	56
Vat Ebr 34	42	0	7
BNF 150 Amitai Tanchuma 2	21	0	0
BNF 150 test 2	14	0	0
Constantinople 1520	7	0	0
Midrash Hagadol Dvarim	7	0	0
Munich 229 Amitai Tanchuma 2	14	0	0
Neubauer 147 Amitai Tanchuma 2	14	0	0
Parma 3122 test 2	14	0	0
Sefer Haikarim BNF 740 experiment	14	0	0
Vatican 34 Midrash Tanchuma	14	0	0

These rows were still produced by the evaluation run, but they are excluded from the corpus-level means and correlations because the PLL scorer returned a fallback penalty or no score at all.