Preparación del entorno de trabajo

Preparación del entorno de trabajo

- Git
- Verificar que el ordenador puede ejecutar Android Studio + Emulator
- Activar Windows Hypervisor Platform
- Probar Kotlin Playground
- Instalar Android Studio
- Completar el primer arranque de Android Studio

Preparación del entorno de trabajo

- Comprobar el Android SDK
- Crear el Android Virtual Device (AVD)
- Arrancar el AVD
- Crear el primer proyecto Android con Jetpack Compose
- Ejecutar la aplicación plantilla
- Hacer una prueba mínima de edición Compose
- Preparar un teléfono real

Git

- Es un sistema de control de versiones distribuido
- Sirve para registrar cambios en archivos, volver a versiones anteriores, crear ramas, fusionar cambios y colaborar en proyectos de software
- URL: https://git-scm.com/
- Descargar Git (2.55.0.5 x64 o posterior) e instalarlo

Git

https://git-scm.com

Chat

git --distributed-even-if-your-workflow-isnt

Type / to search entire site...

Git is a free and open source distributed version control system designed to handle everything from small to very large projects with speed and efficiency.

Git is lightning fast and has a huge ecosystem of GUIs, hosting services, and command-line tools.



About
Git's performance and ecosystem

Learn
Pro Git book, videos, tutorials, and cheat sheet

Tools
Command line tools, GUIs, and hosting services

Reference
Git's reference documentation

Install
Binary releases for all major platforms.

Community
Get involved! Bug reporting, mailing list, chat, development and more.

Latest source release
2.55.0
Release Notes (2026-06-29)

Install for Windows

GitHub Repository

Pro Git by Scott Chacon and Ben Straub is available to read online for free. Dead

Buscar

10:14
06/09/2026

Git - Install for Windows

https://git-scm.com/install/windows

Chat

git --local-branching-on-the-cheap

Type / to search entire site...

- About
- Learn
- Tools
- Reference
- Install
- Community

The entire **Pro Git book** written by Scott Chacon and Ben Straub is available to read online for free. Dead tree versions are available on Amazon.com.

Install

Latest version: 2.55.0 (Release Notes)

Windows | macOS | Linux | Build from Source

Click here to download the latest (**2.55.0(5)**) **x64** version of **Git for Windows**. This is the most recent maintained build. It was released **17 days ago**, on 2026-08-20.

Other Git for Windows downloads

Standalone Installer
Git for Windows/x64 Setup.

Git for Windows/ARM64 Setup.

Portable ("thumbdrive edition")
Git for Windows/x64 Portable.

Git for Windows/ARM64 Portable.

Using winget tool
Install winget tool if you don't already have it, then type this command in command prompt or Powershell.

```
winget install --id Git.Git -e --source winget
```

The current source code release is version **2.55.0**. If you want the newer version, you can build it from the source code.


Now What?


Now that you have downloaded Git, it's time to start using it.

22°C
Mayorm. nublado

Buscar


10:14
06/09/2026


Git 2.55.0.5 Setup
Select Components
Which components should be installed?
Select the components you want to install; clear the components you do not want to install. Click Next when you are ready to continue.
Additional icons
On the Desktop
Windows Explorer integration
Open Git Bash here
Open Git GUI here
Git LFS (Large File Support)
Associate .git* configuration files with the default text editor
Associate .sh files to be run with Bash
Check daily for Git for Windows updates
Add a Git Bash Profile to Windows Terminal
Scalar (Git add-on to manage large-scale repositories)
Current selection requires at least 336,5 MB of disk space.
https://gitforwindows.org/
Back
Next
Cancel


Git 2.55.0.5 Setup
Completing the Git Setup Wizard
Setup has finished installing Git on your computer. The application may be launched by selecting the installed shortcuts.
Click Finish to exit Setup.
Launch Git Bash
View Release Notes
Finish


Verificar que el ordenador puede ejecutar Android Studio + Emulator


- Android Studio es el IDE oficial para desarrollar aplicaciones Android.
- Emulator es la herramienta que simula un dispositivo Android en el PC.
- Abrir el administrador de tareas (Ctrl + Shift + Esc).
- Ir a: Rendimiento → CPU.
- Ver Virtualización:
  - Habilitada → No hay que tocar la BIOS.
  - Deshabilitada → Hay que entrar en UEFI/BIOS y activar:
    - Intel VT-x / Intel Virtualization Technology, si el procesador es Intel
    - SVM / AMD-V, si el procesador es AMD



Administrador de tareas
Rendimiento
Ejecutar nueva tarea
CPU
5% 3,54 GHz
Memoria
14,6/31,4 GB (46%)
Disco 0 (C:)
SSD (NVMe)
0%
Ethernet
Ethernet 2
E: 0 R: 0 Kbps
Wi-Fi
Wi-Fi
E: 0 R: 0 Kbps
GPU 0
AMD Radeon (TM...
6% (43 °C)
CPU
AMD Ryzen 7 5825U with Radeon Graphics
% de uso
100 %
60 segundos
0
Uso
5%
Velocidad
3,54 GHz
Procesos
241
Subprocesos
3852
Identificadores
126906
Tiempo activo
6:03:10:53
Velocidad de base: 2,00 GHz
Sockets: 1
Núcleos: 8
Procesadores lógicos: 16
Virtualización: Habilitado
Caché L1: 512 kB
Caché L2: 4,0 MB
Caché L3: 16,0 MB

Activar Windows Hypervisor Platform

- Windows Hypervisor Platform es una función de Windows que proporciona una capa de virtualización basada en el hipervisor de Windows.
- Pulsar en “Inicio”, escribir “Activar o desactivar las características de Windows” y abrirlo.
- Buscar “Plataforma del hipervisor de Windows”, activarla, aceptar, esperar a que termine y reiniciar.


Activar o desactivar las características de Windows
Todos
Microsoft Bing
Aplicaciones
Documentos
Configuración
Carpetas
Fotos
Mejor coincidencia
Activar o desactivar las características de Win...
Panel de control
Microsoft Bing sugerencias web 1
activar o desactivar las características de win...
Activar o desactivar las características de Windows
Panel de control
Abrir


Características de Windows
Activar o desactivar las características de Windows
Para activar una característica, active la casilla correspondiente. Para desactivarla, desactive la casilla. Una casilla rellena indica que solo está activada una parte de la característica.
.NET Framework 3.5 (incluye .NET 2.0 y 3.0)
.NET Framework 4.8 Advanced Services
Características multimedia
Compatibilidad con el protocolo para compartir archivos SMB 1.0/CIFS
Compatibilidad de API para compresión diferencial remota
Componentes heredados
Escritor de documentos XPS de Microsoft
Imprimir en PDF de Microsoft
Internet Information Services
Microsoft Message Queue (MSMQ) Server
Núcleo de web hospedable de Internet Information Services
Plataforma de máquina virtual
Plataforma del hipervisor de Windows
Servicio WAS (Windows Process Activation Service)
Servicios de impresión y documentos
Simple TCPIP services (i.e. echo, daytime etc)
Subsistema de Windows para Linux
Sysmon
Telnet Client
TFTP Client
Windows Identity Foundation 3.5
Windows Projected File System
Windows TIFF IFilter
Work Folders Client
Aceptar
Cancelar


Características de Windows
Windows completó los cambios solicitados.
Windows tiene que reiniciar el equipo para finalizar la instalación de los cambios solicitados.
Reiniciar ahora
No reiniciar


Probar Kotlin Playground


- Kotlin Playground es un entorno web para escribir y ejecutar código Kotlin directamente en el nagevador.
- URL: https://play.kotlinlang.org/
- Añadirlo a favoritos del navegador.
- Probar a ejecutar el código:

```
fun main() {
    val nombre = “Ane”
    var edad = 20
    edad++
    println(“$nombre tiene $edad años”)
}
```

Instalar Android Studio


- Navegando en modo incógnito, acceder a la URL: https://developer.android.com/studio
- Cambiar el idioma de la web a inglés.
- Descargar la versión estable: Android Studio Quail 4 | 2026.1.4 para Windows.
- Ejecutar el instalable e instalar Android Studio con las opciones recomendadas.
- Arrancar Android Studio.



Download Android Studio & A
developer.android.com/studio
Incógnito
Developers
Essentials
Design & Plan
Develop
Google Play
Blog
Search
English
Android Studio
Sign in
ANDROID STUDIO
Download
IDE guides
Android Studio AI agent
Agent tools and resources
Android Studio preview
Gradle build guides
SDK tools guides
Android Studio
The official IDE for Android app development now accelerates your productivity with Gemini in Android Studio, your AI-powered coding companion.
Download Android Studio Quail 4
Read release notes
Hello, Android Developer
What can I help you build today?
New features
Feature
Feature
developer.android.com uses cookies from Google to deliver and enhance the quality of its services and to analyze traffic. Learn more
OK, got it



Android Studio Setup
Completing Android Studio Setup
Android Studio has been installed on your computer.
Click Finish to close Setup.
Start Android Studio
Android Studio
< Back
Finish
Cancel


Completar el primer arranque de Android Studio


- La primera vez aparece el Setup Wizard.
- Si pregunta, seleccionar la configuración Standard.
- Aceptar las licencias.
- Permitir que descargue los complementos recomendados.
- Si Windows Firewall pregunta por adb.exe, permitir el acceso correspondiente.
- Esperar a que termine.


Android Studio Setup Wizard
Welcome
Welcome! This wizard will set up your development environment for Android Studio.
Additionally, the wizard will help port existing Android apps into Android Studio
or create a new Android application project.
Previous
Next
Cancel
Finish


Android Studio Setup Wizard
Install Type
Choose the type of setup you want for Android Studio:
Standard
Android Studio will be installed with the most common settings and options.
Recommended for most users.
Custom
You can customize installation settings and components installed.
Previous
Next
Cancel
Finish



Android Studio Setup Wizard
License Agreement
Licenses
android-sdk-license
Sources for Android 37.0
Android SDK Build-Tools 36
Android SDK Platform 37.0
Android SDK Platform-Tools
Android Emulator
Terms and Conditions
This is the Android Software Development Kit License Agreement
1. Introduction
1.1 The Android Software Development Kit (referred to in the License Agreement as the "SDK" and specifically including the Android system files, packaged APIs, and Google APIs add-ons) is licensed to you subject to the terms of the License Agreement. The License Agreement forms a legally binding contract between you and Google in relation to your use of the SDK.
1.2 "Android" means the Android software stack for devices, as made available under the Android Open Source Project, which is located at the following URL: http://source.android.com/, as updated from time to time.
1.3 A "compatible implementation" means any Android device that (i) complies with the Android Compatibility Definition document, which can be found at the Android compatibility website (http://source.android.com/compatibility) and which may be updated from time to time; and (ii) successfully passes the Android Compatibility Test Suite (CTS).
1.4 "Google" means Google Inc., a Delaware corporation with principal place of business
Decline
Accept
Previous
Next
Cancel
Finish



Android Studio Setup Wizard
Downloading Components
.0
"Install Android SDK Platform 37.0 (revision 2)" complete.
"Install Android SDK Platform 37.0 (revision 2)" finished.
Preparing "Install Android SDK Platform-Tools v.37.0.1".
Downloading https://dl.google.com/android/repository/platform-tools_r37.0.1-win.zip
"Install Android SDK Platform-Tools v.37.0.1" ready.
Installing Android SDK Platform-Tools in C:\Users\ariur\AppData\Local\Android\Sdk\platform-tools
"Install Android SDK Platform-Tools v.37.0.1" complete.
"Install Android SDK Platform-Tools v.37.0.1" finished.
Preparing "Install Android Emulator v.37.1.11".
Downloading https://dl.google.com/android/repository/emulator-windows_x64-15917651.zip
"Install Android Emulator v.37.1.11" ready.
Installing Android Emulator in C:\Users\ariur\AppData\Local\Android\Sdk\emulator
"Install Android Emulator v.37.1.11" complete.
"Install Android Emulator v.37.1.11" finished.
SDK Manager found the following installed packages: build-tools;36.0.0 emulator platform-tools
platforms;android-37.0 sources;android-37.0
Android SDK is up to date.
Previous
Next
Cancel
Finish



Welcome to Android Studio
Android Studio
Quail 4 | 2026.1.4
Projects
Customize
Plugins
Learn
Welcome to Android Studio
Create a new project to start from scratch.
Open existing project from disk or version control.
New Project
Open
Clone Repository
More Actions


Comprobar el Android SDK

- Android SDK es el conjunto de herramientas, bibliotecas y APIs necesarias para desarrollar aplicaciones Android.
- More Actions → SDK Manager
- En Languages & Frameworks → Android SDK → SDK Platforms: Marcar Android 16.0 (“Barklava”) – 36.0
- En Languages & Frameworks → Android SDK → SDK Tools: Tienen que estar marcadas: Android SDK Build-Tools, Android SDK Platform-Tools, Android SDK Command-line Tools y Android Emulator.
- Pulsar Apply.
- Pulsar Finish.
- Pulsar OK.


Welcome to Android Studio
Android Studio
Quail 4 | 2026.1.4
Projects
Customize
Plugins
Learn
Welcome to Android Studio
Create a new project to start from scratch.
Open existing project from disk or version control.
New Project
Open
Clone Repository
More Actions
Import an Android Code Sample
Profile or Debug APK
Virtual Device Manager
SDK Manager



Settings
Languages & Frameworks › Android SDK Revert changes
Appearance & Behavior
Keymap
Editor
Plugins
Build, Execution, Deployment
Languages & Frameworks
Android SDK
Kotlin
Tools
Backup and Sync
Advanced Settings
Other Settings
Studio Labs
Manager for the Android SDK and Tools used by the IDE
Android SDK Location: C:\Users\ariur\AppData\Local\Android\Sdk
Edit
Optimize disk space
SDK Platforms
SDK Tools
SDK Update Sites
Each Android SDK Platform package includes the Android platform and sources pertaining to an API level by default. Once installed, the IDE will automatically check for updates. Check "show package details" to display individual SDK components.
Name
API Level
Revision
Status
Android 17.0 ("CinnamonBun") 37.2 1 Not installed
Android DEV Preview 37.2-beta3 3 Not installed
Android DEV Preview 37.2-beta2 2 Not installed
Android CinnamonBun Preview 37.2-beta1 1 Not installed
Android CANARY Preview canary-20260805 15 Not installed
Android 17.0 ("CinnamonBun") 37.1 1 Not installed
Android 17.0 ("CinnamonBun") 37.0 2 Installed
Android 16.0 ("Baklava") 36.1 1 Not installed
Android 16.0 ("Baklava") 36.0 2 Not installed
Android 16.0 ("Baklava") 36.0-ext18 1 Not installed
Android 16.0 ("Baklava") 36.0-ext19 1 Not installed
Android 15.0 ("VanillaIceCream") 35 2 Not installed
Android 15.0 ("VanillaIceCream") 35-ext14 1 Not installed
Android 15.0 ("VanillaIceCream") 35-ext15 1 Not installed
Android 14.0 ("UpsideDownCake") 34 3 Not installed
Android 14.0 ("UpsideDownCake") 34-ext8 1 Not installed
Android 14.0 ("UpsideDownCake") 34-ext10 1 Not installed
Android 14.0 ("UpsideDownCake") 34-ext11 1 Not installed
Hide incompatible system images
Hide obsolete packages
Show package details
Project-level settings will be applied to new projects
OK
Cancel
Apply



Settings
Appearance & Behavior
Keymap
Editor
Plugins
Build, Execution, Deployment
Languages & Frameworks
Android SDK
Kotlin
Tools
Backup and Sync
Advanced Settings
Other Settings
Studio Labs
Languages & Frameworks › Android SDK
Revert changes
Manager for the Android SDK and Tools used by the IDE
Android SDK Location:
C:\Users\ariur\AppData\Local\Android\Sdk
Edit
Optimize disk space
SDK Platforms
SDK Tools
SDK Update Sites
Below are the available SDK developer tools. Once installed, the IDE will automatically check for updates. Check "show package details" to display available versions of an SDK Tool.
Name
Version
Status
Android SDK Build-Tools
Update Available: 37.0.0
NDK (Side by side)
Not Installed
Android SDK Command-line Tools (latest)
Not Installed
CMake
Not Installed
Android Auto API Simulators
1
Not installed
Android Auto Desktop Head Unit Emulator
2.0
Not installed
Android Emulator
37.1.11
Installed
Android Emulator hypervisor driver (installer)
2.2.0
Not installed
Android Project Templates
0.1.1
Not installed
Android SDK Platform-Tools
37.0.1
Installed
Android Support Repository
47.0.0
Not installed
Google Play APK Expansion library
1
Not installed
Google Play Instant Development SDK (Deprecated)
1.9.0
Not installed
Google Play Licensing Library
1
Not installed
Google Play services
49
Not installed
Google Repository
58
Not installed
Google USB Driver
13
Not installed
Google Web Driver
2
Not installed
Layout Inspector image server for API 29-30
6
Not installed
Hide obsolete packages
Show package details
Project-level settings will be applied to new projects
OK
Cancel
Apply



SDK Quickfix Installation
SDK Component Installer
Completing Requested Actions
SDK Path: C:\Users\ariur\AppData\Local\Android\Sdk
Packages to install: - Sources for Android 36 (sources;android-36)
- Android SDK Platform 36 (platforms;android-36)
- Android SDK Command-line Tools (latest) (cmdline-tools;latest)
Preparing "Install Sources for Android 36 (revision 1)".
Downloading https://dl.google.com/android/repository/source-36_r01.zip
"Install Sources for Android 36 (revision 1)" ready.
Preparing "Install Android SDK Platform 36 (revision 2)".
Downloading https://dl.google.com/android/repository/platform-36_r02.zip
Unzipping...
android-36/data/res/drawable-xhdpi/numberpicker_input_selected.9.png
Please wait until the requested actions are completed.
Background
Cancel
Finish


Crear el Android Virtual Device (AVD)


- Android Virtual Device (AVD) es la configuración de un dispositivo Android virtual (modelo de hardware, versión de Android, resolución, memoria, etc ...)
- More Actions → Virtual Device Manager
- Si el ejecutable de adb pide permiso, dárselo.
- Create virtual device …
- Phone → Pixel 8 → Next
- En “Configure virtual device”:
  - Elegir API – API 36.0 “Baklava”; Android 16.0
  - Elegir Services – Google APIs
  - Descargar la imagen recomendada (estrellita) del sistema.
  - Seleccionar la imagen instalada.
- Finish



Welcome to Android Studio
Android Studio
Quail 4 | 2026.1.4
Projects
Customize
Plugins
Learn
Welcome to Android Studio
Create a new project to start from scratch.
Open existing project from disk or version control.
New Project
Open
Clone Repository
More Actions
Import an Android Code Sample
Profile or Debug APK
Virtual Device Manager
SDK Manager



Device Manager
Name
API
Type
No devices connected.
Create virtual device...


Add Device
Form Factor
Phone
Tablet
Wear OS
Desktop
TV
Automotive
XR
Show obsolete device profiles
Search for a device by name
Name
Play
API
Width
Height
Density
Small Phone 24+ 720 1280 320 dpi
Medium Phone 24+ 1080 2400 420 dpi
Resizable (Experimental) 34+ 1080 2400 420 dpi
Pixel 10a 37+ 1080 2424 420 dpi
Pixel 10 Pro XL 36+ 1344 2992 480 dpi
Pixel 10 Pro Fold 36+ 2076 2152 390 dpi
Pixel 10 Pro 36+ 1280 2856 480 dpi
Pixel 10 36+ 1080 2424 420 dpi
Pixel 9a 35+ 1080 2424 420 dpi
Pixel 9 Pro XL 35+ 1344 2992 480 dpi
Pixel 9 Pro Fold 35+ 2076 2152 390 dpi
Pixel 9 Pro 35+ 1280 2856 480 dpi
Pixel 9 35+ 1080 2424 420 dpi
Pixel 8a 34+ 1080 2400 420 dpi
Pixel 8 Pro 34+ 1344 2992 480 dpi
Pixel 8 34+ 1080 2400 420 dpi
Pixel Fold 34+ 2208 1840 420 dpi
Pixel 7a 34+ 1080 2400 420 dpi
Pixel 7 Pro 33+ 1440 3120 560 dpi
Pixel 7 33+ 1080 2400 420 dpi
Pixel 6a 33+ 1080 2400 420 dpi
Pixel 6 Pro 31+ 1440 3120 560 dpi
New hardware profile...
Import hardware profile...
Cancel
Previous
Next


Add Device
Configure virtual device
Device
Additional settings
Name
Pixel 8
Select system image
Use the filters to help find the system image that you prefer. The combination of device profile and system image is only an approximation of the equivalent physical hardware.
API
Services
API 36.0 "Baklava"; Android 16.0
Google APIs
System Image
API
Google APIs Intel x86_64 Atom System Image
36.0
16 KB Page Size Google APIs Intel x86_64 Atom System Image
36.0
Show system images with SDK extensions
Show unsupported system images
Pixel 8
1080 px
2400 px
6,17"
Device
OEM
Google
Supported API Levels
34+
Screen
Resolution
1080 × 2400
Density
420 dpi
Cancel
Previous
Finish



SDK Quickfix Installation
SDK Component Installer
Completing Requested Actions
SDK Path: C:\Users\ariur\AppData\Local\Android\Sdk
Packages to install: - Google APIs Intel x86_64 Atom System Image
(system-images;android-36;google_apis;x86_64)
Preparing "Install Google APIs Intel x86_64 Atom System Image API 36.0 (revision 7)".
Downloading https://dl.google.com/android/repository/sys-img/google_apis/x86_64-36_r07.zip
Downloading x86_64-36_r07.zip (8%): 0.1 / 1.8 GB ...
https://dl.google.com/android/repository/sys-img/google_apis/x86_64-36_r07.zip
Please wait until the requested actions are completed.
Cancel
Finish



Add Device
Configure virtual device
Device
Additional settings
Name
Pixel 8
Select system image
Use the filters to help find the system image that you prefer. The combination of device profile and system image is only an approximation of the equivalent physical hardware.
API
API 36.0 "Baklava"; Android 16.0
Services
Google APIs
System Image
API
Google APIs Intel x86_64 Atom System Image
36.0
16 KB Page Size Google APIs Intel x86_64 Atom System Image
36.0
Show system images with SDK extensions
Show unsupported system images
Pixel 8
1080 px
2400 px
6,17"
Device
OEM
Google
Supported API Levels
34+
System Image
API Level
36.0
Services
Google APIs
ABI
x86_64
Translated ABI
arm64-v8a
Screen
Resolution
1080 × 2400
Density
420 dpi
Cancel
Previous
Finish



Device Manager
Name
API
Type
Pixel 8
Android 16.0 ("Baklava") | x86_64
36.0
Virtual

Arrancar el AVD

- En Device Manager darle al botón Play del dispositivo.
- Se mostrará una ventana/dispositivo Android que complete el arranque y llegue a la pantalla principal.
- Le lleva un tiempo.









10:03
Mon, Sep 7
Gmail
Photos
YouTube


Crear el primer proyecto Android con Jetpack Compose

- Jetpack Compose es el framework moderno de Android para crear interfaces de usuario con Kotlin mediante código declarativo.
- En la pantalla principal de Android Studio (“Welcome to Android Studio”): New Project
- En New Project, elegir la categoría “Phone and large screens”, la plantilla “Empty Activity” y pulsar Next.
- En New Project, darle el nombre “PrimeraAppCompose”, darle “eus.fptxurdinaga.pmdm.primeraapp” de nombre de paquete, adaptar la ubicación para que los proyectos queden agrupados por asignatura y pulsar Finish.


Welcome to Android Studio
Android Studio
Quail 4 | 2026.1.4
Projects
Customize
Plugins
Learn
Welcome to Android Studio
Create a new project to start from scratch.
Open existing project from disk or version control.
New Project
Open
Clone Repository
More Actions



New Project
Templates
Create with AI...
Phone and large screens
Wear OS
Television
Car
XR
No Activity
Empty Activity
Preview
Gemini API
Navigation UI Activity
Basic Views Activity
Empty Views Activity
Previous
Next
Cancel
Finish



New Project
Empty Activity
Create a new empty activity with Jetpack Compose
Name
PrimeraAppCompose
Package name
eus.fptxurdinaga.pmdm.primeraapp
Save location
C:\Users\ariur\AndroidStudioProjects\PMDM\PrimeraAppCompose
Minimum SDK
API 24 ("Nougat"; Android 7.0)
Your app will run on approximately 99,2% of devices.
Help me choose
Build configuration language
Kotlin DSL (build.gradle.kts) [Recommended]
Previous
Next
Cancel
Finish



PrimeraAppCompose
Version Control
Add Configuration
Project
PrimeraAppCompose [:] C:\Users\ariur\AndroidStudioProjects\F
.idea
app
src
androidTest
main
java
eus
fptxurdinaga
pmdm
primeraapp
ui
MainActivity.kt
keepRules
res
AndroidManifest.xml
test
.gitignore
build.gradle.kts
gradle
.gitignore
build.gradle.kts
gradle.properties
gradlew
gradlew.bat
local.properties
settings.gradle.kts
External Libraries
Scratches and Consoles
MainActivity.kt
Gradle project sync in progress...
OFF
package eus.fptxurdinaga.pmdm.primeraapp
import ...
class MainActivity : ComponentActivity() {
override fun onCreate(savedInstanceState: Bundle?) {
super.onCreate(savedInstanceState)
enableEdgeToEdge()
setContent {
PrimeraAppComposeTheme {
Scaffold(modifier = Modifier.fillMaxSize()) { innerPadding ->
Greeting(
name = "Android",
modifier = Modifier.padding(innerPadding)
)
}
}
}
}
}
@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
Text(
text = "Hello $name!",
modifier = modifier
)
}
@Preview(showBackground = true)
@Composable
fun GreetingPreview() {
PrimeraAppComposeTheme {
Greeting("Android")
}
}
Gradle
Nothing to show
PrimeraAppCompose › app › src › main › java › eus › fptxurdinaga › pmdm › primeraapp › MainActivity.kt
Importing 'PrimeraAppCompose' Gradle Project
1:1
LF
UTF-8
4 spaces


Ejecutar la aplicación de plantilla


- Primero esperar hasta que termine el primer Gradle Sync.
- Verificar que no hay errores.
- Verificar que el build se ha llevado a cabo con éxito.
- Pulsar Run (botón con el icono de Play).
- Comprobar que la app se ejecuta en el emulador.


PrimeraAppCompose
Version Control
Pixel 8
app
Android
app
Gradle Scripts
MainActivity.kt
package eus.fptxurdinaga.pmdm.primeraapp
import ...
class MainActivity : ComponentActivity() {
override fun onCreate(savedInstanceState: Bundle?) {
super.onCreate(savedInstanceState)
enableEdgeToEdge()
setContent {
PrimeraAppComposeTheme {
Scaffold(modifier = Modifier.fillMaxSize()) { innerPadding ->
Greeting(
name = "Android",
modifier = Modifier.padding(paddingValues = innerPadding)
)
}
}
}
}
}
@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
Text(
text = "Hello $name!",
modifier = modifier
)
}
@Preview(showBackground = true)
@Composable
fun GreetingPreview() {
PrimeraAppComposeTheme {
Greeting(name = "Android")
}
}
Gradle
PrimeraAppCompose
Tasks
app
Agent Mode now available
Level up your productivity by editing and debugging large-scale code changes faster with..
Open
Learn more
Do not show again
PrimeraAppCompose
app
src
main
java
eus
fptxurdinaga
pmdm
primeraapp
MainActivity.kt
GreetingPreview
42:12
LF
UTF-8
4 spaces


PrimeraAppCompose
Version Control
Pixel 8
app
Android
app
Gradle Scripts
MainActivity.kt
@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
Text(
text = "Hello $name!",
modifier = modifier
)
}
@Preview(showBackground = true)
@Composable
fun GreetingPreview() {
PrimeraAppComposeTheme {
Greeting(name = "Android")
}
}
Gradle
PrimeraAppCompose
Tasks
app
Problems
File
Project Errors
Compose
No errors found by the IDE .
Inspect Code...
PrimeraAppCompose › app › src › main › java › eus › fptxurdinaga › pmdm › primeraapp › MainActivity.kt
42:12
LF
UTF-8
4 spaces



PrimeraAppCompose
Version Control
Pixel 8
app
Android
app
Gradle Scripts
MainActivity.kt
@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
Text(
text = "Hello $name!",
modifier = modifier
)
}
@Preview(showBackground = true)
@Composable
fun GreetingPreview() {
PrimeraAppComposeTheme {
Greeting(name = "Android")
}
}
Gradle
PrimeraAppCompose
Tasks
app
Build
Sync
PrimeraAppCompose: finished At 07/09/2C 2 min, 29 sec, 156 ms
Download info
New Minor Gradle Version Available
Download https://dl.google.com/dl/android/maven2/androidx/compose/material/material-android/1.10.4/material-andr
Download https://dl.google.com/dl/android/maven2/androidx/lifecycle/lifecycle-common-java8/2.9.4/lifecycle-commo
Download https://dl.google.com/dl/android/maven2/androidx/lifecycle/lifecycle-common-java8/2.9.4/lifecycle-commo
Download https://dl.google.com/dl/android/maven2/androidx/compose/material/material-android/1.10.4/material-andr
Download https://dl.google.com/dl/android/maven2/androidx/compose/material/material-android/1.10.4/material-andr
Download https://repo.maven.apache.org/maven2/org/jetbrains/kotlin/kotlin-compose-compiler-plugin-embeddable/2.2
Download https://repo.maven.apache.org/maven2/org/jetbrains/kotlin/kotlin-compose-compiler-plugin-embeddable/2.2
BUILD SUCCESSFUL in 2m 15s
PrimeraAppCompose › app › src › main › java › eus › fptxurdinaga › pmdm › primeraapp › MainActivity.kt › GreetingPreview
42:12
LF
UTF-8
4 spaces



PrimeraAppCompose
Version Control
Pixel 8
app
Android
app
Gradle Scripts
MainActivity.kt
Up-to-date
}
@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
Text(
text = "Hello $name!",
modifier = modifier
)
}
@Preview(showBackground = true)
@Composable
fun GreetingPreview() {
PrimeraAppComposeTheme {
Greeting(name = "Android")
}
}
Gradle
PrimeraAppCompose
Tasks
app
Problems
File
Project Errors
Compose
No errors found by the IDE .
Inspect Code...
Install successfully finished in 1 s 376 ms
PrimeraAppCompose > app > src > main > java > eus > fptxurdinaga > pmdm > primeraapp > MainActivity.kt
42:12
LF
UTF-8
4 spaces



10:33
Hello Android!

Hacer una prueba mínima de edición Compose

- En MainActivity.kt:
  - Comentar las funciones Greeting y GreetingPreview.
  - Crear la función PrimeraPantalla que contiene Text(“Hola PMDM”).
  - Comentar lo existente dentro del SetContent y poner una llamada a la función PrimeraPantalla.
- Pulsar Run.
- Comprobar que se observan los efectos que derivan de los cambios en el código.
- Pulsar Stop.


PrimeraAppCompose
Version Control
Pixel 8
app
Android
app
Gradle Scripts
MainActivity.kt
Out Of Date
6
2
package eus.fptxurdinaga.pmdm.primeraapp
import ...
1 Usage
class MainActivity : ComponentActivity() {
override fun onCreate(savedInstanceState: Bundle?) {
super.onCreate(savedInstanceState)
enableEdgeToEdge()
setContent {
PrimeraPantalla()
/*PrimeraAppComposeTheme {
Scaffold(modifier = Modifier.fillMaxSize()) { innerPadding ->
Greeting(
name = "Android",
modifier = Modifier.padding(innerPadding)
)
}
}*/
}
}
}
1 Usage
@Composable
fun PrimeraPantalla() {
Text("Hola PMDM")
}
Gradle
PrimeraAppCompose
Tasks
app
Problems
File 8
Project Errors
Compose
No errors found by the IDE.
Inspect Code...
PrimeraAppCompose
app
src
main
java
eus
fptxurdinaga
pmdm
primeraapp
MainActivity.kt
PrimeraPantalla
34:12
LF
UTF-8
4 spaces


PrimeraAppCompose
Version Control
Pixel 8
app
Android
app
Gradle Scripts
MainActivity.kt
class MainActivity : ComponentActivity() {
override fun onCreate(savedInstanceState: Bundle?) {
}
}
}
1 Usage
@Composable
fun PrimeraPantalla() {
Text("Hola PMDM")
}
/*@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
Text(
text = "Hello $name!",
modifier = modifier
)
}
Gradle
PrimeraAppCompose
Tasks
app
Problems
File 8
Project Errors
Compose
No errors found by the IDE .
Inspect Code...
PrimeraAppCompose › app › src › main › java › eus › fptxurdinaga › pmdm › primeraapp › MainActivity.kt › PrimeraPantalla
34:12
LF
UTF-8
4 spaces


10:41

Preparar un teléfono Android real

- Desbloquear el teléfono.
- Habilitar “Opciones de desarrollador”, normalmente:
  - Ajustes → Acerca del teléfono → Número de compilación.
  - 7 pulsaciones seguidas sobre Número de compilación → Introducir PIN / patrón / contraseña si lo pide.

Preparar un teléfono Android real

- Activar Depuración USB:
  - Ir a “Opciones de desarrollador”, normalmente:
    - Ajustes → Ajustes adicionales → Opciones de desarrollador
  - Activar “Depuración USB”.

Preparar un teléfono Android real

- Conectar el teléfono al PC vía USB (el cable debe admitir datos). Ponerlo en modo transferencia de archivos.
- Si pide autorización RSA para permitir depuración USB, concederla.
- Ir a “Configuración por defecto de USB” (ajustes → ajustes adicionales → Opciones de desarrollador) y seleccionar transferencia de archivos / Android Auto.
- Pulsar Run.
- Verificar que se ejecuta en el teléfono.
- Pulsar Stop.

Preparar un teléfono Android real

- Abrir una terminal de PowerShell y ejecutar:

  & "$env:LOCALAPPDATA\Android\Sdk\platform-tools\adb.exe" devices

- En los resultados se puede observar que adb funciona correctamente y reconoce el dispositivo.