

PHYS-UA 120 Dynamics Problem Set 2

Due in the “Dynamics” hand-in box before noon on 2014 September 25.

Problem 1:

Kibble & Berkshire, Ch 3, problem 1

Problem 2:

Kibble & Berkshire, Ch 3, problem 14

Problem 3:

Kibble & Berkshire, Ch 3, problem 15

Problem 4:

The equation (3.16) in Kibble & Berkshire does *not* apply to the motion of a macroscopic object through the atmosphere. Cross that part out of your books! What applies is actually ram-pressure force. Also cross out the solution (3.17), which applies to no macroscopic problem.

Imagine that the projectile launched in Kibble & Berkshire, Ch 3, problem 6 was roughly a sphere of mass M and radius R . Roughly—and I mean order of magnitude only—what conditions would you need to set on the relationship between M and R such that the assumption (atmospheric drag is negligible) would hold? Your answer will have a “ \gg ” or a “ \ll ” sign in it. To get concrete, use for the atmospheric drag the ram-pressure force, which depends only on the density of the air (which you can estimate).

Once you have that answered, now imagine that the projectile is made of solid iron. Your result (above) can be made into a limit on the mass, which is what?

Finally, what (formally) would have to be the size of the iron projectile such that equation (3.16) would *actually* hold? To find out, look up the viscosity of air and Stokes Law. Again, your answer will have a “ \gg ” or a “ \ll ” sign in it. In that case, would the atmospheric drag be negligible?