



241009055

807 高雄市三民區興隆街40號7樓

葉興松先生

目錄 (Catalogue)

項目 (Category)	頁次 (Page)
綜合分析(Summary).....	2
診斷與建議(Diagnosis and Suggestion).....	3
診斷說明(Disease Description).....	5
個人病史(Medical history).....	6
體格檢查(Physical Examination).....	7
檢驗室檢查(Blood and Laboratory Tests).....	9
10年心血管疾病風險評估(10-Year Risks of Atherosclerotic Cardiovascular Disease)	12
心肺檢查(Heart and Lung Studies).....	13
影像檢查(Image Studies).....	15
其他檢查檢驗項目(Other Exams).....	19

高雄榮總健康管理中心

Health Management Center at Kaohsiung Veterans General Hospital

地址:81362高雄市左營區大中一路386號

Address: No.386 Ta-Chung 1st RD, Kaohsiung, Taiwan 813 R.O.C

傳真Fax:886-7-3468357 / 電話Tel:886-7-3419187

<https://org.vghks.gov.tw/pcu/>



個人資料 (Personal Information)

病歷號 20598270

Hospital No :

房間號 PCU - 055

Room No :

姓名 葉興松

Name :

檢查日期 2024-10-09

Date of Examination :

性別 男

Gender : M

出生日期 1978-05-01

Date of Birth :

年齡 46歲5個月

Age : 46 years 5 month(s)

(1) 網址 : <https://org.vghks.gov.tw/pcu/>

(2) 高雄榮總掛號系統連結↓



網路掛號



Registration



綜合分析(Summary)						
專科分類		A	B	C	D	E
1	胃腸肝膽科(Gastroenterology and Hepatology)		★			
2	新陳代謝科(Endocrinology & Metabolism)		★			
3	心臟內科(Cardiology)			★		
4	胸腔內科(Chest Medicine)					★
5	腎臟科(Nephrology)					★
6	大腸直腸外科(Colon Rectal Surgery)					★
7	家庭醫學科(Family Medicine)					★
8	眼科(Ophthalmology)					★
說明	A 該科有異常或疾病，請立即進一步檢查或治療 Need further evaluation and treatment.		 網路掛號  Registration			
	B 該科有異常或疾病，請定期回診追蹤治療 Please go to the Outpatient Department for a follow-up regularly.					
	C 該科有異常或疾病，有症狀者請回診追蹤或治療 Please go to the Outpatient Department for a follow-up if symptom develops.					
	D 報告結果有輕微變化，通常不影響該系統功能 We recommend a health examination as a follow-up.					
	E 無明顯異常 Normal					



診斷與建議

胃腸肝膽科

診斷：

肝臟結節樣顯影，可能為肝水囊泡，依肺部電腦斷層檢查

建議：

- ◆建議定期追蹤腹部超音波檢查。
- ◆宜胃腸肝膽科門診追蹤。

新陳代謝科

診斷：

疑似甲狀腺結節，依理學檢查
明顯胰島素抗性糖尿病風險增加
低密度脂蛋白偏高
25-維生素D偏低
體重過重

建議：

- ◆您的理想體重是 63至77公斤
- ◆建議追蹤甲狀腺超音波檢查。
- ◆宜3個月後追蹤空腹血糖及糖化血色素、血脂肪分析。
- ◆維生素D濃度偏低，宜視情況補充維生素D。
- ◆宜新陳代謝科門診追蹤。

心臟內科

診斷：

極輕微二尖瓣反流，輕度三尖瓣反流，依超音波

建議：

- ◆若有胸悶、心悸、喘不過氣症狀，請到心臟內科門診追蹤治療。

審核醫師：吳品潔 醫師

主治醫師 吳品潔



Diagnosis & Suggestions

GI

Diagnosis:

Several low density nodules were seen in both hepatic lobes,
in favor of hepatic cysts, by lung CT

Suggestions:

- ◆Repeat abdominal sonogram regularly.
- ◆Please go to the Gastro-intestinal Outpatient Department for a follow-up.

META

Diagnosis:

Thyroid nodule suspected, by physical exam.

Severe insulin resistance, could raise the risk of diabetes

Dyslipidemia

Decreased 25-OH-vitamin D level

Over weight

Suggestions:

- ◆Your ideal body weight is from 63 to 77Kg.
- ◆Suggest sonography of thyroid gland is indicated.
- ◆Please recheck fasting glucose and HbA1c, lipid profile 3 months later.
- ◆For lower vitamin D concentration, a doctor should be consulted if vitamin D should be supplemented.
- ◆Please go to the Metabolism & Endocrine Outpatient Department for a follow-up.

CV

Diagnosis:

Trivial MR, mild TR, by sono

Suggestions:

- ◆If the symptoms of chest tightness, palpitation, and shortness of breath persist, please go to the Division of Cardiology for a follow-up and treatment.

Name of verifying doctor: Wu Pin-Chieh



診斷說明(Disease Description)

甲狀腺結節

所謂甲狀腺“結節”係指在甲狀腺內有局部腫塊，大部份是單一腫塊，但有時是多發性腫塊的一部份。多發性結節在老年人雖然常見，但往往沒有症狀，而甲狀腺單一結節，大約佔全人口的5%。造成甲狀腺結節的原因很多，雖然惡性腫瘤佔的比例很少，但因為有此可能性，所以必須針對甲狀腺結節作出診斷，以治療其中的惡性結節。良性的甲狀腺結節每三至六個月要追蹤超音波與細針穿刺細胞學，只要結節大小未變化，繼續追蹤即可。

肝水囊泡

所謂「肝水囊泡」是指出現於肝臟內具有上皮細胞且充滿了液體的囊狀構造，多為良性且好發於右葉，極少部分為寄生蟲性感染所致，或可能是先天性膽道發育時殘存遺跡所造成，而年長性變化也是原因之一。一般不會對身體造成任何傷害，有10-15%的病人會有上腹不適或悶痛感，除非囊腫太大壓迫到附近的組織，或囊腫因外力或不明原因而破裂，或囊腫內出血及感染才需要進一步處理。



個人病史(Medical history)

主訴

咳嗽, 頸部痛, 打鼾

過去病史

甲狀腺結節/囊腫, 脂肪肝

手術史

骨關節系統手術

過敏史

無



體格檢查(Physical Examination)

身高(Height): 180.4 公分(cm)
體重(Weight): 84.4 公斤(kg.)
身體質量指數(BMI): 25.9 公斤/平方公尺(kg/m²)
體脂比率(Body Fat Ratio): **31.7** %(
腹圍(皮尺測量)(Abdominal girth): **99** 公分(cm)
腰臀比(Waist-to-hip ratio): 1.03
體溫(Temperature): 36.1 度(攝氏)(°C)
脈搏(Pulse Rate): 68 跳/分(/min.)
呼吸(Respiration Rate): 18 次/分(/min.)
血壓 (Blood Pressure)
右手血壓(Blood pressure right): 105/62 毫米汞柱(mmHg)
其他(Other): 毫米汞柱(mmHg)
聽力(音叉)(Ear): 無明顯異常
皮膚(Skin): 無明顯異常
頭眼耳鼻喉(ENT): 無明顯異常
頸部(Neck): 無明顯異常
甲狀腺(Thyroid gland): **異常發現**
疑似甲狀腺結節

胸肺 (Chest & Lung)
變形(Deformity): 無
乳房(Breast): 無明顯異常
腋下(Axillary): 無明顯異常
肺部(Lungs): 清澈
心臟 (Heart)
心律(Rhythm): 規則
心雜音(Murmur): 無
腹部 (Abdomen)
外觀(Shape): 平坦
壓痛處(Tenderness): 無
肝臟(Liver): 無明顯異常
脾臟(Spleen): 無明顯異常
肛門指診(Rectal digital Examination): 自請免檢
四肢(Extremities): 無明顯異常
神經系統檢查(Neurological Examination): 無明顯異常
其他異常發現(Other): 無

視力檢查

視力(Vision): 戴眼鏡
右眼(O.D.): 1.2
左眼(O.S.): 1.0
其他(Other):
眼壓(I.O.P.):
右眼(O.D.): 14毫米汞柱(mmHg)
左眼(O.S.): 14毫米汞柱(mmHg)
辨色力(Color sense): 無明顯異常

[註]理想體重範圍公式: 男性:[(身高-80)*0.7]±10%; 女性:[(身高-70)*0.6]±10%;



ID / 姓名: 20598270 / 葉興松

身高: 180.4 cm 年齡: 46 歲 性別: 男性 測量日期/時間: 2024/10/9 10:16

身體組成分析

	體脂	身體水份	軟組織重	除脂重	體重
身體水份 (L)	42.2 (38.8 ~ 47.5)	42.2	53.6 (49.5 ~ 60.5)	57.6 (53.2 ~ 65.0)	84.4 (60.9 ~ 82.3)
蛋白質 (kg)	11.4 (10.7 ~ 13.1)				
礦物質 (kg)	4.0 (3.7 ~ 4.5)				
體脂肪 (kg)	26.8 (10.0 ~ 15.0)				

肌肉/脂肪分析

	標準以下	標準	標準以上
體重 [kg]	50 70 85 100 115 140 160 180 200 220 240 260 [%]	184.4	
骨骼肌肉重 [kg]	70 80 90 100 110 120 130 140 150 160 170 180 [%]	32.2	
脂肪重 [kg]	40 60 80 100 120 170 220 270 320 370 420 470 [%]	26.8	

肥胖分析

	標準以下	標準	標準以上
BMI (kg/m ²)	10.0 15.0 18.5 22.0 25.0 30.0 35.0 40.0 45.0 50.0 55.0 60.0 [%]	25.9	
體脂肪百分比 [%]	5.0 10.0 15.0 17.5 20.0 25.0 30.0 35.0 40.0 45.0 50.0 55.0 [%]	31.7	

腹部肥胖分析

	標準以下	標準	標準以上
腰臀比	0.75 0.90	1.03	
內臟脂肪程度	皮下型 均型 脂肪型 內臟脂肪等級 I 內臟脂肪等級 II	13	
內臟脂肪面積 (cm ²)	50 100	184	
內臟脂肪重量	4.5 kg 皮下脂肪重量	22.3 kg	

區段性瘦肉分析

	低	標準	高	水腫指數
右手肌肉量 (kg)	70 80 90 100 110 120 130 140 150 160 170 180 [%]	3.13		0.379
右手肌肉量百分比	79%			
左手肌肉量 (kg)	70 80 90 100 110 120 130 140 150 160 170 180 [%]	3.06		0.378
左手肌肉量百分比	77%			
軀幹肌肉量 (kg)	70 80 90 100 110 120 130 140 150 160 170 180 [%]	25.09		0.373
軀幹肌肉量百分比	84%			
右腿肌肉量 (kg)	70 80 90 100 110 120 130 140 150 160 170 180 [%]	9.04		0.377
右腿肌肉量百分比	83%			
左腿肌肉量 (kg)	70 80 90 100 110 120 130 140 150 160 170 180 [%]	9.00		0.377
左腿肌肉量百分比	82%			

身體水份分析

	標準以下	標準	標準以上
細胞內水	70 80 90 100 110 120 130 140 150 160 170 180 [%]	26.3	
細胞外水	70 80 90 100 110 120 130 140 150 160 170 180 [%]	15.9	
水腫指數	正常 臨界 水腫	0.377	

綜合評估

身體類型	肥胖等級1
身體健康年齡	49 歲
基礎代謝率	1615 kcal
每日消耗總能量	2487 kcal
細胞重量	37.7 kg
身體健康評分	67 分

身體平衡評估

上半身(左/右)	☒ 平衡 ☐ 不平衡 I ☐ 不平衡 II
下半身(左/右)	☒ 平衡 ☐ 不平衡 I ☐ 不平衡 II


控制指南

目標體重	71.6 kg
體重控制	-12.8 kg
肌肉控制	+1.4 kg
脂肪控制	-14.2 kg

肥胖評估

BMI	☐ 體重不足 ☐ 標準 ☒ 體重過重 ☐ 肥胖
體脂肪百分比	☐ 低脂肪 ☐ 標準 ☐ 脂肪過多 ☒ 肥胖
肥胖度	+17.9 (-10.0 ~ +10.0) %
腹圍	102.5 (少於 85cm) cm

腹部肥胖預測圖



相位角: 5.0° (標準範圍: 6° ~ 8°)

阻抗係數 (643)

Freq	1K	5K	50K	250K	550K	1M
RA.Imp	381	374	335	302	291	284
LA.Imp	396	389	348	314	302	295
Trunk	30	29	25	22	20	18
RL.Imp	319	312	274	247	240	234
LL.Imp	322	315	277	249	242	236

Xc.

Freq	RA.Xc	LA.Xc	Trunk	RL.Xc	LL.Xc
50K	29	30	2	23	24

SMI: 7.44 kg/m² (標準)
(Skeletal muscle mass index)



檢驗室檢查(Blood and Laboratory Tests)

檢查項目	本次	上次	本次參考值
檢查日期	2024/10/09	2023/10/26	
血液學檢驗			
血紅素(Hgb.):	15.0 g/dL	15.2	M:13.4-17.2;F:11.1-15.1;
血球比容(Hematocrit):	43.5 %	44.9	M:39.8-50.7;F:34.7-45.1;
紅血球(R.B.C.):	5.04 M/uL	5.15	M:4.3-6.0;F:3.8-5.1;
平均紅血球大小(M.C.V.):	86.3 fL	87.2	V:83.4-98.5;
平均血色素(M.C.H.):	29.8 pg	29.5	V:27.4-33.3;
平均血色素濃度(MCHC):	34.5 g/dL	33.9	V:32.1-35.2;
紅血球分佈寬度(RDW):	11.7 %	11.7	V:11.5-14.5;
白血球(W.B.C.):	6.97 K/uL	6.48	V:4.1-10.5;
嗜中性球(Neutrophils):	52.6 %	57.9	V:41.8-70.8;
淋巴球(Lymphocytes):	37.9 %	31.0	V:20.7-49.2;
單核球(Monocytes):	5.2 %	5.9	V:3.6-9.2;
嗜伊紅性球(Eosinophils):	3.4 %	4.6	V:<7.6;
嗜鹼性球(Basophils):	0.9 %	0.6	V:0.2-1.5;
血小板總數(Platelet Count):	334 K/uL	298	V:160-370;
其他一(Other1):			
其他二(Other2):			
肝臟功能檢驗			
膽紅素總量(Total Bilirubin):	0.6 mg/dL	0.7	V:0.3-1.5;
GO轉胺基酵素(SGOT):	21 U/L	28	V:13-39;
GP轉胺基酵素(SGPT):	36 U/L	47	V:0-40;
麩胺轉酸酵素(GGT):	27 U/L	32	V:9-64;
全蛋白(血)(Total protein):	7.1 g/dL	7.4	V:6.4-8.9;
白蛋白(Albumin):	4.8 g/dL	4.6	V:3.5-5.7;
腎臟功能與電解質檢驗			
尿酸(Uric Acid):	6.4 mg/dL	6.7	M:4.4-7.6;F:2.3-6.6;
尿素氮(B.U.N.):	11 mg/dL	9	V:7-25;
肌酸酐(Creatinine):	0.90 mg/dL	0.85	M:0.7-1.3;F:0.6-1.2;



檢查項目	本次	上次	本次參考值
檢查日期	2024/10/09	2023/10/26	
腎絲球過濾率(eGFR):	90.8 ml/min/1.73	97.5	
血清鈣(Serum Calcium):	8.9 mg/dL	9.2	V:8.6-10.3;
血清鈉(Sodium):	138 mEq/L	137	V:136-146;
血清鉀(Potassium):	3.8 mEq/L	4.1	V:3.5-5.1;
新陳代謝及內分泌檢驗			
空腹血糖值(Glucose):	94 mg/dL	88	V:70-100;
糖化血色素(Hb A1c):	5.9 %	5.7	V:4.0-6.0;
胰島素阻抗(HOMA-IR):	2.07	2.48	V:<=1;
膽固醇總量(Total Cholesterol):	186 mg/dL	199	V:<201;
高密度脂蛋白(HDL-C):	48 mg/dL	45	V:>39;
低密度脂蛋白(LDL-C):	134 mg/dL	134	V:<130;
總量與高密度比(T.C./HDL-C):	3.9 mg/dL	4.4	V:<5.6
三酸甘油脂(Triglyceride):	140 mg/dL	203	V:<151;
甲狀腺刺激素放射免疫分析(HS-TSH):	1.54 uIU/ml	0.97	V:0.25-4.0;
游離甲狀腺素放射免疫分析(Free T4):	1.09 ng/dl	1.16	V:0.7-1.8;
25-維生素D(25-OH-vitamin D):	11.8 ng/ml	8.1	V:30-100;
血清學檢查			
高半胱胺酸(Homocysteine):	11.65 μ mol/L		V:5-15;
高敏感度C反應蛋白(High-sensitivity CRP):	0.105 mg/dl	0.093	V:0.1-0.3;
尿液檢驗			
尿生化檢查(含潛血)(URINE BIOCHEMISTRY EXAM. + O.B.):			
外觀一(APPEARANCE1):	黃色	黃色	
外觀二(APPEARANCE2):	清澈	混濁	
比重(CHEM:S.P.G.):	1.011	1.020	V:1.005-1.030;
酸鹼值(PH):	5.5	7.5	V:5.0-8.0;
尿蛋白(Protein):	-	-	V:-;
尿糖(Sugar):	-	-	V:-;
酮體(KET.):	-	-	V:-;
尿潛血(Occult blood):	-	-	V:-;



檢查項目	本次	上次	本次參考值
檢查日期	2024/10/09	2023/10/26	
尿膽素原(URO.):	正常 E. U. /dL	正常	V:Normal;
尿膽紅素(BIL.):	-	-	V:-;
亞硝酸鹽(NIT.):	-	-	V:-;
白血球酯酵素(LEU.):	-	-	V:-;
尿沉渣顯微鏡檢查(Urine sediments):			
紅血球(R. B. C.):	0-2 /HP	0-2	V:0-2;
白血球及膿細胞(W. B. C.):	0-2 /HP	0-2	V:0-5;
上皮細胞(Epith):	0-5 /HP	0-5	V:0-5;
結晶體(CRYSTAL):		AMOR. PHOSP HATE:1+	
外觀一(APPEARANCE1):	黃色	黃色	
外觀二(APPEARANCE2):	清澈	混濁	
其他(Others):		BACTERIA:1 +	
糞便檢驗			
糞便檢查(O. B. (STOOL)-HS-LIA):	<7.0 ng/mL		V:<30.0;



10年心血管疾病風險評估(10-Year Risks of Atherosclerotic Cardiovascular Disease)

您的 10年心血管疾病風險：1.5%

一般建議

- 建議養成健康的生活習慣，例如戒菸、維持規律的運動、低鹽、低油飲食

低密度膽固醇建議(標準值根據是否有不同共病而略有不同)

- 無冠狀動脈疾病、糖尿病、周邊血管疾病、中風的病人：130mg/dL以下
- 冠狀動脈疾病的病人：70mg/dL以下
- 急性心肌梗塞合併有糖尿病的病人：55mg/dL以下
- 周邊血管疾病病患：100mg/dL以下
- 缺血性腦中風病患：100mg/dL以下
- 頸動脈狹窄合併有症狀(例如頭暈)的病患：100mg/dL以下
- 糖尿病病患：70mg/dL以下
- 40歲以下糖尿病的病人，有心血管的危險因子(男性、高血壓、抽菸)：100mg/dL以下
- 當低密度膽固醇有達到治療標準後，會建議將三酸甘油脂保持在200mg/dL以下

血壓建議(標準值根據是否有不同共病而略有不同)

- 75歲以下，沒有糖尿病、冠狀動脈疾病、腎臟疾病的族群：140/90mmHg



心肺檢查(Heart and Lung Studies)

心電圖檢查(Electrocardiogram):

正常

SINUS RHYTHM
NORMAL ECG

杜卜勒彩色心臟血流及超音波心臟圖，健檢 (Doppler color, M-mode & sector-S):

- 極輕微二尖瓣反流, 輕度三尖瓣反流
- 左心室收縮功能正常, 無心室擴張

M-MODE DATA:

AV OPEN(MM):	(15-26)	IVS (MM):	9	(6-10)
AV ROOT(MM):	31	(20-39)	LVPW (MM):	8
LAD (MM):	34	(19-40)	LVIDd(MM):	49
RVD (MM):		(7-23)	LVIDs(MM):	24
				(20-35)

Estimated left ventricular ejectional fraction 61%
Peak systolic pressure gradient across tricuspid valve 20 mmHg
Estimated pulmonary artery systolic pressure (PASP) 30 mmHg

M-MODE & 2-D FINDINGS:

normal left ventricular (LV) systolic function without cardiac chamber dilatation

DOPPLER/COLOR FLOW FINDINGS:

trivial MR, mild TR



肺功能試驗(Pulmonary Function Tests):

- 1 . 肺活量(FVC) : 4440 毫升(093%預測值)
- 2 . 一秒最大吐氣量(FEV1) : 3650毫升(094%預測值)
- 3 . 一秒最大吐氣量/肺活量 : 82. %

結論:正常

HEIGHT: 179.0 cm TEMP: 23 degress of Celcius
WEIGHT: 86.0 kg PRESS: 752 mmHg

Description:

SPIROMETRY		(BTPS)			PRE-RX
		PRED	ACTUAL	%PRED	
FVC	Liters	4.77	4.44	093.1	
FEV1	Liters	3.87	3.65	094.3	
FEV1/FVC	%		82.21		
FEF25%	L/sec	7.97	7.84	098.4	
FEF50%	L/sec	5.01	4.87	097.2	
FEF75%	L/sec	2.14	1.50 *	070.1	
FEF25-75	L/sec		8.33		
PEF	L/sec	9.16	9.34	102.0	

COMMENT:

The pulmonary function test shows normal ventilatory function.



影像檢查(Image Studies)

胸部X光檢查(正左、側面攝影)二張(Chest PA, Lat (LT)):

無明顯異常

Chest Radiograph Findings (According to age)
Comparison with prior study stable

Lung:

not unusual for age and no evident nodule > 1 cm

Mediastinum, Heart and Vessel

not unusual for age

Thoracic Cage and Upper Abdomen

not unusual for age

微輻射電腦斷層肺癌篩檢(mini dose CT chest):

- 其他:肝臟結節樣顯影,可能為肝水囊泡
- 肺結節:無大於6mm實質結節;或大於5mm毛玻璃狀結節
- 肺實質及呼吸道:無異常
- 縱膈腔:無大於10mm的淋巴結
- 肋膜:無異常
- 心包膜周圍及心臟:
 - 心臟大小正常
 - 無瓣膜鈣化
- 主動脈無鈣化現象
- 胸壁及脊椎:無異常

Report of Mini-dose CT Lung Screening

CONCLUSION:

Categories CTDI 2.0, DLP 80 (mGy), (mGy*cm)

Lung-RADS 1

Lung-RADS(VGHKS2022) 1

Significant other (S)

yes

1. Several low density nodules were seen in both hepatic lobes, in favor of hepatic cysts, suggest sonography correlation.

Report of LDCT for lung cancer screening:

No remarkable pulmonary lesion(s)

SUGGESTION:

Routine health care and CXR F/U regularly

Compare with previous CT: Year: nil

MAJOR FINDINGS

no major abnormalities detected.

Ultra-low dose, high resolution non-contrast CT scan for screening pulmonary nodule

Scanner: GE Revolution



高雄榮總健康管理中心

Scan range: From thoracic inlet to diaphragm
Reconstruction: axial and coronal reconstruction

FINDINGS:details

● Pulmonary nodule

Major nodule(s) (> 6 mm solid/part solid nodule or > 5 mm

GGO/GGN)

Number 0

● Lung parenchyma and airway

No particular finding

● Mediastinum

no lymph node enlargement > 10 mm

● Pleura

no particular finding

● Pericardium and heart

Cardiac size normal

Valvular calcification location /no

● Aorta and pulmonary artery

Aorta calcification no

● Chest wall and Spine

no particular finding on non-contrast CT

放射科醫師：陳怡君

醫師



全景寶石電腦斷層 (GSI CT-Angiogram of Coronary Art):

- 冠狀動脈影像報告: 無明顯狹窄及斑塊
- 冠狀動脈鈣化分數: 0

備註: 鈣化指數的判讀

- 【鈣化指數】→ 罹患冠心病之危險率
- 【 0 】→ 極低, <5%
- 【1-10】→ 機會不高, <10%
- 【11-100】→ 有可能有輕度冠心病發作危險
- 【101-400】→ 有可能有中度冠心病發作危險
- 【 >400】→ 有可能有高度冠心病發作危險

Coronary CT angiography Report

Coronary CT angiography conclusion:
CAD-RADS /0

SUGGESTION

-Routine health care.
Compare with previous CT: Year: nil

Major diagnosis and other significant findings:
no major abnormalities detected.

Minor diagnosis and suggestions:
no minor abnormalities detected.

Report of Coronary CT angiography

Coronary artery calcium score (threshold 130 HU)

*Total Agatston score: 0 MESA

Reference: Circulation. 2006 Jan 3;113(1):30-7. doi:
1161/CIRCULATIONAHA.105.580696

Medication&Scanner:

#Beta-blocker (Metoprolol, mg): not use

#NTG (0.4 mg/dose): 1 dose

Scanner:

GE Revolution CT

Heart Rate:

At scan: 51 (bpm)

#DLP(coronary CTA): 268 (mGy-cm)

Cardiovascular Findings:

#Dominance: Left dominant

#Myocardial bridge:

no

#Congenital lesion /none

#Ventricular lesion /none

#Atrial lesion /none

#Aortic valve:

- calcification: none

#Mitral valve:

- calcification: none

Stenosis and plaques of coronary arteries:



Coronary Segment:

1_RCA proximal:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

2_RCA mid:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

3_RCA distal:

Stenosis:none

4_R-PDA:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

16_R-PLB:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

5_LM:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

6_LAD proximal:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

7_LAD mid:

Stenosis:none

8_LAD distal:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

9_LAD D1:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

10_LAD D2:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

11_CX proximal:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

12_CX OM1:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

13_CX distal:

Stenosis:none

14_CX OM2:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

15_L-PLB:

Stenosis:none/Burden per vessel:NA/Calci per vessel:NA

18_L-PDA:

Burden per vessel:NA/Calci per vessel:NA

17_RAMUS:

Burden per vessel:NA/Calci per vessel:NA

*

放射科醫師：陳怡君

醫師



其他檢查檢驗項目

其他檢查(Others):

無

Nil

CC

CC