RESULTATS DES REQUETES DU TP N°2

SQL> DESCRIBE DICT;

NULL? Type Nom

VARCHAR2(30) TABLE NAME VARCHAR2(4000) COMMENTS

SQL> DESCRIBE ALL_CATALOG;

Nom NULL ? Type

NOT NULL VARCHAR2(30)
NOT NULL VARCHAR2(30) OWNER TABLE NAME TABLE_TYPE VARCHAR2(11)

SQL> DESCRIBE ALL_USERS;

NULL? Type

NOT NULL VARCHAR2(30) USERNAME

NOT NULL NUMBER USER_ID CREATED NOT NULL DATE

SQL> DESCRIBE ALL_COL_COMMENTS; Nom NULL ? Type

OWNER NOT NULL VARCHAR2(30)
TABLE NAME NOT NULL VARCHAR2(30) COLUMN_NAME NOT NULL VARCHAR2(30)

COMMENTS VARCHAR2(4000)

SQL> DESCRIBE ALL_CONSTRAINTS;

NULL? Type Nom

OWNER NOT NULL VARCHAR2(30)

CONSTRAINT NAME NOT NULL VARCHAR2(30)

CONSTRAINT TYPE VARCHAR2(1)

TABLE_NAME NOT NULL VARCHAR2(30) SEARCH_CONDITION LONG

R OWNER VARCHAR2(30)

R_CONSTRAINT_NAME VARCHAR2(30)

DELETE_RULE VARCHAR2(9) VARCHAR2(8) STATUS

DEFERRABLE VARCHAR2(14) DEFERRED VARCHAR2(9) **VALIDATED** VARCHAR2(13) **GENERATED** VARCHAR2(14) BAD VARCHAR2(3)
RELY VARCHAR2(4)
LAST_CHANGE DATE
INDEX_OWNER VARCHAR2(30)
INDEX_NAME VARCHAR2(30)
INVALID VARCHAR2(7)

SQL> DESCRIBE ALL_TAB_PRIVS;

VIEW_RELATED

Nom NULL ? Type

GRANTOR NOT NULL VARCHAR2(30)
GRANTEE NOT NULL VARCHAR2(30)
TABLE_SCHEMA NOT NULL VARCHAR2(30)
TABLE_NAME NOT NULL VARCHAR2(30)
PRIVILEGE NOT NULL VARCHAR2(40)
GRANTABLE VARCHAR2(3)
HIERARCHY VARCHAR2(3)

SQL> SELECT OBJECT_TYPE, COUNT(*) FROM DBA_OBJECTS GROUP BY OBJECT_TYPE ORDER BY COUNT(*) DESC;

VARCHAR2(14)

COl	JNT(*)
16 ² 3670 1926 1824)26 417
84	13
565	787 770 333
	200 16 3670 1926 1824 1643 84

OBJECT_TYPE	COUNT(*)
JAVA DATA	306
FUNCTION	264
TABLE PARTITION	182
TYPE BODY	173
TRIGGER	170
LIBRARY	150
SEQUENCE	141
PROCEDURE	80
OPERATOR	57
QUEUE	27
XML SCHEMA	26

```
OBJECT_TYPE COUNT(*)
RULE SET
                 19
EVALUATION CONTEXT
                        14
                   12
PROGRAM
INDEXTYPE
                  10
CLUSTER
                 10
DIRECTORY
                   8
UNDEFINED
                   6
JOB
CONTEXT
                  5
DIMENSION
                    5
CONSUMER GROUP
                        5
OBJECT_TYPE
                COUNT(*)
RULE
                4
                      3
RESOURCE PLAN
                   2
JOB CLASS
MATERIALIZED VIEW
                      2
                   2
WINDOW
                   1
SCHEDULE
LOB PARTITION
WINDOW GROUP
41 ligne(s) sélectionnée(s).
SQL> SELECT COUNT(*) FROM ALL_CATALOG;
 COUNT(*)
  25438
SQL> SELECT COUNT(*) FROM ALL_VIEWS;
 COUNT(*)
   3670
SQL> SELECT COUNT(*) FROM ALL_TABLES;
 COUNT(*)
   1600
SQL> SELECT COUNT(*) FROM ALL_SYNONYMS;
 COUNT(*)
```

20026

SQL> SELECT COUNT(*) FROM ALL_SEQUENCES;

COUNT(*)

141

SQL> DESCRIBE USER_USERS;

NULL? Type Nom

USERNAME

NOT NULL VARCHAR2(30)

USER_ID NOT NULL NUMBER

ACCOUNT_STATUS **NOT NULL VARCHAR2(32)**

LOCK DATE DATE EXPIRY_DATE DATE

DEFAULT_TABLESPACE NOT NULL VARCHAR2(30) NOT NULL VARCHAR2(30) TEMPORARY_TABLESPACE

NOT NULL DATE CREATED

INITIAL_RSRC_CONSUMER_GROUP VARCHAR2(30)

EXTERNAL_NAME VARCHAR2(4000)

SQL> SELECT username, password FROM DBA_USERS;

USERNAME **PASSWORD**

MGMT_VIEW F25A184809D6458D 2A719FA33E317066 SYS SYSTEM 6C3F940C3B882F24 DBSNMP OBB362C42421ADEC SYSMAN 8572B1725CDBBFBE D8F7F3F1787922DC SCOTT GBK 2E9771B9A1C138DE GEST VOLS 0069256C3AE64736 3145753E7A1BADCC GBANQUE USER2 F1644A3D7B464D6F **OUTLN** 4A3BA55E08595C81

USERNAME **PASSWORD**

MDSYS 72979A94BAD2AF80 ORDSYS 7EFA02EC7EA6B86F **EXFSYS** 66F4EF5650C20355 DMSYS BFBA5A553FD9E28A 7C9BA362F8314299 **WMSYS** CTXSYS 71E687F036AD56E5 **ANONYMOUS** anonymous XDB 88D8364765FCE6AF

ORDPLUGINS 88A2B2C183431F00

SI_INFORMTN_SCHEMA 84B8CBCA4D477FA3

3FB8EF9DB538647C **OLAPSYS**

USERNAME **PASSWORD**

TSMSYS 3DF26A8B17D0F29F FA1D2B85B70213F3 BI PM 72E382A52E89575A MDDATA DF02A496267DEE66

IX 2BE6F80744E08FEB SH 9793B3777CD3BD1A DIP CE4A36B8E06CA59C 9C30855E7E0CB02D OE HR 6399F3B38EDF3288

31 ligne(s) sélectionnée(s).

SQL> SELECT USER FROM DUAL;

USER

SYS

SQL> SELECT COUNT(*) FROM ALL_CATALOG;

COUNT(*)

25438

SQL> SELECT COUNT(*) FROM USER_CATALOG;

COUNT(*)

3701

SQL> DESCRIBE ALL_CATALOG;

Nom NULL? Type

NOT NULL VARCHAR2(30) **OWNER** TABLE_NAME NOT NULL VARCHAR2(30)

TABLE_TYPE VARCHAR2(11)

SQL> DESCRIBE USER_CATALOG;

NULL? Type Nom

TABLE_NAME **NOT NULL VARCHAR2(30)** VARCHAR2(11) TABLE_TYPE

SQL> spool off;

Notes: Nous avons intentionnellement omis d'imprimer les résultats des requêtes <SELECT * FROM DICT;> et <SELECT owner, table_name FROM ALL_TABLES;> car la première affiche 1870 lignes et la seconde affiche 1600 lignes. Nous nous sommes retrouvés avec un document de plus de 500 pages à imprimer. Nous avons donc juger bon de les exclure.