# Problem Statement and Goals Software Engineering

Team 14, Team Name
Aamina Hussain
David Morontini
Anika Peer
Deep Raj
Alan Scott

Table 1: Revision History

| Date   | $\mathbf{Developer}(\mathbf{s})$                         | Change   |
|--|--|--|
| 2023-09-23<br>2023-09-24<br>2023-09-24<br>2023-09-25 | Alan Scott<br>Alan Scott<br>Aamina Hussain<br>Alan Scott | Added goals and stretch goals Added additional stretch goal Added problem statement Updated goals based on meeting with supervisor |

### 1 Problem Statement

### 1.1 Problem

Clinical trials are a great opportunity for people to access alternate forms of treatment when they do not benefit from conventional or readily available treatment options. However, not many of these patients are able to take part in these clinical trials. This is mostly due to there being no direct path or connection between the researchers, patients, and healthcare providers. The lack of connection makes it difficult for patients to learn about possible trials they could qualify for, while also making it difficult for practitioners to find patients to take part in their studies.

## 1.2 Proposed Solution

[Team name] proposes to solve this problem by developing a web application that will by accessible by both practitioners and patients. The web application will use existing repositories of active research studies which will allow patients

to have better access to clinical trials and make it easier for practitioners to find potential participants and match them to studies they are eligible for.

### 1.3 Inputs and Outputs

#### Inputs:

- Requirements and constraints about active research studies
- Participants' necessary medical and demographic information

#### Outputs:

- A match between the participant and the studies they are eligible for, if any
- An analysis of which demographic of patients are more interested in taking part in a clinical trial

#### 1.4 Stakeholders

- People who wish to take part in a clinical trial
- Practitioners/researchers who need to find potential participants to take part in their clinical trial/research studies
- Healthcare providers who would like their patients to have the opportunity to take part in a clinical trial if they are not benefitting from conventional treatment options
- Dr. Terence Ho and Dr. Ciaran Scallan (project supervisors)

#### 1.5 Environment

Software: A web application with a user-friendly interface that can be accessed by both participants and practitioners.

Hardware: A computer or smartphone that the user can use to access the web application.

# 2 Goals

| Goal                                | Explanation  | Reasoning  |
|-------------------------------------|--|--|
| Data Collection                     | The system should collect personal and medical information from the client. This data will be stored in a remote repository.   | The data will need to be accessible by the system to allow for the matching of patients to studies.  |
| Reliant on Existing<br>Repositories | The application should pull the details of studies from an existing repository of studies.   | Since the application does not contain the studies themselves, the studies will need to be pulled from an external repository.   |
| Remote Access                       | Users should be able to access<br>the application through a web<br>application over the internet, re-<br>gardless of location.   | Making the application readily available to the end users over the internet will maximize the accessibility of the application and improves the end user experience.             |
| Security                            | The application should store user data in a manner such that it is only accessible by the intended parties.  | While the data stored should<br>be anonymized, the medical in-<br>formation is still sensitive and<br>should therefore be protected.   |
| Ease of Use                         | The user interface should be easy to understand by patients and clinicians alike. The interface should be intuitive to the point where users do not need to be taught how to use it. | The interface will be used by end users with a varied range of technical ability. Therefore, the interface should be as easy to use as possible.                                 |
| Multiple Views                      | There should be different views<br>for the application interface de-<br>pending on the user group to<br>which a user belongs.  | Patients and clinicians will have<br>different uses for the application,<br>and will therefore need separate<br>views for their differing use cases.                             |
| Speed                               | The application should load and react to user input quickly.   | Slow loading times will negatively impact the end user experience, potentially to the point of them leaving the site. Fast loading times contribute to positive user experience. |

## 3 Stretch Goals

| Goal                | Explanation                        | Reasoning                          |
|---------------------|------------------------------------|------------------------------------|
| Expanded Search     | The application should allow       | The application should be scal-    |
|                     | users to search for studies from   | able to include other repositories |
|                     | multiple repositories.             | to pull studies from additional or |
|                     |                                    | external sources.                  |
| System Availability | The system should be virtually     | Maximizing uptime will make        |
|                     | always available to the end users. | the system more accessible to      |
|                     |                                    | users and increase the quality of  |
|                     |                                    | the end user experience.           |
| Notifications       | The application should be able to  | Email reminders will ensure that   |
|                     | send email reminders to patients.  | patients do not miss their ap-     |
|                     |                                    | pointments, and that studies are   |
|                     |                                    | not missing patients.              |