
S1				
T1	T2	T3	T4	T5
		R(B)		
	R(A)			
R(B)				
				W(B)
			R(B)	
	W(A)			
W(C)				
		W(D)		
			W(B)	



S1 é serializável no conflito!

T1 T3 T5 T4 T2

S1 é legal segundo o Protocolo 2PL?????

S1 T1 T2 T3 T4 T5				
T1	T2	T3	T4	T5
		R(B)		
	R(A)			
R(B)				
)A//D)
				W(B)
			D/D)	
	۱۸//Δ ١		R(B)	
	W(A)			
W(C)				
VV(C)				
		W(D)		
		**(D)		
			W(B)	
			(5)	

\$1				
T1	T2	T3	T4	T5
		LS(B) R(B)		
		R(B)		
	LX(A) R(A)			
	R(A)			
LS(B)				
R(B)				
LX(C)				
LS(B) R(B) LX(C) U(B)				
		LX(D)		
		LX(D) U(B)		
				U(B)
				W(B)
				U(B)
			LX(B) R(B)	
			R(B)	
	W(A)			
	W(A) U(A)			
W(C)				
W(C)				
		W(D) U(D)		
		U(D)		
			W(B)	
			U(B)	

S1				
T1	T2	T3	T4	T5
		R(B)		
	R(A)			
R(B)				
				W(B)
			R(B)	
	W(A)			
W(C)				
		W(D)		
			W(B)	

S2				
T1	T2	Т3	T4	T5
R(B)				
W(C)				
		R(B)		
		W(D)		
				W(B)
			R(B)	
			W(B)	
	R(A)			
	W(A)			

2PL Rigoroso

T7
LS(B)
R(B)
B = B-50
UPG(B)
W(B)
LX(A)
R(A)
A= A + 50
W(A)
U(B,A)

T8
LS(B)
R(B)
LS(A)
R(A)
Display(A+B)
U(B,A)

S20			
T7	Т8		