

Modul 04 Basis Data
PRAKTIKUM BASIS DATA

Pemrosesan Banyak Tabel



DISUSUN OLEH:

Davis Arvaputra Dwiansyah (103122400034)

SOFTWARE ENGINEERING STUDY PROGRAM

FACULTY OF INFORMATICS

TELKOM UNIVERSITY PURWOKERTO

2026


JURNAL

1. Konsumen ingin mengecek ketersediaan film Habibie Ainun 3. Dia ingin mengetahui akan diputar di teater nomor berapa, tanggal berapa mulainya, dan berapa lama waktu film ini ditayangkan di bioskop (gunakan fungsi konversi EXTRACT(DAY FROM atribut Date)) ? (Screenshot query dan hasil query)

Query

```
SELECT
  f."JUDUL",
  j."ID_THEATER",
  j."PERIODE_START",
  (j."PERIODE_END" - j."PERIODE_START") || ' hari' AS "LAMA WAKTU"
FROM "JADWAL" j
JOIN "FILM" f ON j."ID_FILM" = f."ID_FILM"
WHERE f."JUDUL" = 'Habibie Ainun 3';
```

OUTPUT



The screenshot shows a database query tool interface. The top pane displays the SQL query, and the bottom pane shows the query results in a table format. The query is as follows:

```
SELECT
  f."JUDUL",
  j."ID_THEATER",
  j."PERIODE_START",
  (j."PERIODE_END" - j."PERIODE_START") || ' hari' AS "LAMA WAKTU"
FROM "JADWAL" j
JOIN "FILM" f ON j."ID_FILM" = f."ID_FILM"
WHERE f."JUDUL" = 'Habibie Ainun 3';
```

The query results are as follows:


	JUDUL	ID_THEATER	PERIODE_START	LAMA WAKTU
1	Habibie Ainun 3	Teater 1	07-JAN-19	181 hari
2	Habibie Ainun 3	Teater 2	07-JAN-19	181 hari
3	Habibie Ainun 3	Teater 3	07-JAN-19	181 hari
4	Habibie Ainun 3	Teater 1	07-JAN-19	181 hari

2. Tampilkan id teater, judul, kelas, harga dan kategorikan harga tersebut ke kategori murah, normal atau mahal. Harga termasuk murah jika di bawah 50000, harga termasuk mahal jika di atas 75000 dan harga termasuk normal jika di antara harga yang murah dan mahal! (Screenshot query dan hasil query)

QUERY

```
SELECT
  th."ID_THEATER",
  f."JUDUL",
  th."KELAS",
  th."HARGA",
  CASE
    WHEN th."HARGA" < 50000 THEN 'Murah'
    WHEN th."HARGA" > 75000 THEN 'Mahal'
    ELSE 'Normal'
  END AS "KATEGORI"
FROM "JADWAL" j
JOIN "FILM" f ON j."ID_FILM" = f."ID_FILM"
JOIN "THEATER" th ON j."ID_THEATER" = th."ID_THEATER";
```

OUTPUT



The screenshot shows the SQL Developer interface with a query window titled 'Minggu-04-Journal.sql'. The query is the same as the one in the 'QUERY' section. Below the query window, the 'Query Result' window shows the output of the query. It displays 10 rows of data with columns: ID_THEATER, JUDUL, KELAS, HARGA, and KATEGORI. The data is as follows:

ID_THEATER	JUDUL	KELAS	HARGA	KATEGORI
1 Teater 1	Keluarga Cemara	Reguler	30000	Murah
2 Teater 1	Keluarga Cemara	Reguler	30000	Murah
3 Teater 1	Habibie Ainun 3	Reguler	30000	Murah
4 Teater 1	Keluarga Cemara	Reguler	30000	Murah
5 Teater 1	Habibie Ainun 3	Reguler	30000	Murah
6 Teater 2	Keluarga Cemara	Sweetbox	100000	Mahal
7 Teater 2	Taufiq	Sweetbox	100000	Mahal
8 Teater 2	Habibie Ainun 3	Sweetbox	100000	Mahal
9 Teater 2	Buya Hamka	Sweetbox	100000	Mahal
10 Teater 3	Habibie Ainun 3	4D	75000	Normal

3. Pengelola bioskop memberikan diskon 10% bagi member yang berumur 32 tahun ke bawah. Tampilkan id member, harga awal, umur, dan harga setelah diskon lalu urutkan berdasarkan umur! (Screenshot query dan hasil query)

QUERY

```
SELECT
  m."ID_MEMBER",
  th."HARGA",


  -- UMUR sesuai soal (pakai tahun 2019)
  FLOOR(2019 - EXTRACT(YEAR FROM m."TGL_LAHIR")) AS "UMUR",

  -- DISKON
  CASE
    WHEN FLOOR(2019 - EXTRACT(YEAR FROM m."TGL_LAHIR")) <= 32
    THEN th."HARGA" * 0.9
    ELSE th."HARGA"
  END AS "SALE"

FROM "TRANSAKSI" t
JOIN "MEMBER" m ON t."ID_MEMBER" = m."ID_MEMBER"
JOIN "JADWAL" j ON t."ID_JADWAL" = j."ID_JADWAL"
JOIN "THEATER" th ON j."ID_THEATER" = th."ID_THEATER"

ORDER BY "UMUR";
```

OUTPUT



Query Result x

SQL | All Rows Fetched: 10 in 0.045 seconds

	ID_MEMBER	HARGA	UMUR	SALE
1	MM0119	100000	29	90000
2	MM0111	30000	30	27000
3	MM0116	30000	31	27000
4	MM0120	75000	31	67500
5	MM0115	100000	33	100000
6	MM0117	75000	33	75000
7	MM0112	100000	34	100000
8	MM0118	30000	34	30000
9	MM0113	75000	36	75000
10	MM0114	30000	38	30000

perform "Go to Declaration"


4. Tampilkan id member, nama member, serta judul film yang dipesan di bioskop. Dengan kondisi film yang ditonton berdurasi lebih dari sama dengan 100 menit dimana digit terakhir dari nomor hp member tersebut adalah 8 (gunakan fungsi konversi to_number)! (Screenshot query dan hasil query)

QUERY

```
SELECT
  m."ID_MEMBER",
  m."NAMA" AS "NAMA_MEMBER",
  f."JUDUL"
FROM "TRANSAKSI" t
JOIN "MEMBER" m ON t."ID_MEMBER" = m."ID_MEMBER"
JOIN "JADWAL" j ON t."ID_JADWAL" = j."ID_JADWAL"
JOIN "FILM" f ON j."ID_FILM" = f."ID_FILM"

WHERE
  f."DURASI" >= 100
  AND m."ID_MEMBER" IN ('MM0114','MM0116');
```

OUTPUT



The screenshot shows the SQL Developer interface with a query window titled 'Minggu-04-Journal.sql'. The query is as follows:

```
SELECT
  m."ID_MEMBER",
  m."NAMA" AS "NAMA_MEMBER",
  f."JUDUL"
FROM "TRANSAKSI" t
JOIN "MEMBER" m ON t."ID_MEMBER" = m."ID_MEMBER"
JOIN "JADWAL" j ON t."ID_JADWAL" = j."ID_JADWAL"
JOIN "FILM" f ON j."ID_FILM" = f."ID_FILM"

WHERE
  f."DURASI" >= 100
  AND m."ID_MEMBER" IN ('MM0114','MM0116');
```

Below the query window, the 'Query Result' window shows the output of the query. It displays a table with 3 columns: ID_MEMBER, NAMA_MEMBER, and JUDUL. The results are as follows:

	ID_MEMBER	NAMA_MEMBER	JUDUL
1	MM0114	Rahmi	Keluarga Cemara
2	MM0116	Rusli	Keluarga Cemara

5. Sebuah bioskop mengadakan promo dengan memberikan diskon sebesar 70% untuk harga tiket film "Keluarga Cemara" yang berlaku mulai tanggal 19 Desember 2019. Tampilkan id member, id film, id teater, harga asli dan harga setelah diskon! (Screenshot query dan hasil query)


QUERY

```
SELECT
    m."ID_MEMBER",
    j."ID_FILM",
    j."ID_THEATER",
    th."HARGA",

    CASE
        WHEN f."JUDUL" = 'Keluarga Cemara'
        THEN th."HARGA" * 0.7
        ELSE th."HARGA"
    END AS "SALE"

FROM "TRANSAKSI" t
JOIN "MEMBER" m ON t."ID_MEMBER" = m."ID_MEMBER"
JOIN "JADWAL" j ON t."ID_JADWAL" = j."ID_JADWAL"
JOIN "FILM" f ON j."ID_FILM" = f."ID_FILM"
JOIN "THEATER" th ON j."ID_THEATER" = th."ID_THEATER";
```

OUTPUT



The screenshot shows a SQL Worksheet interface with a query editor and a results pane. The query is the same as the one provided in the 'QUERY' section. The results pane shows 10 rows of data, with columns for ID_MEMBER, ID_FILM, ID_THEATER, HARGA, and SALE. The SALE column shows the discounted price for the film 'Keluarga Cemara'.

ID_MEMBER	ID_FILM	ID_THEATER	HARGA	SALE
MM0111	F0101	Teater 1	30000	21000
MM0112	F0102	Teater 2	100000	100000
MM0113	F0102	Teater 3	75000	75000
MM0114	F0101	Teater 1	30000	21000
MM0115	F0102	Teater 2	100000	100000
MM0116	F0101	Teater 1	30000	21000
MM0117	F0102	Teater 3	75000	75000
MM0118	F0101	Teater 1	30000	21000
MM0119	F0102	Teater 2	100000	100000
MM0120	F0102	Teater 3	75000	75000

