

Transika

Admin go-live UAT checklist

Ops console

Confirm Institutional Admin is ready for Live production: staff access, KYB and Live enablement, OTC quote/funding, Safe mint, TPS payout institutions, treasury redemptions, and reissue. Pair with Transika-Go-Live-UAT.pdf for the same release.

Admin

<https://institutional-admin.tran-sika.com/>

API

<https://institutional-api.tran-sika.com/>

Merchant Dashboard

<https://institutional.tran-sika.com/>

Transika Ltd · info@tran-sika.com · Generated 2026-08-29

Engagement details

Release / build ref: _____

UAT lead (ops): _____ Date: _____

Roles under test: ☐ admin ☐ operations ☐ treasury ☐ compliance

Data Mode for production proof: ☐ Live

Paired merchant UAT completed: ☐ Yes Ref: _____

How to use this UAT

- Auth always uses the Live API. Sidebar Mode (Test | Live) scopes desk data — Test for rehearsal, Live for go-live proof.
- P0 cases must Pass (or be formally waived) before enabling Live merchants at scale.
- Capture evidence: merchant id, trade id, mint id, Safe tx / execution hash, redemption id, burn hash, TPS reference.
- Pair with the merchant Dashboard UAT (Transika-Go-Live-UAT.pdf) for the same release.
- Ghana payouts use Transika Payout Service (TPS) when enabled; institutions catalog maps MoMo/bank codes to TPS payout_service_code.
- Priority: P0 = blocks go-live; P1 = should pass; P2 = confirm when time allows.

P0 ops gates

- Staff login + OTP; treasury and operations can reach mint and OTC
- Live FX rate set; Treasury Safe is real (not placeholder) and can execute mint
- KYB approve !' Enable Live !' grant OTC !' provision/whitelist Live tGHS wallet
- OTC deposit wallet set (Treasury Safe owner); payout service reference set if TPS requires it
- Payout institutions seeded/active with TPS codes for MoMo and bank rails in use
- Live OTC: quote !' confirm funded !' fiat treasury proof !' Safe mint !' settled
- Redemption path understood; retry and batch reissue practiced on Test
- Notifications/SSE working; sanctioned funding blocked

A. Auth & staff

A1 [P0] Open Admin console

Steps

1. Open <https://institutional-admin.tran-sika.com/>
2. Confirm HTTPS login page loads.

Expected

Login page available without certificate errors.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A2 [P0] Staff login + OTP

Steps

1. Sign in with ops email and password.
2. Enter email OTP.
3. Land on Overview.

Expected

Authenticated; Overview shows desk pulse; Mode switcher visible.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A3 [P0] Accept staff invite

Precondition: Admin can invite staff.

Steps

1. Staff !' invite treasury or operations user.
2. Invitee opens accept-invite link, sets password, completes OTP.

Expected

New staff active with correct roles; can sign in again.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A4 [P1] Role nav matrix

Steps

1. Sign in as operations, treasury, compliance, viewer (or simulate).
2. Confirm Overview / Users / Operations / Compliance / Staff / Treasury visibility matches role.

Expected

Nav and hub tiles match permissions; Staff only for admin.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A5 [P1] Sign out

Steps

1. Sign out from sidebar.
2. Open Overview URL again.

Expected

Redirected to login; session cleared.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B. Environment & platform readiness

B1 [P0] Test vs Live data isolation

Steps

1. Note an OTC or mint item in Test.
2. Switch Mode to Live; confirm the Test item is absent.

Expected

Mode switcher isolates sandbox vs Live data.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B2 [P0] FX rate (Live)

Steps

1. Mode = Live. Open Operations !' FX rate (/rates).
2. Confirm current GHS/USDT rate; update if required for go-live.

Expected

Live rate saved; new quotes will use it; history shows updater.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B3 [P0] Payout institutions catalog (TPS)

Steps

1. Treasury !' Institutions (/treasury/institutions).
2. Confirm MoMo and bank rows used in go-live (e.g. MTNGH, FIDELITY) are active.
3. Confirm each has payout_service_code mapped for TPS (edit/create if missing).

Expected

Catalog loads (not 404); codes match merchant beneficiary picker; TPS codes set for rails in use.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B4 [P0] Mint Safe configuration (Live)

Steps

1. Open or create a mint detail.
2. Confirm Safe address is not the placeholder 0x1111...
3. Connect a Treasury Safe owner wallet with MINTER_ROLE.

Expected

Real Safe configured; wallet connects as owner; propose available when ready.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B5 [P1] API health / webhook secret present

Steps

1. Confirm institutional API is reachable over HTTPS.
2. Confirm TPS webhook URL is registered at TPS pointing at {API_PUBLIC_URL}/v1/webhooks/transika/payout/{secret}.

Expected

API responds; TPS can deliver payout status webhooks to production.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C. Users — KYB, Live, features, wallet

C1 [P0] KYB approve merchant

Steps

1. Users !' filter Pending.
2. Approve the go-live merchant (or confirm already Approved).

Expected

Status Approved; merchant can use Test desk after OTC grant.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C2 [P0] Enable Live

Precondition: KYB Approved.

Steps

1. On Users row, Enable Live.
2. Confirm Live badge; Disable then re-Enable once if testing the toggle.

Expected

liveEnabled true; merchant can select Live and create Live keys/webhooks.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C3 [P0] Grant OTC feature

Steps

1. Open merchant Settings.
2. Enable/Approve OTC (and caps: MoMo/bank settle as required).

Expected

OTC approved; merchant Dashboard shows OTC and tGHS.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C4 [P0] Provision + whitelist Live tGHS wallet

Precondition: Mode = Live on Admin.

Steps

1. Merchant Settings !' tGHS wallet: Provision Circle SCA.
2. Sign whitelist: Base Sepolia = WHITELIST_ROLE EOA; Base mainnet = Compliance Safe propose !' co-sign !' execute (confirm with execution tx hash).

Expected

Wallet whitelisted; ready as mint recipient for managed_tghs.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C5 [P0] OTC deposit wallet

Precondition: Connected wallet is a Treasury Safe owner.

Steps

1. Merchant Settings !' OTC deposit wallet.
2. Set the merchant-facing funding address (0x...); save.

Expected

otcDepositWallet saved; merchant OTC quotes instruct deposits to this address (not a shared placeholder).

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C6 [P0] Payout service reference (TPS)

Steps

1. Merchant Settings !' Payout service reference.
2. Set short id (e.g. MerchantName_Transika); save.

Expected

Reference saved; TPS Ghana payouts include this as reference (omitted only if intentionally cleared).

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C7 [P1] IMTO / BOG profile

Steps

1. Complete IMTO profile fields on merchant Settings.
2. Save.

Expected

Profile saved; incomplete warning cleared when all required fields set.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C8 [P1] Reject / Suspend path

Steps

1. On a disposable test merchant: Reject (with note) or Suspend.
2. Confirm merchant Dashboard behaviour matches policy.

Expected

Status updates; desk access restricted as designed.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C9 [P2] Test Partner provision

Steps

1. Users !' Test partners !' provision org.
2. Copy one-time credentials (and optional webhook secret).

Expected

Partner KYB approved, Live locked; password login without OTP on merchant app.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D. OTC desk (ops)

D1 [P0] Overview queue vs OTC list

Steps

1. Compare Overview Needs you counts with /otc tabs.
2. Open the oldest actionable trade.

Expected

Counts align; detail matches next-action label.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D2 [P0] Send quote (crypto to fiat)

Steps

1. Open draft trade; set rate and treasury deposit address (merchant OTC wallet).
2. Send quote.

Expected

Status quoted; merchant sees firm quote with TTL and correct deposit address.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D3 [P0] Confirm funded

Precondition: Merchant submitted funding proof.

Steps

1. Review proof and Chainalysis screening; Rescreen if needed.
2. Confirm funded (or Reject with reason if invalid).

Expected

Status funded after confirm; Confirm blocked if sanctioned.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D4 [P0] Request tGHS mint (managed_tghs)

Precondition: Trade funded; settleMode managed_tghs.

Steps

1. Upload fiat treasury deposit proof (GHS into tGHS treasury).
2. Request tGHS mint; open /mint/[id].

Expected

Mint request created with proof; linked to OTC trade.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D5 [P1] OTC CSV export

Steps

1. On /otc, export CSV for a date range.

Expected

File downloads with expected trades for the Mode.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

E. Safe mint execute (P0 for Live settle)

E1 [P0] Propose and co-sign mint

Precondition: Mint ready; fiat proof acknowledged; Safe owners available.

Steps

1. On mint detail: acknowledge proof.
2. Propose & sign with owner wallet.
3. Second owner signs to threshold.

Expected

Status progresses to ready_to_execute.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

E2 [P0] Execute mint via Safe

Steps

1. Execute via Safe (or paste confirmed execution hash / recover).
2. Confirm mint status executed.

Expected

On-chain mint confirmed; ledger credited; OTC path can settle.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

E3 [P0] Merchant Live balance after mint

Steps

1. Confirm merchant Dashboard Live tGHS increased.
2. Record mint id and execution tx hash in evidence pack.

Expected

Merchant balance matches executed mint amount.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

E4 [P1] Reject mint

Steps

1. On a disposable mint, Reject before execute.

Expected

Mint rejected; trade remains fundable/mintable per product rules without double credit.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F. Treasury redemptions, TPS, retry, reissue

F1 [P0] Redemption detail + reconcile

Steps

1. Treasury !' Payouts; open a redemption.
2. Reconcile burn if pending confirmation.
3. Confirm TPS provider ref / status when payout submitted.

Expected

Burn evidence / explorer visible when burned; TPS status accurate.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F2 [P0] Retry payout (Test first)

Precondition: Redemption payout_failed or payout_pending without provider ref.

Steps

1. On redemption detail, Retry payout.

Expected

Payout advances or clear error; not available if linked to active reissue.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F3 [P0] Batch reissue failed payouts (Test)

Steps

1. Treasury !' Failed payouts.
2. Select eligible payout_failed rows for one merchant; enter reason.
3. Propose reissue mint; complete Safe execute on mint detail.

Expected

Reissue mint executed; redemptions marked reissued; merchant tGHS restored for those amounts.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F4 [P1] Ledger / CSV export

Steps

1. On Treasury, filter ledger and export CSV.

Expected

Export matches on-screen Mode and filters.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F5 [P1] Institution toggle / edit smoke

Precondition: treasury:write.

Steps

1. On Institutions, disable then re-enable a non-critical Test-only institution (or edit name).
2. Confirm merchant beneficiary catalog reflects active institutions only.

Expected

Active flag and TPS code edits persist; merchant picker stays consistent.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

G. Compliance & float

G1 [P1] tGHS wallets list

Steps

- 1. Compliance hub !' tGHS wallets.
- 2. Confirm Live wallets for go-live merchants show whitelisted.

Expected

List loads for Mode; states match merchant Settings.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

G2 [P1] Compliance Safe pause/unpause (Test or controlled Live)

Precondition: compliance:write; Compliance Safe configured.

Steps

- 1. Compliance !' tGHS compliance.
- 2. Propose pause then unpause (or document waiver if not exercised).

Expected

Contract paused state updates; audit history records actions.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

G3 [P2] Float inventory

Steps

- 1. Operations !' Float (/inventory).
- 2. Confirm balances load; copy deposit address if used.

Expected

Balances or clear Bridge error; address copy works.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

H. Notifications & safety

H1 [P1] Ops notifications / SSE

Steps

- 1. Trigger OTC funding_submitted or similar.
- 2. Confirm bell/notification and list soft-refresh.

Expected

Alert received for current Mode; deep link opens trade.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

H2 [P0] Sanctioned funding blocked

Precondition: Use Test screening scenario or documented dry-run.

Steps

1. On a funding_submitted trade with sanctioned screening, attempt Confirm funded.

Expected

Confirm disabled or rejected; trade not funded.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

H3 [P1] Disable Live / Suspend controls

Steps

1. On a test merchant, Disable Live then re-Enable.
2. Or Suspend then re-Approve per policy.

Expected

Flags update; merchant Live access changes accordingly.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

I. Go-live decision

Complete after P0 cases Pass (or waived). Attach evidence: merchant id, trade/mint/redemption ids, Safe execution hashes, TPS refs, screenshots.

P0 tally

- A Auth/staff: /
- B Platform (FX, institutions, Safe): /
- C KYB / Live / OTC / wallet / deposit / TPS ref: /
- D OTC quote/fund/mint request: /
- E Safe mint execute: /
- F Redemptions / reissue: /
- H Safety (sanctions): /

Open issues / waivers

ID / description / owner / waiver?

Sign-off

By signing, Transika ops confirms the Admin console and Live desk controls for this release are accepted for production use.

Transika operations / treasury

Name: _____ Role: _____

Signature: _____ Date: _____

Decision: ☐ Ready for Live ☐ Not ready ☐ Ready with waivers

Transika compliance / admin

Name: _____ Role: _____

Signature: _____ Date: _____

Admin

<https://institutional-admin.tran-sika.com/>

API

<https://institutional-api.tran-sika.com/>

Merchant Dashboard

<https://institutional.tran-sika.com/>