

Transika

Go-live UAT checklist

Merchant Dashboard

Confirm the Institutional Dashboard and API are ready for Live production. Execute each case, mark Pass / Fail / Blocked / N/A, and complete sign-off before go-live. Pair with Transika-Admin-Go-Live-UAT.pdf for the same release.

Dashboard

<https://institutional.tran-sika.com/>

API

<https://institutional-api.tran-sika.com/>

Transika Ltd · info@tran-sika.com · Generated 2026-08-29

Engagement details

Merchant / institution: _____

Environment: ☐ Test rehearsal ☐ Live go-live proof

UAT lead: _____ Date: _____

Transika ops contact: _____

Build / release ref: _____

How to use this UAT

- Run Test cases first. Live cases only after KYB approved and Live enabled.
- Use a UAT merchant (or Test Partner) plus a production-candidate for Live proof.
- Record evidence: screenshots, trade IDs, tx hashes, webhook IDs, statement exports.
- Any Fail/Blocked on a P0 case blocks go-live until resolved or formally waived.
- P0 = must pass; P1 = should pass; P2 = nice to confirm.
- Ghana payouts use Transika Payout Service (TPS) when enabled on the platform.

P0 go-live gates

- Login + OTP (or Test Partner path) on production Dashboard
- KYB approved; Live enabled by Transika ops
- OTC feature approved; Live OTC settle to managed tGHS
- Live tGHS reflects mint; Live payout to MoMo/bank completes or fails cleanly after burn
- Statements show mint / disbursement for the period
- Live API key + webhook (if API in scope)
- Sign-off completed by merchant and Transika

A. Access & login

A1 [P0] Open production Dashboard

Steps

1. Open <https://institutional.tran-sika.com/>
2. Confirm Sign in / Get started over HTTPS without certificate errors.

Expected

Page loads; Sign in and Get started available.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A2 [P0] Create account or accept invite

Steps

1. Create account via Get started, or open an owner invite link.
2. Complete email OTP.
3. Land on Overview.

Expected

Authenticated on Overview.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A3 [P0] Sign in with OTP

Precondition: Existing merchant user (not Test Partner).

Steps

1. Sign out if needed.
2. Sign in with email and password; enter OTP from email.

Expected

OTP accepted; Overview loads; Mode switcher visible.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A4 [P1] Forgot password

Steps

1. Request password reset from Sign in.
2. Open email link; set new password; sign in.

Expected

Reset succeeds; user can sign in.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

A5 [P1] Sign out

Steps

1. Sign out from profile menu.
2. Open /home again.

Expected

Session ended; redirected to login.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B. KYB, Live & features

B1 [P0] KYB approved

Steps

1. Confirm no blocking KYB banner (or ops has approved).

Expected

kybStatus = approved for the go-live merchant.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B2 [P0] Live mode enabled

Steps

1. Switch Mode to Live.
2. If blocked, Transika ops enables Live on the merchant.

Expected

Live selectable; Live lists load (may be empty).

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B3 [P0] OTC feature unlocked

Steps

1. Settings -> Features (or locked OTC nav).
2. Request OTC if needed; after ops grant, confirm OTC and tGHS in the menu.

Expected

OTC approved; OTC and tGHS nav unlocked.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B4 [P1] API access (if in scope)

Steps

1. Request API access under Features if locked.
2. After approval, open API keys and Webhooks.

Expected

api_access approved; keys and webhooks reachable.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

B5 [P1] Test vs Live isolation

Steps

1. Note a Test trade or balance.
2. Switch to Live; confirm Test item is absent.

Expected

Test and Live data do not mix.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C. Beneficiaries

C1 [P0] Add MoMo beneficiary

Steps

1. Beneficiaries -> Add.
2. Select MoMo network from catalog (e.g. MTNGH), enter number, resolve name, save.

Expected

Beneficiary saved with resolved account name.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C2 [P0] Add bank beneficiary

Steps

1. Add a Ghana bank beneficiary from the catalog (e.g. FIDELITY), resolve, save.

Expected

Bank beneficiary saved and listed.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

C3 [P1] Search / delete

Steps

1. Search for a saved beneficiary.
2. Delete a disposable test beneficiary if allowed.

Expected

Search works; delete removes the record (or is correctly forbidden).

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D. OTC to managed tGHS (Test)

D1 [P0] Create sell-crypto trade -> tGHS (Test)

Precondition: Mode = Test; OTC unlocked.

Steps

1. OTC -> New trade.
2. Sell crypto; asset defaults to USDC (change if needed); network defaults ethereum.
3. Settle mode: Managed tGHS; submit; open trade detail.

Expected

Trade created; detail page loads.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D2 [P0] Accept quote and fund (Test)

Steps

1. Accept the quote.
2. Submit funding proof / tx hash as required.
3. Use Complete in Test / simulate-ops if available to advance.

Expected

Trade reaches funded then settled (or clear waiting state with ops).

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

D3 [P0] tGHS Test balance credited

Steps

1. Open tGHS (Test) after settle.
2. Confirm balance and Activities / Transactions show the mint.

Expected

Balance and activity match the settled OTC amount.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

E. OTC to managed tGHS (Live) - P0

E1 [P0] Live OTC trade to managed tGHS

Precondition: Live enabled; OTC approved; funding available per ops limits.

Steps

1. Mode = Live.
2. Create sell-crypto trade; settle Managed tGHS; accept quote.
3. Fund to the instructed address; paste tx hash / proofs.
4. Wait for Transika mint / settle.

Expected

Trade Settled; record trade id and funding tx hash.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

E2 [P0] Live tGHS balance after mint

Steps

1. tGHS (Live): confirm balance and wallet/explorer link.
2. Transactions show the Live mint.

Expected

Live balance matches opening + mint - any Live payouts.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

E3 [P1] Decline / cancel path

Steps

1. Create a trade and decline quote or cancel while allowed.

Expected

Trade declined/cancelled; no unexpected tGHS credit.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F. tGHS payouts (TPS rail)

F1 [P0] Test payout to MoMo or bank

Precondition: Test tGHS balance > 0; beneficiary saved.

Steps

1. tGHS -> Pay; amount; select beneficiary; submit.
2. Open receipt; refresh until terminal status.

Expected

Burn and Ghana payout complete or fail with clear status; balance updated. Rail is TPS when platform-enabled.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F2 [P0] Live payout (go-live proof)

Precondition: Live tGHS; approved beneficiary; within limits.

Steps

1. Mode = Live. Pay a controlled amount to MoMo or bank.
2. Capture redemption id, burn tx hash, final status.

Expected

Completed preferred; if payout_failed after burn, balance reduced and ops informed for remind.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

F3 [P1] Payout receipt & explorer

Steps

1. From receipt, open burn explorer link.
2. Confirm amount and wallet match.

Expected

Explorer shows burn for the redemption amount.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

G. Transactions & statements

G1 [P0] Transactions list

Steps

1. Open Transactions in Test and Live.
2. Filter/search; open a mint and a payout.

Expected

Rows match tGHS activity; deep links correct.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

G2 [P0] Generate statement

Steps

1. Account statements; date range covering UAT mints/payouts; Generate.
2. Confirm FX/mint and Disbursement lines (and Reversal if reminted).

Expected

Closing balance matches period credits minus burned disbursements.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

G3 [P1] Export statement

Steps

1. Download CSV, Excel, and PDF for the same period.

Expected

All three download; figures match on-screen.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

H. Team

H1 [P1] Invite operator

Precondition: Signed in as Owner.

Steps

1. Settings -> Team; invite Operator.
2. Invitee accepts and signs in.

Expected

Member appears; invitee can use OTC/tGHS per role.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

H2 [P2] Role change / remove

Steps

1. Change a member to View only; confirm restrictions.
2. Remove a test member or cancel a pending invite.

Expected

Permissions and membership update correctly.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

I. Development (API & webhooks)

I1 [P0 if API] Create Test API key

Steps

1. Create Test key with api:read + api:write and allowed IPs.
2. Call GET /v1/sandbox/tghs (or equivalent) from an allowlisted IP.

Expected

Authenticated Test API succeeds from allowed IP.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

I2 [P0 if API] Create Live API key

Precondition: Live enabled.

Steps

1. Create Live key with scopes and allowed IPs.
2. Call https://institutional-api.tran-sika.com/v1/tghs (or me) from allowlisted IP; reject from non-allowlisted.

Expected

Live key works; non-allowlisted IP rejected.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

I3 [P0 if API] Webhook endpoint + test

Steps

1. Webhooks -> add HTTPS endpoint (Test).
2. Save signing secret; Send test; verify signature on receiver.

Expected

Test delivery received and verified.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

I4 [P1] Live webhook on payout

Precondition: Live webhook registered.

Steps

1. Complete Live payout (F2).
2. Confirm tghs.payout.* delivered to Live endpoint.

Expected

Signed Live event matches redemption status.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

J. Notifications & security smoke

J1 [P1] In-app notifications

Steps

- 1. Trigger an OTC or payout event.
- 2. Open header bell; mark read.

Expected

Notification for current Mode; deep link works.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

J2 [P1] HTTPS / console smoke

Steps

- 1. Confirm Dashboard and API are HTTPS only.
- 2. No blocking console errors on Overview, OTC, tGHS (ignore expected logged-out /me 401).

Expected

Secure origins; key pages usable.

Result

☐ Pass ☐ Fail ☐ Blocked ☐ N/A

Tester / date / notes:

K. Go-live decision

Complete after all P0 cases are Pass (or waived in writing). Attach evidence pack.

P0 tally

- A Access/login: /
- B KYB / Live / OTC: /
- C Beneficiaries: /
- D Test OTC->tGHS: /
- E Live OTC->tGHS: /
- F Payouts: /
- G Statements: /
- I API/webhooks (if in scope): / or N/A

Open issues / waivers

ID / description / owner / waiver?

Sign-off

By signing, the parties confirm UAT evidence supports production Live use of Transika Institutional for this merchant, within agreed limits.

Merchant

Name: _____ Role: _____

Signature: _____ Date: _____

Decision: ☐ Ready for Live ☐ Not ready ☐ Ready with waivers

Transika

Name: _____ Role: _____

Signature: _____ Date: _____

Live enabled in ops: ☐ Yes Date/time: _____

Dashboard

<https://institutional.tran-sika.com/>

API

<https://institutional-api.tran-sika.com/>