Bandersnatch VRF-AD Specification

Davide Galassi Seyed Hosseini

18 Aug 2024 - draft 15

Abstract

This specification delineates the framework for a Verifiable Random Function with Additional Data (VRF-AD), a cryptographic construct that augments a standard VRF by incorporating auxiliary information into its signature. We're going to first provide a specification to extend IETF's ECVRF as outlined in RFC-9381 [1], then we describe a variant of the Pedersen VRF originally introduced by BCHSV23 [2], which serves as a fundamental component for implementing anonymized ring signatures as further elaborated by VG24 [3]. This specification provides detailed insights into the usage of these primitives with Bandersnatch, an elliptic curve constructed over the BLS12-381 scalar field specified in MSZ21 [4].

1. Preliminaries

Definition: A verifiable random function with additional data (VRF-AD) can be described with two functions:

- $Prove(sk, in, ad) \mapsto (out, \pi)$: from secret key sk, input in, and additional data ad returns a verifiable output out and proof π .
- $Verify(pk, in, ad, out, \pi) \mapsto (0|1)$: for public key pk, input in, additional data ad, output out and proof π returns either 1 on success or 0 on failure.

1.1. VRF Input

An arbitrary length octet-string provided by the user and used to generate some unbiasable verifiable random output.

1.2. VRF Input Point

A point in $\langle G \rangle$ generated from VRF input octet-string using the *Elligator 2 hash-to-curve* algorithm as described by section 6.8.2 of RFC-9380 [5].

1.3. VRF Output Point

A point in $\langle G \rangle$ generated from VRF input point as: $Output \leftarrow sk \cdot Input$.

1.4. VRF Output

A fixed length octet-string generated from VRF output point using the proof-to-hash procedure defined in section 5.2 of RFC-9381.

The first 32 bytes of the hash output are taken.

1.5 Additional Data

An arbitrary length octet-string provided by the user to be signed together with the generated VRF output. This data doesn't influence the produced VRF output.

2. IETF VRF

Based on IETF RFC-9381 which is extended with the capability to sign additional user data (ad).

2.1. Configuration

Configuration is given by following the "cipher suite" guidelines defined in section 5.5 of RFC-9381.

- suite_string = "Bandersnatch_SHA-512_ELL2".
- The EC group $\langle G \rangle$ is the prime subgroup of the Bandersnatch elliptic curve, in Twisted Edwards form, with finite field and curve parameters as specified in MSZ21. For this group, ${\tt fLen} = {\tt qLen} = 32$ and ${\tt cofactor} = 4$.
- The prime subgroup generator $G \in \langle G \rangle$ is defined as follows:

 $G_y \! = \! 19188667384257783945677642223292697773471335439753913231509108946878080696678$

- cLen = 32.
- The public key generation primitive is $pk = sk \cdot G$, with sk the secret key scalar and G the group generator. In this cipher suite, the secret scalar x is equal to the secret key sk.
- encode_to_curve_salt = pk_string (i.e. point_to_string(pk)).
- The ECVRF_nonce_generation function is specified in section 5.4.2.2 of RFC-9381.

- The int_to_string function encodes into the 32 bytes little endian representation.
- The string_to_int function decodes from the 32 bytes little endian representation eventually reducing modulo the prime field order.
- The point_to_string function converts a point in $\langle G \rangle$ to an octet-string using compressed form. The y coordinate is encoded using int_to_string function and the most significant bit of the last octet is used to keep track of x sign. This implies that ptLen = flen = 32.
- The string_to_point function converts an octet-string to a point on $\langle G \rangle$. The string most significant bit is removed to recover the x coordinate as function of y, which is first decoded from the rest of the string using int_to_string procedure. This function MUST outputs "INVALID" if the octet-string does not decode to a point on the prime subgroup $\langle G \rangle$.
- The hash function hash is SHA-512 as specified in RFC-6234 [6], with hLen = 64.
- The ECVRF_encode_to_curve function uses Elligator2 method described in section 6.8.2 of RFC-9380 and is described in section 5.4.1.2 of RFC-9381, with h2c_suite_ID_string = "Bandersnatch_XMD:SHA-512_ELL2_RO_" and domain separation tag DST = "ECVRF_" || h2c_suite_ID_string || suite_string.

2.2. Prove

Input:

- $x \in \mathbb{Z}_r^*$: Secret key
- $I \in \langle G \rangle$: VRF input point
- $ad \in \Sigma^*$: Additional data octet-string.

Output:

- $O \in \langle G \rangle$: VRF output point
- $\pi \in (\mathbb{Z}_r^*, \mathbb{Z}_r^*)$: Schnorr-like proof

Steps:

- 1. $O \leftarrow x \cdot I$
- $2. \ Y \leftarrow x \cdot G$
- 3. $k \leftarrow nonce(x, I)$
- 4. $c \leftarrow challenge(Y, I, O, k \cdot G, k \cdot I, ad)$
- 5. $s \leftarrow k + c \cdot x$
- 6. $\pi \leftarrow (c, s)$

7. return (O, π)

Externals:

- nonce: refer to section 5.4.2.2 of RFC-9381.
- *challenge*: refer to section 5.4.3 of RFC-9381 and section 2.4 of this specification.

2.3. Verify

Input:

- $Y \in \langle G \rangle$: Public key
- $I \in \langle G \rangle$: VRF input point
- $ad \in \Sigma^*$: Additional data octet-string.
- $O \in \langle G \rangle$: VRF output point
- $\pi \in (\mathbb{Z}_r^*, \mathbb{Z}_r^*)$: Schnorr-like proof

Output:

• True if proof is valid, False otherwise

Steps:

- 1. $(c,s) \leftarrow \pi$
- 2. $U \leftarrow s \cdot G c \cdot Y$
- 3. $V \leftarrow s \cdot I c \cdot O$
- 4. $c' \leftarrow challenge(Y, I, O, U, V, ad)$
- 5. if $c \neq c'$ then return False
- 6. **return** True

Externals:

 \bullet challenge: as defined for Sign

2.4. Challenge

Challenge construction mostly follows the procedure given in section 5.4.3 of RFC-9381 [1] with some tweaks to add additional data.

Input:

- $Points \in \langle G \rangle^n$: Sequence of n points.
- $ad \in \Sigma^*$: Additional data octet-string.

Output:

• $c \in \mathbb{Z}_r^*$: Challenge scalar.

Steps:

```
1. str = suite\_string \parallel 0x02

2. for each P in Points: str = str \parallel point\_to\_string(P)$

3. str = str \parallel ad \parallel 0x00

4. h = hash(str)

5. h_t = h[0] \parallel ... \parallel h[cLen - 1]

6. c = string\_to\_int(h_t)

7. return c
```

With point_to_string, string_to_int and hash as defined in section 2.1.

3. Pedersen VRF

Pedersen VRF resembles IETF EC-VRF but replaces the public key with a Pedersen commitment to the secret key, which makes this VRF useful in anonymized ring proofs.

The scheme proves that the output has been generated with a secret key associated with a blinded public key (instead of the public key). The blinded public key is a cryptographic commitment to the public key, and it can be unblinded to prove that the output of the VRF corresponds to the public key of the signer.

This specification mostly follows the design proposed by BCHSV23 [2] in section 4 with some details about blinding base point value and challenge generation procedure.

3.1. Configuration

Pedersen VRF is configured for prime subgroup $\langle G \rangle$ of Bandersnatch elliptic curve E, in Twisted Edwards form, defined in MSZ21 [4] with *blinding base* $B \in \langle G \rangle$ defined as follows:

For all the other configurable parameters and external functions we adhere as much as possible to the Bandersnatch cipher suite for IETF VRF described in section 2.1 of this specification.

3.2. Prove

Input:

- $x \in \mathbb{Z}_r^*$: Secret key
- $b \in \mathbb{Z}_r^*$: Secret blinding factor
- $I \in \langle G \rangle$: VRF input point
- $ad \in \Sigma^*$: Additional data octet-string.

Output:

- $O \in \langle G \rangle$: VRF output point
- $\pi \in (\langle G \rangle, \langle G \rangle, \langle G \rangle, \mathbb{Z}_r^*, \mathbb{Z}_r^*)$: Pedersen proof

${\bf Steps:}$

- 1. $O \leftarrow x \cdot I$
- 2. $k \leftarrow nonce(x, I)$
- 3. $k_b \leftarrow nonce(b, I)$
- 4. $\bar{Y} \leftarrow x \cdot G + b \cdot B$
- 5. $R \leftarrow k \cdot G + k_b \cdot B$
- 6. $O_k \leftarrow k \cdot I$
- 7. $c \leftarrow challenge(\bar{Y}, I, O, R, O_k, ad)$
- 8. $s \leftarrow k + c \cdot x$
- 9. $s_b \leftarrow k_b + c \cdot b$
- 10. $\pi \leftarrow (\bar{Y}, R, O_k, s, s_b)$
- 11. return (O, π)

3.3. Verify

Input:

- $I \in \langle G \rangle$: VRF input point
- $ad \in \Sigma^*$: Additional data octet-string.
- $O \in \langle G \rangle$: VRF output point
- $\pi \in (\langle G \rangle, \langle G \rangle, \langle G \rangle, \mathbb{Z}_r^*, \mathbb{Z}_r^*)$: Pedersen proof

Output:

• True if proof is valid, False otherwise

Steps:

- 1. $(\bar{Y}, R, O_k, s, s_b) \leftarrow \pi$
- 2. $c \leftarrow challenge(\bar{Y}, I, O, R, O_k, ad)$
- 3. if $O_k + c \cdot O \neq I \cdot s$ then return False
- 4. if $R + c \cdot \bar{Y} \neq s \cdot G + s_b \cdot B$ then return False
- 5. **return** True

4. Ring VRF

Anonymized ring VRF based of [Pedersen VRF] and Ring Proof as proposed in VG24.

4.1. Configuration

Ring proof is configured to work together with Pedersen VRF as presented in this specification.

The following configuration should be applied to specialize VG24 in order to instance the concrete scheme.

• Groups and Fields:

- $-\mathbb{G}_{\mathbb{H}}$: BLS12-381 prime order subgroup.
- \mathbb{F} : BLS12-381 scalar field.
- J: Bandersnatch curve defined over \mathbb{F} .

• Polynomial Commitment Scheme

- KZG with SRS derived from Zcash powers of tau ceremony.

• Fiat-Shamir Transform

- merlin library implementation.
- Begin with empty transcript with empty label.
- Push ${\cal R}$ to the transcript after instancing.
- TODO: Specify the order and how parameters are added to the transcript as we progress the protocol.
- Accumulator seed point (Twisted Edwards form):

 $\mathbf{S}_{x} = 3955725774225903122339172568337849452553276548604445833196164961773358506589$

• Padding point (Twisted Edwards form):

 $\square_y = 23297815351169973518610888463679675079080900957871871916328881498043316508082$

• Polynomials domain $(\langle \omega \rangle = \mathbb{D})$ generator:

• $|\mathbb{D}| = 2048$

4.1.1. Short Weierstrass Form Requirement

The Ring-Proof scheme, as outlined in VG24, mandates that all points must be in Short Weierstrass form. Therefore, any point used in this scheme, whether derived from Twisted Edwards form or otherwise, must first be converted to Short Weierstrass form. This requirement applies to both user-related values, such as the ring points used by the ring public keys, and to configuration points like the accumulator and padding.

4.2. Prove

Input:

- $x \in \mathbb{Z}_r^*$: Secret key
- $P \in ?$: Ring prover
- $k \in \mathbb{N}_k$: prover public key position within the ring
- $b \in \mathbb{Z}_r^*$: Secret blinding factor
- $I \in \langle G \rangle$: VRF input point
- $ad \in \Sigma^*$: Additional data octet-string.

Output:

- $O \in \langle G \rangle$: VRF output point
- $\pi_p \in (\langle G \rangle, \langle G \rangle, \langle G \rangle, \mathbb{Z}_r^*, \mathbb{Z}_r^*)$: Pedersen proof
- $\pi_r \in ((G_1)^4, (\mathbb{Z}_r^*)^7, G_1, \mathbb{Z}_r^*, G_1, G_1)$: Ring proof

Steps:

- 1. $(O, \pi_p) \leftarrow Pedersen.prove(x, b, k, I, ad)$
- 2. $\pi_r \leftarrow Ring.prove(P, b)$
- 3. return (O, π_p, π_r)

4.3. Verify

Input:

- $V \in (G_1)^3$: Ring verifier (pre-processed commitment).
- $I \in \langle G \rangle$: VRF input point.
- $O \in G$: VRF output point.
- $ad \in \Sigma^*$: Additional data octet-string.
- $\pi_p \in (\langle G \rangle, \langle G \rangle, \langle G \rangle, \mathbb{Z}_r^*, \mathbb{Z}_r^*)$: Pedersen proof
- $\pi_r \in ((G_1)^4, (\mathbb{Z}_r^*)^7, G_1, \mathbb{Z}_r^*, G_1, G_1)$: Ring proof

Output:

• True if proof is valid, False otherwise

Steps

- 1. $r_p = Pedersen.verify(I, ad, O, \pi_p)$
- 2. if $r_p \neq True$ return False
- 3. $(\bar{Y}, R, O_k, s, s_b) \leftarrow \pi_p$
- 4. $r_r = Ring.verify(V, \pi_r, \bar{Y})$
- 5. if $r_r \neq True$ return False
- 6. return True

Appendix A

The test vectors in this section were generated using code provided at https://github.com/davxy/ark-ec-vrfs.

A.1. IETF VRF Test Vectors

Schema:

```
sk (x): Secret key,
pk (Y): Public key,
in (alpha): Input octet-string,
ad: Additional data octet-string,
h (I): VRF input point,
gamma (0): VRF output point,
out (beta): VRF output octet string,
proof_c: Proof 'c' component,
proof_s: Proof 's' component,
```

Vector 1

3d6406500d4009fdf2604546093665911e753f2213570a29521fd88bc30ede18, a1b1da71cc4682e159b7da23050d8b6261eb11a3247c89b07ef56ccd002fd38b,

-,

b923c55b4b7d8c28156c87e005c6d8385a6f26019eee3149aaeb7ee7ce284b38, 208d1eacbedbfb00708a7068c708a565c0bd41c8155010c52e55c6837fecfa52, 96b48404e1df9c738557ccbdfb5bc6f7b8fa3d281aa51742a5928e7a5d77cf5b ..4fc6ed61fc0f7e073dfc3ee8e06b1e5de55e93ecff8ad926cc99a08e8aa6a779, 106f39b9ba10c49df8dfeeea43f8ff02823110fcd8de3ce6110124d29f75881c, 49584112e665526173bfebb6f8949348b1accf72da122c77b501cd395464330c,

Vector 2

8b9063872331dda4c3c282f7d813fb3c13e7339b7dc9635fdc764e32cc57cb15, 5ebfe047f421e1a3e1d9bbb163839812657bbb3e4ffe9856a725b2b405844cf3, 0a,

d905aaf894a97094b1d707ea7685fbc4ac501fc01cef25586a9c36288c5c6302, 25c5ab15ce5d973bfec7b6dd428b5b5971958a056d10cc18d5e9ccd0ee4c7b86, 2ae6660f435f733482e4fb6a2c743288fc1d8a6b173b01f490929cd128514c51 ..8112bed1659bb8eab1535e279f9b7349fa316ba6f7bd8baa4ae410141bb565d2, ac8c53d06bb8c0946c479f1732e16800e810810fedda70f37b8a9c4f1016df11, 9a3d82d40e8600276b5fd92cd8d21287abbece6ee357ff5e086126cf912e3d0a,

Vector 3

6db187202f69e627e432296ae1d0f166ae6ac3c1222585b6ceae80ea07670b14, 9d97151298a5339866ddd3539d16696e19e6b68ac731562c807fe63a1ca49506,

0b8c,

587f7c01731c52ce4e02405a9642bf39da4b62befa0a0811f00dd1710a975cc4, 002030eb901d08fe85873b46cd5a1bd2a2c9fbce4f15e9e39066c1fe91be1c1f, 5ca9dc5e02e908b5f1de31c85d30a064353420ab930a541db5f518eee07fb059 ..323df22d2ce82d36a5bac52aa322f08072cc0b9c555a5e4179e3c11a067de7a2, 2ae1f37e6427ec7f3b71e90b54eac7b0b21425760f46ca78908bc0fd2077ca16, 78c7f35f0b3e8edd83a08a36a70c263cd7dba1ab81a2d6ee60242b4af06f2d03,

Vector 4

b56cc204f1b6c2323709012cb16c72f3021035ce935fbe69b600a88d842c7407, dc2de7312c2850a9f6c103289c64fbd76e2ebd2fa8b5734708eb2c76c0fb2d99, 73616d706c65,

c1cde8432c5bf619b14a403d611140c117a52ba31004574238bd58bf8fc6181f, 5d5a673794b7a0003a1c36f299c4d61055e4b680bb3c2ccd8858dce89c6cd5d3, Odb282523110f629d8c9424afa66f4dfcb9e6dcea5f7891ab2ffc09eeb72a0ac ..11ac36841ec72644a5d24c1fa879872d3091c5e5b81940761f9f8f378f5013ae, 7eb5a8b661e9d93203d7f7aa4b597e695be7c139b457fa5e33a866f4a66f2f12, cde921089ee5ec8d2d940e75819a6347cd8f0ccd215b712f90b278ed186cbb03,

Vector 5

 $\label{lem:da36359bf1bfd1694d3ed359e7340bd02a6a5e54827d94db1384df29f5bdd302, decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29, 42616e646572736e6174636820766563746f72,$

%af6936567d457e80f6715f403e20597c2ca58219974c3996a4e4414c3361635, 022abfa7670d5051a6a0e212467666abb955faafe7fe63446f50eb710383444c, 126296afb914aa1225dfdddfe3bfd185b488801810e18034330b1c07409ccdc4 ..f8deccfc30be219cb5186f80a523ae41720031ae39a78f18d3b14df8bb6d8e8a, 4ddb0d1ebe4d7da9e2cca5c85e39b51166c969dfa30bbf69baafa22121b2000e, 2616dff1f59ff7e7bfc25fa0fea37a9c37e93cf1b88a5e73505a195138590c0c,

Vector 6

da36359bf1bfd1694d3ed359e7340bd02a6a5e54827d94db1384df29f5bdd302, decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29, 42616e646572736e6174636820766563746f72, 1f42.

8af6936567d457e80f6715f403e20597c2ca58219974c3996a4e4414c3361635, 022abfa7670d5051a6a0e212467666abb955faafe7fe63446f50eb710383444c, 126296afb914aa1225dfdddfe3bfd185b488801810e18034330b1c07409ccdc4 ..f8deccfc30be219cb5186f80a523ae41720031ae39a78f18d3b14df8bb6d8e8a, 087914abfd2a59a593384c538bb2f11480d4b196ae2a973ac33cb7dd2cc1541b, 9ad1cdabc97035a05d76c4f4e3c1826deafbc3e4d41df6bf66eaa21d1ba63018,

Vector 7

35b877a25c394512292b82bdf8468e98eaf03c79c7fc9d53546dadc5fb75b500, b0e1f208f9d6e5b310b92014ea7ef3011e649dab038804759f3766e01029d623, 42616e646572736e6174636820766563746f72, 1f42,

69dec7fe79f816d095b04cead45e856ff6c7e798f513e09291958e35a5590443, 9adeacd15eacdc651e4db1ea4c0917973eac2000479edf6132f3774601cc6902, ff5f6324ea18bbb4df92f7d6304bf27a0a44fa80fd40b985de8d43963a7e02c6 ..ef6f0947911604155c6fe40f68cc91c96ffd358275b58960554274498a70f144, 50a14bab81a42e118e8c167136db35b731a9194a250ae5e65452592742cbdb0e, a75b5327d1b921bb72e2e8c525c18d2fce661b365379ae9f1168c75d281d0100,

A.2. Pedersen VRF Test Vectors

Schema:

```
sk (x): Secret key,
pk (Y): Public key,
in (alpha): Input octet-string,
ad: Additional data octet-string,
h (I): VRF input point,
gamma (0): VRF output point,
out (beta): VRF output octet string,
blinding: Blinding factor,
proof_pk_com (Y^-): Public key commitment,
proof_r: Proof 'R' component,
proof_ok: Proof 'O_k' component,
proof_s: Proof 's' component,
proof_sb: Proof 's_b' component
```

Vector 1

 $3d6406500d4009fdf2604546093665911e753f2213570a29521fd88bc30ede18,\\ a1b1da71cc4682e159b7da23050d8b6261eb11a3247c89b07ef56ccd002fd38b,\\ -,$

_ .

b923c55b4b7d8c28156c87e005c6d8385a6f26019eee3149aaeb7ee7ce284b38, 208d1eacbedbfb00708a7068c708a565c0bd41c8155010c52e55c6837fecfa52, 96b48404e1df9c738557ccbdfb5bc6f7b8fa3d281aa51742a5928e7a5d77cf5b ..4fc6ed61fc0f7e073dfc3ee8e06b1e5de55e93ecff8ad926cc99a08e8aa6a779, a3f1a139943f3dc02c624505a5794dcc1a75651f60ca69081ebf9bdbd7458616, 2882f90320afdcf99680b8662efe846e2fd477cce00a47ac154f996c910b920a, 71d85bb1a0edcf4362ec8137cdef1a856096e4f9995cc3a4db1781d3e9c7b817, 647c218cec9610102b202bcf7d29bdbf91770c326f07586051fa40bee863b63e, cda38b375717fa7790c18c70dcfcd6ce8f19b13819f088b74688f21dd127c412, 9b52eff1cc2ab908070a1ba89059ae3f6823b43702c60272c5d5943cceb6ac0e,

Vector 2

 $8b9063872331dda4c3c282f7d813fb3c13e7339b7dc9635fdc764e32cc57cb15,\\ 5ebfe047f421e1a3e1d9bbb163839812657bbb3e4ffe9856a725b2b405844cf3,\\ 0a,$

-,

d905aaf894a97094b1d707ea7685fbc4ac501fc01cef25586a9c36288c5c6302, 25c5ab15ce5d973bfec7b6dd428b5b5971958a056d10cc18d5e9ccd0ee4c7b86, 2ae6660f435f733482e4fb6a2c743288fc1d8a6b173b01f490929cd128514c51 ..8112bed1659bb8eab1535e279f9b7349fa316ba6f7bd8baa4ae410141bb565d2, 85a94726bcaeaf2db516a6a532ec2450488e7d093374f54de0ba05d2a36bb00a, b28263558234202119a143c295a3fc5a35a6f830dd0c7018e3f33862d1986c1c, 4cb8186c3da92e9be0179f894cdc364aabe1a890340aee9fd886bed45f5017e7, 83a9519edb8ecc4f360eee599c6c1310019c4c3451ca42b4887328e347003bdf, 3e1b408e4ceb5a81e5b71527b01f541d5069438aaa279aa48c39bb7e34f24001,

1dc7b84f188a7fb5bf051464be19e54495f42bd723130992319bad7560023714,

Vector 3

6db187202f69e627e432296ae1d0f166ae6ac3c1222585b6ceae80ea07670b14, 9d97151298a5339866ddd3539d16696e19e6b68ac731562c807fe63a1ca49506, -.

0b8c.

587f7c01731c52ce4e02405a9642bf39da4b62befa0a0811f00dd1710a975cc4, 002030eb901d08fe85873b46cd5a1bd2a2c9fbce4f15e9e39066c1fe91be1c1f, 5ca9dc5e02e908b5f1de31c85d30a064353420ab930a541db5f518eee07fb059 ..323df22d2ce82d36a5bac52aa322f08072cc0b9c555a5e4179e3c11a067de7a2, cb3a17d3578d86e2f3b23bb47160327c391c808da28c6be53ed3189d22d78205, f99d09a38f1a1ead7d9503fd601e2d8a56c09eaeb5fb3130035803e04033b49a, de58f590cd204247192f5b49d86c81ddc691fd6b55561fb33ccbec24ecbc86db, d502f832afaddb7bb54e8c28cce458a2a9c3c6c230e4b85539913ec531de168b, 1dd33771a9bfdcf94e6e95fa43e4667adf3279d9c2b22e0877abeb5e99a9e01b, 7863bbac83653e1a48bc0e814e4792c6b2d884522f5556bbb1844c151dcdb700,

Vector 4

b56cc204f1b6c2323709012cb16c72f3021035ce935fbe69b600a88d842c7407, dc2de7312c2850a9f6c103289c64fbd76e2ebd2fa8b5734708eb2c76c0fb2d99, 73616d706c65,

-, c1cde8432c5bf619b14a403d611140c117a52ba31004574238bd58bf8fc6181f, 5d5a673794b7a0003a1c36f299c4d61055e4b680bb3c2ccd8858dce89c6cd5d3, 0db282523110f629d8c9424afa66f4dfcb9e6dcea5f7891ab2ffc09eeb72a0ac ..11ac36841ec72644a5d24c1fa879872d3091c5e5b81940761f9f8f378f5013ae, 141a8a762dff63c7c05b26d022a8027c515e57f067b5546532296f0ca40a1909, e926e6b3cbca7b66c42cfc603c4ef2dabc3f5e1276b20d2807f007e974675cb1, 29c56732de262411e71908326037f0f961776db2082bf3d88537265af6a57c92, c59024c715d21f2a08fb0cd8cb24046558222c6753180853f9601d92186c5e3b, b818a32590aeb6d79d24cdc6cacb6d5cdc58ccb7025b82be1c1ba2cd34c2f005, e854b63f9c4e0aab3a051885498d42b5ec354e619491ee9ff239bd3fb486b509,

Vector 5

 $\label{lem:da36359bf1bfd1694d3ed359e7340bd02a6a5e54827d94db1384df29f5bdd302, decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29, 42616e646572736e6174636820766563746f72,$

-, 8af6936567d457e80f6715f403e20597c2ca58219974c3996a4e4414c3361635, 022abfa7670d5051a6a0e212467666abb955faafe7fe63446f50eb710383444c, 126296afb914aa1225dfdddfe3bfd185b488801810e18034330b1c07409ccdc4 ..f8deccfc30be219cb5186f80a523ae41720031ae39a78f18d3b14df8bb6d8e8a, 4749f32b7aa36158a4fdfb5bc7e63c40b62eb1d7c75036676e093571a3e9cb06, e159e5494957bb478c4a4d142cde10dadd73a038f8b198c4321dff1271ab61b4, 16a8409cc245978bf55279447d854adca637a58c8c7894a0972b190ad7314492, 3639790d6414b474aa1d53de4e7a896b4e6458c078867acd22200f00f20f280a, bbfd0996c8937c9aaabad9a254614b75c529f892fdfcfcfbe73486888545b610, 6bce65ffb002c6349213b720115ee1457214796c983618f32b4b79c8c559851b,

Vector 6

da36359bf1bfd1694d3ed359e7340bd02a6a5e54827d94db1384df29f5bdd302, decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29, 42616e646572736e6174636820766563746f72, 1f42,

 $8af6936567d457e80f6715f403e20597c2ca58219974c3996a4e4414c3361635,\\ 022abfa7670d5051a6a0e212467666abb955faafe7fe63446f50eb710383444c,\\ 126296afb914aa1225dfdddfe3bfd185b488801810e18034330b1c07409ccdc4\\ ..f8deccfc30be219cb5186f80a523ae41720031ae39a78f18d3b14df8bb6d8e8a,\\ 1f64d22282d00a58d17d4fe4dc6e8b9772109b6091e1684649c6084fc842391b,\\ 89e230c832f5c2ee1072d9d110151a2dafa4577d64b7fb0845855ae3d1c12fec,\\ e3bd5e3a3f07efb256c989f22fcfe8494219dcd37b35419f5f10da68de09f125,\\ 3639790d6414b474aa1d53de4e7a896b4e6458c078867acd22200f00f20f280a,\\ ceff5ef2315be8be839b1f3c0314b72d976c2e14a2a27c2d1ce8465e90c98607,\\ 0ea7abf79fc1bdebc8b9009cc5744358071c12e82a31565d35a8f91069b55c1b,\\ \end{aligned}$

Vector 7

35b877a25c394512292b82bdf8468e98eaf03c79c7fc9d53546dadc5fb75b500, b0e1f208f9d6e5b310b92014ea7ef3011e649dab038804759f3766e01029d623, 42616e646572736e6174636820766563746f72, 1f42

69dec7fe79f816d095b04cead45e856ff6c7e798f513e09291958e35a5590443, 9adeacd15eacdc651e4db1ea4c0917973eac2000479edf6132f3774601cc6902, ff5f6324ea18bbb4df92f7d6304bf27a0a44fa80fd40b985de8d43963a7e02c6 ..ef6f0947911604155c6fe40f68cc91c96ffd358275b58960554274498a70f144, ea1f922fce5e359d92e0fdcda53a1d2e6b791c7e7a8ffad915f3535c6175f115, f674ad5f72661aa0c2bc5ca83aee9794c8b8bbc4017abcc00a11a23a0b558e68, f77eaec55fe36b06f1d1f7eef7db24fdcce74c83fde19b1c322aca288e39948f, b846dfbceb2a74fe102b3aec94e7b8460f5adcb609c407839ab6cb06d1e3bd38, 35a41d1cb4d22b5c162d319b206db940b6fcef71bbe0c13a6376a89788292519, c04b177f954d17e7c129ce8d55cb7f148b3957078c96e7229100dc50b7d62b02,

A.3. Ring VRF Test Vectors

Generated using Zcash BLS12-381 URS.

Schema:

sk (x): Secret key,

```
pk (Y): Public key,
in (alpha): Input octet-string,
ad: Additional data octet-string,
h (I): VRF input point,
gamma (0): VRF output point,
out (beta): VRF output octet string,
blinding: Blinding factor,
proof_pk_com (Y^-): Pedersen proof public key commitment,
proof_r: Pedersen proof 'R' component,
proof_ok: Pedersen proof 'O_k' component,
proof_s: Pedersen proof 's' component,
proof_sb: Pedersen proof 's_b' component,
ring_pks: Ring public keys,
ring_pks_com: Ring public keys commitment,
ring_proof: Ring proof
```

Vector 1

3d6406500d4009fdf2604546093665911e753f2213570a29521fd88bc30ede18. a1b1da71cc4682e159b7da23050d8b6261eb11a3247c89b07ef56ccd002fd38b, b923c55b4b7d8c28156c87e005c6d8385a6f26019eee3149aaeb7ee7ce284b38, 208d1eacbedbfb00708a7068c708a565c0bd41c8155010c52e55c6837fecfa52, 96b48404e1df9c738557ccbdfb5bc6f7b8fa3d281aa51742a5928e7a5d77cf5b ..4fc6ed61fc0f7e073dfc3ee8e06b1e5de55e93ecff8ad926cc99a08e8aa6a779, a3f1a139943f3dc02c624505a5794dcc1a75651f60ca69081ebf9bdbd7458616, 2882f90320afdcf99680b8662efe846e2fd477cce00a47ac154f996c910b920a, 71d85bb1a0edcf4362ec8137cdef1a856096e4f9995cc3a4db1781d3e9c7b817, 647c218cec9610102b202bcf7d29bdbf91770c326f07586051fa40bee863b63e, cda38b375717fa7790c18c70dcfcd6ce8f19b13819f088b74688f21dd127c412, 9b52eff1cc2ab908070a1ba89059ae3f6823b43702c60272c5d5943cceb6ac0e, 7b32d917d5aa771d493c47b0e096886827cd056c82dbdba19e60baa8b2c60313 ..d3b1bdb321123449c6e89d310bc6b7f654315eb471c84778353ce08b951ad471 ..561fdb0dcfb8bd443718b942f82fe717238cbcf8d12b8d22861c8a09a984a3c5 ..a1b1da71cc4682e159b7da23050d8b6261eb11a3247c89b07ef56ccd002fd38b ..4fd11f89c2a1aaefe856bb1c5d4a1fad73f4de5e41804ca2c17ba26d6e10050c ..86d06ee2c70da6cf2da2a828d8a9d8ef755ad6e580e838359a10accb086ae437 .. ad 6f ded a 0 dd e 0 a 57 c 51 d 3226 b 87 e 3795 e 6474393772 da 46101 f d 597 f b d 456 c 1b d 500 f d..3f9dc0c4f67f207974123830c2d66988fb3fb44becbbba5a64143f376edc51d9, 89e2e79b6178c12684ac3a6bf9437af3a69dcc529f0021ec40bb006506837ae1 ..82bf4b908e46733d3a23507791169fda8ea11b18665fe894ee9f0754c0c3fec7 ..0c6b8d1444d9b604ce949cbf130642d89f72b6cb1f08e32a18cdbb00aadfdf1b ..fe0e9c85ec450505dde7f5ac038274cf, ae5cf31262305cc0d061a88275a6afeed634e1c7566c79c720812529759a5845

..9c0e3b1678c6e5e0bf02c3c8179537ca205bb3580e43016ccb584c0c08b1114a ..9756566a3bf9085c2669ccf6e6c6fb939a67624a147ebe76112bab427d22edc0 ..141fe2828bd0cda558a0b16cf94ad7e4afa58b5c4a914114f7d03572b527346c ..ef906d05c896b820c8ade0122fe727bd262ee283af9b30bb67e8b926f8fa041b ..a9789444ce27e82c0caecb12c94b4a0fcb1514ee4905b644b229b1f7f8734e63 ..42ee26310278b91edac541e2d20d28a826f3ee7182acf582e2f1103d90ee3a63 ${\tt ...69b4f91f800eff0bfc83fc9463cc100104de722c78a897f8a5bcac3fa555724d}$..3cc17b108fa299caea8a5e14f12bc3da02a51af9ee175c6aea68532d1d7e0c2c ..4a87507258bd695edab7ea8d6f86c47c84c29d7fd237590fae5a2df5280c8601 ..684042360445eaf6a6f6b0a38017ce2cf710004662e0a987d87929c15ee74742 .. e 5 e 0 c 8 3 1 4 7 1 3 2 5 1 3 6 7 5 4 3 9 c 8 7 9 2 1 9 b 6 1 2 8 3 0 0 5 5 4 1 8 2 6 5 5 6 f 1 7 0 0 9 6 4 c 3 3 4 5 b 6 2 d..b39e9b2db283d075ef33af3a97344467351ab3b800c29a13c5a02289d0c15868..e3811debfe757222ea63a0f35bfb91c251ac3e4c74e838af87949b00756a363d .. f 0418975 ad 1b8 ca 3cc 557c 6d 0896c 944 ad eaf 58838f 2b8b 1bf abf 18f 05fd 4abd ad factorious for the contraction of th..41a35135149da932e3617bc2ff49f021d9aebe34ca1d3e7fab1ace2b7cfb4fd1 $\verb|..b2f41416e104129b952a6b9d22d4bb0802668fbc5e2e9735c69b3f44eaff87a4| \\$..bcd6a9a71991feaaa7e7232bc18a4733,

Vector 2

 $8b9063872331dda4c3c282f7d813fb3c13e7339b7dc9635fdc764e32cc57cb15,\\ 5ebfe047f421e1a3e1d9bbb163839812657bbb3e4ffe9856a725b2b405844cf3,\\ 0a,$

d905aaf894a97094b1d707ea7685fbc4ac501fc01cef25586a9c36288c5c6302, 25c5ab15ce5d973bfec7b6dd428b5b5971958a056d10cc18d5e9ccd0ee4c7b86, 2ae6660f435f733482e4fb6a2c743288fc1d8a6b173b01f490929cd128514c51 ..8112bed1659bb8eab1535e279f9b7349fa316ba6f7bd8baa4ae410141bb565d2, 85a94726bcaeaf2db516a6a532ec2450488e7d093374f54de0ba05d2a36bb00a, b28263558234202119a143c295a3fc5a35a6f830dd0c7018e3f33862d1986c1c, 4cb8186c3da92e9be0179f894cdc364aabe1a890340aee9fd886bed45f5017e7, 83a9519edb8ecc4f360eee599c6c1310019c4c3451ca42b4887328e347003bdf, 3e1b408e4ceb5a81e5b71527b01f541d5069438aaa279aa48c39bb7e34f24001, 1dc7b84f188a7fb5bf051464be19e54495f42bd723130992319bad7560023714, 7b32d917d5aa771d493c47b0e096886827cd056c82dbdba19e60baa8b2c60313 ..d3b1bdb321123449c6e89d310bc6b7f654315eb471c84778353ce08b951ad471 ..561fdb0dcfb8bd443718b942f82fe717238cbcf8d12b8d22861c8a09a984a3c5 ..5ebfe047f421e1a3e1d9bbb163839812657bbb3e4ffe9856a725b2b405844cf3 ..4fd11f89c2a1aaefe856bb1c5d4a1fad73f4de5e41804ca2c17ba26d6e10050c ..86d06ee2c70da6cf2da2a828d8a9d8ef755ad6e580e838359a10accb086ae437 ..ad6fdeda0dde0a57c51d3226b87e3795e6474393772da46101fd597fbd456c1b..3f9dc0c4f67f207974123830c2d66988fb3fb44becbbba5a64143f376edc51d9 894fd4149cce66e5f39f11c0de38825da7d07c52de1d8e74ed170c6b1a2feec7 $\verb|..bc| 158b 35068bbc fa9455fd 76f699c 15cb 5e9d faba 7a93cb 264c0 7d9 228e8c642 \\$

 $...92e630ae2b14e758ab0960e372172203f4c9a41777dadd529971d7ab9d23ab29\\...fe0e9c85ec450505dde7f5ac038274cf,$

b8cba6c3a415bdb4104a228dc4a431325a8d61b15786a3d7f1450387dbf2b84d ..f1568203e80a81c1293f6b0fbe4f7e6b914ad8aba8c1092777dfb212803dfd38 ..9c0e3b1678c6e5e0bf02c3c8179537ca205bb3580e43016ccb584c0c08b1114a ..b758b758807789cc310a41ef5f43cffbab02c806d9cd83d3fe41879b6ee0bbf2 ..99179e16cf5f6f76346215dd0ea22525a65893a06327a22dd6c5164285768387 ..924 e 0 ca 971569 a 70 b b d 084 f d 9 d b c c 5 c 8 f 9 69 f e 4 e 3146 a 51 e 8441740 b 79 d 2 a 73 d b 6 f e 4 e 6 f e 7 f e..5a2eea6ad577933b99821a94b5630a03b55f44cc7c189c76834676c1d5ce492c ..e5ae09a8ecdc7830884a0125b92b38e71ee3b1142da83fd9431c4dac81fef152 ..322c5bc6ed916f61e619b10c26b6c05c9fa2ddf3ac6d667bacaa602324b27b25 ..cbb4f64138d23da3d647375bd60680b9cd0cc23ecd1d115ae7c4ae5581857143 .. e508623 ef4d7 c3d9a4242309 c91 ad643 cdbd099a451f616 ec192 fc45e68baa451666 c192 fc45e68baa45166 c192 fc45e68baa456 c192 fc45e68baa45166 c192 fc45e68baa456 c192 fc45e68baa456 c192 fc45e68baa456 c192 fc45e68baa456 c192 fc45e68baa456 c192 fc4666 c192 fc4666 c192 fc4666 c192 fc46666 c192 fc4666 c192..2c31f3b8eb737f70105deb3318fb56f10e56ba042106a3da3c7d743b461d383e ..80f6a56ae688c6e0bcbbfbf760b0067debd79fdc39c3effae076c9133cbb9a6e ..970219c73f080bba8e32bb467f687f124c8986bcd2413f31aa39247c86c6a03e ${\tt ..18617ea} 068 d6 ff 5231374 b 028 d6 21935826 b8 a e 29351 a 9 c 006 f4 ff 56 e 19247 a 7 formula and the second se$..b8fbd55fc31eb427854bad441e3da66096994659ffc40d227668cd2c527fafab ..c92e219e57a9cff6b73532ee8c76225e7aaa402141bc0e9013b5880ee43ba547 ..ac4ed2c8deec88414533eca85dc1126386c93e1427999bee8beee14d14a39f06 ..3ebaba896479110b7773742af2f24a84,

Vector 3

 $6 db 187 202 f69 e627 e432296 ae 1 d0 f166 ae 6ac 3c 1222585 b6c eae 80 ea 07670 b14,\\ 9 d97 151298 a5339866 ddd 3539 d16696 e19e6 b68 ac 731562 c807 fe63 a1 ca 49506,\\$

, 01-0-

0b8c, 587f7c01731c52ce4e02405a9642bf39da4b62befa0a0811f00dd1710a975cc4, 002030eb901d08fe85873b46cd5a1bd2a2c9fbce4f15e9e39066c1fe91be1c1f, 5 ca 9 dc 5 e 0 2 e 9 0 8 b 5 f 1 de 31 c 8 5 d 30 a 0 6 4 3 5 3 4 20 a b 9 30 a 5 4 1 d b 5 f 5 1 8 e e e 0 7 f b 0 5 9 a 5 d 30 a 5 4 1 d b 5 f 5 1 8 e e e 0 7 f b 0 5 9 a 5 d 30 a 5 4 1 d b 5 f 5 1 8 e e e 0 7 f b 0 5 9 a 5 d 30 a 5 4 1 d b 5 f 5 1 8 e e e 0 7 f b 0 5 9 a 5 d 30 a 5 4 1 d b 5 f 5 1 8 e e e 0 7 f b 0 5 9 a 5 d 30 a 5 d 30..323df22d2ce82d36a5bac52aa322f08072cc0b9c555a5e4179e3c11a067de7a2, cb3a17d3578d86e2f3b23bb47160327c391c808da28c6be53ed3189d22d78205, f99d09a38f1a1ead7d9503fd601e2d8a56c09eaeb5fb3130035803e04033b49a, de58f590cd204247192f5b49d86c81ddc691fd6b55561fb33ccbec24ecbc86db, d502f832afaddb7bb54e8c28cce458a2a9c3c6c230e4b85539913ec531de168b. 1dd33771a9bfdcf94e6e95fa43e4667adf3279d9c2b22e0877abeb5e99a9e01b, 7863bbac83653e1a48bc0e814e4792c6b2d884522f5556bbb1844c151dcdb700. 7b32d917d5aa771d493c47b0e096886827cd056c82dbdba19e60baa8b2c60313 ..d3b1bdb321123449c6e89d310bc6b7f654315eb471c84778353ce08b951ad471 ..561fdb0dcfb8bd443718b942f82fe717238cbcf8d12b8d22861c8a09a984a3c5 ..9d97151298a5339866ddd3539d16696e19e6b68ac731562c807fe63a1ca49506 ..4fd11f89c2a1aaefe856bb1c5d4a1fad73f4de5e41804ca2c17ba26d6e10050c ${\tt ..86d06ee2c70da6cf2da2a828d8a9d8ef755ad6e580e838359a10accb086ae437}$.. ad 6f ded a 0 dd e 0 a 57 c 51 d 3226 b 87 e 3795 e 6474393772 da 46101 f d 597 f b d 456 c 1b d 500 f d..3f9dc0c4f67f207974123830c2d66988fb3fb44becbbba5a64143f376edc51d9, a90130fa47aaf758299818bd119e7fecdddb62674541f78c5fa5371b9db62d0f ..8 afd 73d 28225fb 1ae 60e 8959c 5f0e 929b 861ba 122a 1c8 fa 45fc 9d 2b8fb 66666e..f55fdcdfdae22addff823236613fb08b49a694b9f1ec38b72fc0a021857d3026 ..fe0e9c85ec450505dde7f5ac038274cf, a5b1c2890ca37ac292af4f1b736f60fdb463fd46dfc029ec1d490286cad8411d ..bd87f54a692d702c3bf63ef31789e91d914ad8aba8c1092777dfb212803dfd38 ..9c0e3b1678c6e5e0bf02c3c8179537ca205bb3580e43016ccb584c0c08b1114a ..b4662ecc45202cdbb759a76aae448f7ee0e0ef12d6d4a49fe9c15a8d5fe432c6 ..2073680cb2744396ca33d7c44b90b1f3a6f836fb65712a521a33bacc26103c8b ..aa81afc9a8931a7b5f9e3ea7bc5d30fef146bdfdcab3d7b92ee2bc4a9a29af38 ..cb68cb84820f0c4d9c4001b18ab21f80fb4cfec3d079a7d3bed13e32a996362e ..693983d2ff6be8002b0278718e4529759ab3e3a275428cdbe6788b92938ef400 ..ce55785c59dd2f1f4d510abaa80c3e6655100041da2726288f81ba7a733b856b ..0f62cd45dcd49628e368b2d5fa1c5ca055fcd68a339779f3789d05cb28cf9909 ..420fec2b8ba6a74594873fa68609ba6f6174959ee58fd2823cb582120f5f1f06 ..e926e6a0e03ca3041ffa8e5b59c5e549ada411c6eaa4511bc779e4f9923f0fbd ...f74511f723b015c45c77f9621a9280976aab33de095292f8846f9b3bd61b353e ..d61e9b0a1a95f2e97fda089ce75df1d5,

Vector 4

 $\label{eq:b56cc204f1b6c2323709012cb16c72f3021035ce935fbe69b600a88d842c7407, dc2de7312c2850a9f6c103289c64fbd76e2ebd2fa8b5734708eb2c76c0fb2d99, 73616d706c65,$

c1cde8432c5bf619b14a403d611140c117a52ba31004574238bd58bf8fc6181f,
5d5a673794b7a0003a1c36f299c4d61055e4b680bb3c2ccd8858dce89c6cd5d3,
0db282523110f629d8c9424afa66f4dfcb9e6dcea5f7891ab2ffc09eeb72a0ac
..11ac36841ec72644a5d24c1fa879872d3091c5e5b81940761f9f8f378f5013ae,
141a8a762dff63c7c05b26d022a8027c515e57f067b5546532296f0ca40a1909,
e926e6b3cbca7b66c42cfc603c4ef2dabc3f5e1276b20d2807f007e974675cb1,
29c56732de262411e71908326037f0f961776db2082bf3d88537265af6a57c92,
c59024c715d21f2a08fb0cd8cb24046558222c6753180853f9601d92186c5e3b,
b818a32590aeb6d79d24cdc6cacb6d5cdc58ccb7025b82be1c1ba2cd34c2f005,
e854b63f9c4e0aab3a051885498d42b5ec354e619491ee9ff239bd3fb486b509,
7b32d917d5aa771d493c47b0e096886827cd056c82dbdba19e60baa8b2c60313
..d3b1bdb321123449c6e89d310bc6b7f654315eb471c84778353ce08b951ad471
..561fdb0dcfb8bd443718b942f82fe717238cbcf8d12b8d22861c8a09a984a3c5
..dc2de7312c2850a9f6c103289c64fbd76e2ebd2fa8b5734708eb2c76c0fb2d99
..4fd11f89c2a1aaefe856bb1c5d4a1fad73f4de5e41804ca2c17ba26d6e10050c

..86d06ee2c70da6cf2da2a828d8a9d8ef755ad6e580e838359a10accb086ae4376accb086ae4386d8accb086ac.. ad 6f ded a 0 dd e 0 a 57 c 51 d 3226 b 87 e 3795 e 6474393772 da 46101 f d 597 f b d 456 c 1b d 500 f d..3f9dc0c4f67f207974123830c2d66988fb3fb44becbbba5a64143f376edc51d9, b62f3bf3e83646318894151bb51bb535a2539581773a01956f1874cb64e7a952 ..809d40be330de7d34bf01162adb2675e94c21ba7db9087beeb87d536cce326fb ${\tt ...20a5b816654432c73a772ede266d0d3bbae3f6aa0bcb31b5de62d33863a0098aa}$..fe0e9c85ec450505dde7f5ac038274cf, a6e4e910b16cd26a1e1c92b407e8616a521d5640c59129e44d3c5ed3248c9fa9 ..0eea775fff48c0f7596d56e321c0013f914ad8aba8c1092777dfb212803dfd38 ..9c0e3b1678c6e5e0bf02c3c8179537ca205bb3580e43016ccb584c0c08b1114a ..a1c341fe390f7ef3e45fa49d12fc655ba90805eafd0dee2442ef2618208692e4 ${\tt ...e4931cbbf11ac60aa0384e965036023e85ff0e1317f4a1ce508a40f781596644}$..a923d723c0eee4b6acc12e689cd74616ed6d5d38551e5eec82a3c4e6e462de4b ..b95d314c5883fbaa2b101576f5896af8eeb01ec35af191d94371107c79dc345f ..4823f4122a46d5eb06635b11f58e4a93cd59e91e5d7d0b30ce37b11b147f7c08 ${\tt ..661b89b1f0dec5b74602957c6325639cb0f4da1077442441d902799eaef9d92e}$..2bf1419d2b6ac8e83fff2bc501938fc9f39ccd8be1ae6c5520419236fc1c791a ...49219e97029ced5760d79eb5c6cb1facab6b83147eb86f6cddaa9990c9fe6f48..8314bbfc225ed62f9cf14241a49ef9289ad537fa3f36c1fd1fde14ec79ae5eb9 ..29ab90ad7d2ea5cfe4b680b8dfe42c408b547cbef65033aadf30aa369984d430 ..73b2992b48e2a7e2a22da52f6872fc46afb4f8ac25e80bbd3deeb6e6bed84e9e $\verb|..b0d3a832987a1fc58c9739fb772cd89a9c352d8c055f7545735d9b38fb5b9857|$..91c4f730c95137aeefb8fb591a95b0624984533b97ac182b390210312b2be0b8 ..474d3e230efda6f36f276ea6e8712775,

Vector 5

 $\label{lem:da36359bf1bfd1694d3ed359e7340bd02a6a5e54827d94db1384df29f5bdd302, decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29, 42616e646572736e6174636820766563746f72,$

, 8af6936567d457e80f6715f403e20597c2ca58219974c3996a4e4414c3361635, 022abfa7670d5051a6a0e212467666abb955faafe7fe63446f50eb710383444c, 126296afb914aa1225dfdddfe3bfd185b488801810e18034330b1c07409ccdc4 ..f8deccfc30be219cb5186f80a523ae41720031ae39a78f18d3b14df8bb6d8e8a, 4749f32b7aa36158a4fdfb5bc7e63c40b62eb1d7c75036676e093571a3e9cb06, e159e5494957bb478c4a4d142cde10dadd73a038f8b198c4321dff1271ab61b4, 16a8409cc245978bf55279447d854adca637a58c8c7894a0972b190ad7314492, 3639790d6414b474aa1d53de4e7a896b4e6458c078867acd22200f00f20f280a, bbfd0996c8937c9aaabad9a254614b75c529f892fdfcfcfbe73486888545b610, 6bce65ffb002c6349213b720115ee1457214796c983618f32b4b79c8c559851b, 7b32d917d5aa771d493c47b0e096886827cd056c82dbdba19e60baa8b2c60313 ..d3b1bdb321123449c6e89d310bc6b7f654315eb471c84778353ce08b951ad471

..561fdb0dcfb8bd443718b942f82fe717238cbcf8d12b8d22861c8a09a984a3c5 ..decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29 ..4fd11f89c2a1aaefe856bb1c5d4a1fad73f4de5e41804ca2c17ba26d6e10050c ..86d06ee2c70da6cf2da2a828d8a9d8ef755ad6e580e838359a10accb086ae437 ..ad6fdeda0dde0a57c51d3226b87e3795e6474393772da46101fd597fbd456c1b..3f9dc0c4f67f207974123830c2d66988fb3fb44becbbba5a64143f376edc51d9, 9436b3535d5dcffd6f15628fb028095f5c0733d067222f8893bb106f2fdac0f6 ..3dfcf69a5715522c7318b9b311264ee5a2b499057db5d1211e6b9f4633ad433d ..22dce5f20a95b8a8618b99539bb697791e02b1afcf6e2de8240d067396196b83 ...92e630ae2b14e758ab0960e372172203f4c9a41777dadd529971d7ab9d23ab29630ae2b14e758ab0960e372172203f4c9a41777dadd529971d7ab9d23ab2960..fe0e9c85ec450505dde7f5ac038274cf. 8af467c31da3b5e558a885b12d7ef226df7a8061e67229ab2bf39271d1c5d292 ..e9ce57631c8e04d372168d669a39fc5d914ad8aba8c1092777dfb212803dfd38 ..9c0e3b1678c6e5e0bf02c3c8179537ca205bb3580e43016ccb584c0c08b1114a ..b16ecd5427ea98b2ae4a7fd8492356cdc3cac256cbca4aa1bf816890794e2f78 ..dbebb9a0827679bd8e2e3d4d645d05fd86355b4350c56886912878aeae1626a8 ..b7dc38866c27ca62a3824e2286d125907639602f49b36bace5e98e85a0fb0a33 ..09560c6efc420851f634642ddafefcc3494e904ac78b68f6a8c4c66cc5c06305 ..fc39025d4b2ababf059975eb47ec3e64e93fabc0d11695e6e39cea883b83fc28 ..0e13c2df6ba448b21ee03dd938e4a3b1958231255033828a9f1f16fa95768f72..531ae8df20f04923cc20312641b4a3bc8d4c3f8524392f8ba004a02e4ac9354d ..9cdff871a6cf080db416b89e414d7895e5cb5ebccb6ac8b8c93a215185a78c71 ..928cbfe0d635d6625bdde37d110bd1005da656a0b03cfe6372e8fc48f7f31f6c ..eff5c9a971012e038bf10f824bd8c8710da8b10854656e4cf48b32fe4a23de57 ..96d770aff3b9a6faac33ad5a9a88f6ed524f5e6faa46bd0375bd2d07211ea2eb ..6d8341fd2e67d5bad6e71ec09ff141df80f8b1507f427d972d2d2bd30e1f1595 ..6b7108371df92eafe7b1ccf7b384705d8abb439bffbeea9e9f0d7caa06ef99c0 ..e4e4b32776953d16c0c7cea0a6f544d48e4eba06d1d541c51a2ac72f80b905eb ..9742dbba4aff852f64aa519eb65aac2f35b71f94c9263ef3b39a7b815b46a5f6 ..d6d28374c8ebe9a6df5103f6e253a8e5,

Vector 6

da36359bf1bfd1694d3ed359e7340bd02a6a5e54827d94db1384df29f5bdd302, decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29, 42616e646572736e6174636820766563746f72, 1f42,

8af6936567d457e80f6715f403e20597c2ca58219974c3996a4e4414c3361635, 022abfa7670d5051a6a0e212467666abb955faafe7fe63446f50eb710383444c, 126296afb914aa1225dfdddfe3bfd185b488801810e18034330b1c07409ccdc4 ..f8deccfc30be219cb5186f80a523ae41720031ae39a78f18d3b14df8bb6d8e8a, 1f64d22282d00a58d17d4fe4dc6e8b9772109b6091e1684649c6084fc842391b, 89e230c832f5c2ee1072d9d110151a2dafa4577d64b7fb0845855ae3d1c12fec, e3bd5e3a3f07efb256c989f22fcfe8494219dcd37b35419f5f10da68de09f125, 3639790d6414b474aa1d53de4e7a896b4e6458c078867acd22200f00f20f280a, ceff5ef2315be8be839b1f3c0314b72d976c2e14a2a27c2d1ce8465e90c98607,

Oea7abf79fc1bdebc8b9009cc5744358071c12e82a31565d35a8f91069b55c1b, 7b32d917d5aa771d493c47b0e096886827cd056c82dbdba19e60baa8b2c60313 ..d3b1bdb321123449c6e89d310bc6b7f654315eb471c84778353ce08b951ad471 ..561fdb0dcfb8bd443718b942f82fe717238cbcf8d12b8d22861c8a09a984a3c5 ..decb0151cbeb49f76f10419ab6a96242bdc87baac8a474e5161123de4304ac29 ..4 fd11 f89 c2a1 aae fe856 bb1 c5d4 a1 fad73 f4de 5e41804 ca2c17 ba26d6 e10050 ca2c17 ba26..86d06ee2c70da6cf2da2a828d8a9d8ef755ad6e580e838359a10accb086ae437 .. ad 6f ded a 0 dd e 0 a 57 c 51 d 3226 b 87 e 3795 e 6474393772 da 46101 f d 597 f b d 456 c 1b d 500 f d..3f9dc0c4f67f207974123830c2d66988fb3fb44becbbba5a64143f376edc51d9, 9436b3535d5dcffd6f15628fb028095f5c0733d067222f8893bb106f2fdac0f6 ..3dfcf69a5715522c7318b9b311264ee5a2b499057db5d1211e6b9f4633ad433d ..22dce5f20a95b8a8618b99539bb697791e02b1afcf6e2de8240d067396196b83 ..fe0e9c85ec450505dde7f5ac038274cf, a12e0817ce74eb4ca03e2062e1470d92173eba8d25a931b34856bace49ca0798 ..199218268a5cb7eb627c3e7a4c9a37e5914ad8aba8c1092777dfb212803dfd38 ..9c0e3b1678c6e5e0bf02c3c8179537ca205bb3580e43016ccb584c0c08b1114a ..a68e0243c11f79b48e15a79e552271053cb87b511a0e07d66557b0e60ff8e8eb $\verb|..6b8c00630f6f1f885569fd4de3e0565e9260fcc2be2f62922728c9aa58bc1e57| \\$..5eb3de75aa871f738dc2e86d7cab09ec924ec3eeda5bf7e226104c93df965e46 ..5c62365cb0a9d995867bab19da3cecdec967be8db19881c58358c30b778d3b4c ..783af4e70a9e2bb3be8acfb929772e717c0c533585d96ee42f12d21c7deba934 ..5e07fdadb158ce200294089daaef01db40361366cb3677bacc07b656e2dd380a ..20de6c88a436bf991a97e7d783e39a71534500af00f59a4d8317735fb38d8628 ..7d79a69dadbb9a7c886c125ec3169e4d931ce0aeece7cb704d2191d587210106 ..9f5d02c97d44e713d8507b814c5cde061b361e4ec3d7022b2624f15fd0cbdd0f ..33462f57672c9cf12d6d20aeb03c7da7f3f25d0ccb35f295094e034eaa11b154 ..8ca4d3ce10b52a176dcbf05f33a574a6e44f99715e8a2f7e8a27f530219fecc8 ..994b0e595b715fd4d41027c9eeaa4438523bebdd270c9d8bb4b50baab7710877 ..a410431d48e389228b9c8f4abdf6050fa4a3dd6f2204e275b0526c219636266a ..85c7005fed57d50bc53fb758af199ed53e4d4f4c8edff106a208960f52a6c18c ..a3ea8533a3e51719b2041c7769b2c6b070eeec65a24617b1168809358a97b073 ..3b852f96cd63e049e7e941b872ee9055,

Vector 7

35b877a25c394512292b82bdf8468e98eaf03c79c7fc9d53546dadc5fb75b500, b0e1f208f9d6e5b310b92014ea7ef3011e649dab038804759f3766e01029d623, 42616e646572736e6174636820766563746f72, 1f42,

69dec7fe79f816d095b04cead45e856ff6c7e798f513e09291958e35a5590443, 9adeacd15eacdc651e4db1ea4c0917973eac2000479edf6132f3774601cc6902, ff5f6324ea18bbb4df92f7d6304bf27a0a44fa80fd40b985de8d43963a7e02c6 ..ef6f0947911604155c6fe40f68cc91c96ffd358275b58960554274498a70f144, ea1f922fce5e359d92e0fdcda53a1d2e6b791c7e7a8ffad915f3535c6175f115, f674ad5f72661aa0c2bc5ca83aee9794c8b8bbc4017abcc00a11a23a0b558e68,

f77eaec55fe36b06f1d1f7eef7db24fdcce74c83fde19b1c322aca288e39948f, b846dfbceb2a74fe102b3aec94e7b8460f5adcb609c407839ab6cb06d1e3bd38, 35a41d1cb4d22b5c162d319b206db940b6fcef71bbe0c13a6376a89788292519, c04b177f954d17e7c129ce8d55cb7f148b3957078c96e7229100dc50b7d62b02, 7b32d917d5aa771d493c47b0e096886827cd056c82dbdba19e60baa8b2c60313 ..d3b1bdb321123449c6e89d310bc6b7f654315eb471c84778353ce08b951ad471 ..561fdb0dcfb8bd443718b942f82fe717238cbcf8d12b8d22861c8a09a984a3c5 ..b0e1f208f9d6e5b310b92014ea7ef3011e649dab038804759f3766e01029d623 ..4fd11f89c2a1aaefe856bb1c5d4a1fad73f4de5e41804ca2c17ba26d6e10050c ..86d06ee2c70da6cf2da2a828d8a9d8ef755ad6e580e838359a10accb086ae437 .. ad 6f ded a 0 dd e 0 a 57 c 51 d 3226 b 87 e 3795 e 6474393772 da 46101 f d 597 f b d 456 c 1b d 500 f d..3f9dc0c4f67f207974123830c2d66988fb3fb44becbbba5a64143f376edc51d9, ..28d838eb642749b18ec6b8a0d79d54a3acd644b13615f791f33d648026ed6e16 ..9bd516e3413b47ea35c9a8879bc1290d9fea32db7f127ecb33185d102875de50 ..92e630ae2b14e758ab0960e372172203f4c9a41777dadd529971d7ab9d23ab29 ..fe0e9c85ec450505dde7f5ac038274cf, 98d4f4aa83e7332f2598162283b79c2e09a499623a91dd95bea57ad90cd44bfa ..4bb53ee7c8296272ecfc13821eeab57b914ad8aba8c1092777dfb212803dfd38 ..9c0e3b1678c6e5e0bf02c3c8179537ca205bb3580e43016ccb584c0c08b1114a ..83ac15b9d6ebb93fa8dae235893cc41ebd891e1a6dce2ec79ade16223becd3bb ..ec2124a36e035e2f0abf3811c499af3181abdc9cd113da1aa2b8a43c89d7576b ..0570fb7a273d3cde227429acbd034c761f97c0f681a38dc654f90e5c6c983cbd ..0eda1561f831d3fbea4702dcdb4ff16bdc81aadc27338a1858df812ac179f82a ..88 a cc 5774 b 63 f 49 d 8 b cd e 61578 f f 0 c 9 a 7 cb da 80 b 5 a 0 f 6 f b 5 a 80 a 5 6 f 4 c 40 3570 d a 60 b 5 a 60 f 6 f b 5 a 80 a 5 6 f 4 c 40 3570 d a 60 b 5 a..41 cb 30835b 46489c 1d 52507e 13f 639984d 783608d 6b 54335384b d580c 57ff 10c 2000 and 20..4cc8c86403bcc8d86b67a51cf4a28a571363e17d42ca7f229672ed3a5891ee3a ..a5d0a3a5cf716c8c5fbce739123d2a0965388193ecadd3e9b9d20d390c19e841 ..bf85b8b981ae23a36542f3724e13448c8f7f47cd55463b7e450f4ea29c85d615 ...1d0cdef59645fd25a2c9ca74341b3d901e4f5a8a850454fb78da2f7c06769659..8560291b44425e1fecce87f46113967c722675dac020e197ec36e70a6d3957a5 ..d29317b23d507eccccf5c4c66c35ed83d29d7cb896109c1868739b7e7abe72d9 ..d7d2e777f586efa88c85aed4273d8559984e66b683a66163ba0f30a9ed271322 ...04745b711b63fc62319deb6eafd9f784121fa18a529f84422e368e1ffa0b1577 ..95bb53f788e75be61241ca4506c96da94dc59ed23c788cb4b385106b9cfac0a5 ..16c3be766abb7f3eb1bc3d87d6ff2335,

References

1.

Internet Engineering Task Force Verifiable Random Functions; RFC Editor, 2023;

2.

Burdges, J.; Ciobotaru, O.; Alper, H.K.; Stewart, A.; Vasilyev, S. Ring Verifiable Random Functions and Zero-Knowledge Continuations 2023.

3.

Vasilyev, S.; Galassi, D. Ring Proof Technical Specification 2024.

4.

Masson, S.; Sanso, A.; Zhang, Z. Bandersnatch: A Fast Elliptic Curve Built over the Bls12-381 Scalar Field 2021.

5.

Internet Engineering Task Force *Hashing to Elliptic Curves*; RFC Editor, 2023; 6.

Internet Engineering Task Force US Secure Hash Algorithms; RFC Editor, 2011;