

Phil/LPS 31 Introduction to Inductive Logic

Lecture 1

David Mwakima
dmwakima@uci.edu
University of California, Irvine

April 3rd 2023

Topics

- ▶ Logic in General
- ▶ Sentences
- ▶ Truth-functional connectives
- ▶ Sentential logic

Logic in General

- ▶ Before we get into inductive logic, let us first try to say what a logic is in general.

Logic in General

- ▶ Before we get into inductive logic, let us first try to say what a logic is in general.
- ▶ A logic is a **formal system** for representing something whose **structure**, as opposed to **content**, we wish to describe.

Logic in General

- ▶ Before we get into inductive logic, let us first try to say what a logic is in general.
- ▶ A logic is a **formal system** for representing something whose **structure**, as opposed to **content**, we wish to describe.
- ▶ The word “formal” here means that in logic we are concerned with the **form**, i.e., **uninterpreted symbols or formulas**, not their **material content**. Inevitably, this will involve both **abstraction** and **idealization**.

Logic in General

- ▶ Before we get into inductive logic, let us first try to say what a logic is in general.
- ▶ A logic is a **formal system** for representing something whose **structure**, as opposed to **content**, we wish to describe.
- ▶ The word “formal” here means that in logic we are concerned with the **form**, i.e., **uninterpreted symbols or formulas**, not their **material content**. Inevitably, this will involve both **abstraction** and **idealization**.
- ▶ This distinction between “form” and “content” is crucial to understand a logic in general because logicians distinguish between the formal aspect of a language (**syntax**) and its content, meaning or interpretation (**semantics**).

Logic in General

- ▶ Before we get into inductive logic, let us first try to say what a logic is in general.
- ▶ A logic is a **formal system** for representing something whose **structure**, as opposed to **content**, we wish to describe.
- ▶ The word “formal” here means that in logic we are concerned with the **form**, i.e., **uninterpreted symbols or formulas**, not their **material content**. Inevitably, this will involve both **abstraction** and **idealization**.
- ▶ This distinction between “form” and “content” is crucial to understand a logic in general because logicians distinguish between the formal aspect of a language (**syntax**) and its content, meaning or interpretation (**semantics**).
- ▶ Finally, the word “system” means that given (1) these symbols and (2) rules of transforming these symbols; we can get (3) other symbols that also **belong to the representation**.

Toy Example of a Logic

- ▶ Here's a toy example of a logic.

Sentential Logic: Sentences

- ▶ Sentential logic is a logic for representing the **sentence structure** of a fragment or piece of natural language.

Sentential Logic: Sentences

- ▶ Sentential logic is a logic for representing the **sentence structure** of a fragment or piece of natural language.
- ▶ Philosophers like to distinguish between **sentences** and **propositions**.

Sentential Logic: Sentences

- ▶ Sentential logic is a logic for representing the **sentence structure** of a fragment or piece of natural language.
- ▶ Philosophers like to distinguish between **sentences** and **propositions**.
- ▶ A sentence is a **linguistic** expression (a declarative statement in some language), which expresses a proposition.

Sentential Logic: Sentences

- ▶ Sentential logic is a logic for representing the **sentence structure** of a fragment or piece of natural language.
- ▶ Philosophers like to distinguish between **sentences** and **propositions**.
- ▶ A sentence is a **linguistic** expression (a declarative statement in some language), which expresses a proposition.
- ▶ Different sentences can express the **same** proposition, e.g., if they are in different languages.

Sentential Logic: Sentences

- ▶ Sentential logic is a logic for representing the **sentence structure** of a fragment or piece of natural language.
- ▶ Philosophers like to distinguish between **sentences** and **propositions**.
- ▶ A sentence is a **linguistic** expression (a declarative statement in some language), which expresses a proposition.
- ▶ Different sentences can express the **same** proposition, e.g., if they are in different languages.
 - ▶ Schnee ist weiß (German)

Sentential Logic: Sentences

- ▶ Sentential logic is a logic for representing the **sentence structure** of a fragment or piece of natural language.
- ▶ Philosophers like to distinguish between **sentences** and **propositions**.
- ▶ A sentence is a **linguistic** expression (a declarative statement in some language), which expresses a proposition.
- ▶ Different sentences can express the **same** proposition, e.g., if they are in different languages.
 - ▶ Schnee ist weiß (German)
 - ▶ Snow is white (English)

Sentential Logic: Sentences

- ▶ Sentential logic is a logic for representing the **sentence structure** of a fragment or piece of natural language.
- ▶ Philosophers like to distinguish between **sentences** and **propositions**.
- ▶ A sentence is a **linguistic** expression (a declarative statement in some language), which expresses a proposition.
- ▶ Different sentences can express the **same** proposition, e.g., if they are in different languages.
 - ▶ Schnee ist weiß (German)
 - ▶ Snow is white (English)
- ▶ It turns out that saying what “propositions” are is a **hard** philosophical problem. So we'll stick to sentences!

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.
 2. Kamala Harris was not a California Senator.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.
 2. Kamala Harris was not a California Senator.
 3. Michelle Yeoh won an Oscar Award.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.
 2. Kamala Harris was not a California Senator.
 3. Michelle Yeoh won an Oscar Award.
- ▶ These are not sentences (in our sense) because their truth value is either **context dependent** or **vague**:

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.
 2. Kamala Harris was not a California Senator.
 3. Michelle Yeoh won an Oscar Award.
- ▶ These are not sentences (in our sense) because their truth value is either **context dependent** or **vague**:
 1. He did it.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.
 2. Kamala Harris was not a California Senator.
 3. Michelle Yeoh won an Oscar Award.
- ▶ These are not sentences (in our sense) because their truth value is either **context dependent** or **vague**:
 1. He did it.
 2. This is black.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.
 2. Kamala Harris was not a California Senator.
 3. Michelle Yeoh won an Oscar Award.
- ▶ These are not sentences (in our sense) because their truth value is either **context dependent** or **vague**:
 1. He did it.
 2. This is black.
 3. Tomorrow will be Wednesday.

Sentential Logic: Sentences

- ▶ I assume we all know what a sentence is.
- ▶ For this class (or, more specifically **classical logic**) a sentence must be **unambiguously true** or **false**. This is just a convenient restriction.
- ▶ Examples of sentences:
 1. The number two is an even prime number.
 2. Kamala Harris was not a California Senator.
 3. Michelle Yeoh won an Oscar Award.
- ▶ These are not sentences (in our sense) because their truth value is either **context dependent** or **vague**:
 1. He did it.
 2. This is black.
 3. Tomorrow will be Wednesday.
 4. Having 1001 strands of hair does not make you bald. How about 1000, 999, . . . ,?

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.
 4. **If** today is Tuesday, **then** tomorrow is Wednesday.

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.
 4. **If** today is Tuesday, **then** tomorrow is Wednesday.
- ▶ Each of these sentences, is really a compound sentence of two simpler sentences joined together by a “**connective**”. But so are these sentences, call these **Case 2**:

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.
 4. **If** today is Tuesday, **then** tomorrow is Wednesday.
- ▶ Each of these sentences, is really a compound sentence of two simpler sentences joined together by a “**connective**”. But so are these sentences, call these **Case 2**:
 1. David is teaching **until** his students are having fun. (True)

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.
 4. **If** today is Tuesday, **then** tomorrow is Wednesday.
- ▶ Each of these sentences, is really a compound sentence of two simpler sentences joined together by a “**connective**”. But so are these sentences, call these **Case 2**:
 1. David is teaching **until** his students are having fun. (True)
 2. Ukraine is fighting Russia **until** Russia occupies Crimea. (False)

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.
 4. **If** today is Tuesday, **then** tomorrow is Wednesday.
- ▶ Each of these sentences, is really a compound sentence of two simpler sentences joined together by a “**connective**”. But so are these sentences, call these **Case 2**:
 1. David is teaching **until** his students are having fun. (True)
 2. Ukraine is fighting Russia **until** Russia occupies Crimea. (False)
 3. The students are having fun **because** the students like to study logic. (True)

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.
 4. **If** today is Tuesday, **then** tomorrow is Wednesday.
- ▶ Each of these sentences, is really a compound sentence of two simpler sentences joined together by a “**connective**”. But so are these sentences, call these **Case 2**:
 1. David is teaching **until** his students are having fun. (True)
 2. Ukraine is fighting Russia **until** Russia occupies Crimea. (False)
 3. The students are having fun **because** the students like to study logic. (True)
 4. The students like to study logic **because** the discussions are early in the morning. (False)

Sentential Logic: Truth-functional connectives

- ▶ Consider the following sentences, call these **Case 1**:
 1. The number two is an even number **and** the number two is prime.
 2. Kamala Harris was **not** California Senator.
 3. Either Michelle Yeoh won an Oscar Award for Best Actress **or** Ana de Armas won an Oscar Award for Best Actress.
 4. **If** today is Tuesday, **then** tomorrow is Wednesday.
- ▶ Each of these sentences, is really a compound sentence of two simpler sentences joined together by a “**connective**”. But so are these sentences, call these **Case 2**:
 1. David is teaching **until** his students are having fun. (True)
 2. Ukraine is fighting Russia **until** Russia occupies Crimea. (False)
 3. The students are having fun **because** the students like to study logic. (True)
 4. The students like to study logic **because** the discussions are early in the morning. (False)
- ▶ What's the difference between the sentences in **Case 1** and **Case 2**?

Sentential Logic: Truth-functional connectives

- ▶ In **Case 1**, the truth-value of the compound sentence is **uniquely and fully determined** by the truth-values of the simpler sentences it is composed of.

Sentential Logic: Truth-functional connectives

- ▶ In **Case 1**, the truth-value of the compound sentence is **uniquely and fully determined** by the truth-values of the simpler sentences it is composed of.
- ▶ The connectives (**and**, **not**, **or**, **if...**, **then...**) in **Case 1** are said to be **truth-functional**.

Sentential Logic: Truth-functional connectives

- ▶ In **Case 1**, the truth-value of the compound sentence is **uniquely and fully determined** by the truth-values of the simpler sentences it is composed of.
- ▶ The connectives (**and**, **not**, **or**, **if...**, **then...**) in **Case 1** are said to be **truth-functional**.
- ▶ In contrast, the connectives (**until**, **because**) in **Case 2** are not **truth-functional**. In order to determine the truth-value of the compound sentences which involve them, we need **extra information** beyond the truth-value of the simpler sentences.

Sentential Logic: Truth-functional connectives

- ▶ In **Case 1**, the truth-value of the compound sentence is **uniquely and fully determined** by the truth-values of the simpler sentences it is composed of.
- ▶ The connectives (**and**, **not**, **or**, **if...**, **then...**) in **Case 1** are said to be **truth-functional**.
- ▶ In contrast, the connectives (**until**, **because**) in **Case 2** are not **truth-functional**. In order to determine the truth-value of the compound sentences which involve them, we need **extra information** beyond the truth-value of the simpler sentences.
- ▶ Sentential logic is the logic for representing the sentence structure of a fragment of natural language using truth-functional connectives.

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself.
Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:
 1. p, q, r, s and t as symbols for sentences. If we need more than 4 symbols (rarely), then add the following countably many symbols p_1, p_2, p_3, \dots

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:
 1. p, q, r, s and t as symbols for sentences. If we need more than 4 symbols (rarely), then add the following countably many symbols p_1, p_2, p_3, \dots .
 2. \vee for "or", \neg for "not" since the other symbols for "and" and "if..., then..." can be defined from these. (More of this later)

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:
 1. p, q, r, s and t as symbols for sentences. If we need more than 4 symbols (rarely), then add the following countably many symbols p_1, p_2, p_3, \dots .
 2. \vee for "or", \neg for "not" since the other symbols for "and" and "if..., then..." can be defined from these. (More of this later)
- ▶ The **transformation rules** (also known as "syntactic rules") are:

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:
 1. p, q, r, s and t as symbols for sentences. If we need more than 4 symbols (rarely), then add the following countably many symbols p_1, p_2, p_3, \dots .
 2. \vee for "or", \neg for "not" since the other symbols for "and" and "if..., then..." can be defined from these. (More of this later)
- ▶ The **transformation rules** (also known as "syntactic rules") are:
 1. Any sentence p is a formula.

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:
 1. p, q, r, s and t as symbols for sentences. If we need more than 4 symbols (rarely), then add the following countably many symbols p_1, p_2, p_3, \dots .
 2. \vee for "or", \neg for "not" since the other symbols for "and" and "if..., then..." can be defined from these. (More of this later)
- ▶ The **transformation rules** (also known as "syntactic rules") are:
 1. Any sentence p is a formula.
 2. If p is a formula, then $\neg p$ is formula (Read inelegantly as, "It is not the case that p ").

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:
 1. p, q, r, s and t as symbols for sentences. If we need more than 4 symbols (rarely), then add the following countably many symbols p_1, p_2, p_3, \dots .
 2. \vee for "or", \neg for "not" since the other symbols for "and" and "if..., then..." can be defined from these. (More of this later)
- ▶ The **transformation rules** (also known as "syntactic rules") are:
 1. Any sentence p is a formula.
 2. If p is a formula, then $\neg p$ is formula (Read inelegantly as, "It is not the case that p ").
 3. If p is a formula and q is a formula, then $(p \vee q)$ is a formula.

Sentential Logic: The Logic Itself

- ▶ We are now in a position to describe sentential logic itself. Recall that I need three things: (1) formal symbols (formulas), (2) rules of transformation (for getting other formulas) and (3) a closure condition.
- ▶ The **formal symbols** of sentential logic are:
 1. p, q, r, s and t as symbols for sentences. If we need more than 4 symbols (rarely), then add the following countably many symbols p_1, p_2, p_3, \dots .
 2. \vee for "or", \neg for "not" since the other symbols for "and" and "if..., then..." can be defined from these. (More of this later)
- ▶ The **transformation rules** (also known as "syntactic rules") are:
 1. Any sentence p is a formula.
 2. If p is a formula, then $\neg p$ is formula (Read inelegantly as, "It is not the case that p ").
 3. If p is a formula and q is a formula, then $(p \vee q)$ is a formula.
- ▶ The **closure condition** simply states that nothing else is a formula of sentential logic.