




1. Creating a collection runner



2. Run results




3. Changing the content of the test to skip customer registration because it is permanently assigned



```
1 pm.test("Status code is 200", function () {
2   pm.response.to.have.status(200);
3 });
4
5 pm.test("Check tool", () =>{
6   const response = pm.response.json();
7   pm.expect(response.id).to.eql(pm.globals.get("toolId"));
8   pm.expect(response["current-stock"]).to.be.above(0);
9 });
10
11 postman.setNextRequest("Create order");
```

4. Re-creating a collection runner



TEST - Run results

Ran today at 02:55:10 · [View all runs](#)

| Source | Environment | Iterations | Duration | All tests | Avg. Resp. Time |
|--------|-------------|------------|----------|-----------|-----------------|
| Runner | none | 1 | 3s 693ms | 12 | 281 ms |

RUN SUMMARY

| | 1 |
|------------------------------|-------|
| ▶ GET Status | 2 0 |
| ▶ GET Get all tools | 2 0 |
| ▶ GET Get single tool | 2 0 |
| ▶ POST Create order | 1 0 |
| ▶ GET Get all orders | 1 0 |
| ▶ GET Get single order | 1 0 |
| ▶ PATCH Update order | 1 0 |
| ▶ DELETE Delete order | 1 0 |
| ▶ GET Check if order deleted | 1 0 |

5. Creating a collection monitor

Create Monitor +

Create a monitor

Monitor name

TEST_API

Collection

TEST

Collection tag
Choose a collection tag for this monitor. If the collection is not linked to an API, a monitor can only be created on the current tag.

CURRENT

Environment
The variable values in this environment will be used in all your monitoring calls. [Learn more](#)

None

Data file (optional) ⓘ
Only JSON and CSV files are accepted. Max 1 MB.
[Learn more](#)

Select File

Run this monitor ⓘ
Check your usage limits

Week timer

Every day

2:00 AM

Regions
You can select one or more regions to monitor your requests from. [Learn more](#)

- ☒ Automatically select region
- ☐ Manually select region
- ☐ Receive email notifications for run failures and errors
- ☐ Retry if run fails (This might affect your billing.)
- ☐ Set request timeout ⓘ
- ☐ Set delay between requests
- ☒ Follow redirects
- ☒ Enable SSL validation