













Latest Performance Report for:

http://www.empeccableweb.com/

Report generated: Mon, Dec 28, 2015, 9:34 PM -0800

Test Server Region: Vancouver, Canada

Using: Firefox (Desktop) 39.0.3, PageSpeed 1.12.16, YSlow 3.1.8

Additional tips: Use a CDN

Performance Scores

PageSpeed Score

C(72%) **~**

YSlow Score



Page Details

Page Load Time

4.7s ^

Total Page Size

3.06MB **~**

Requests

134 🕶

Features Resource: GTmetrix

Log In

E-mail

Password

✓ Keep me logg

Log

Create an

RECOMMENDATION Specify image dimensions Leverage browser caching Enable gzip compression Minify CSS Specify a Vary: Accept-Encoding header Minify HTML Specify a cache validator Minify JavaScript Remove query strings from static resources Optimize images Avold a character set in the meta tag Minimize redirects Specify a character set early Serve scaled images Avoid bad requests Avoid landing page redirects Avoid landing page redirects Avoid landing page redirects Inline small CSS Inline small CSS Inline small JavaScript Minimize request size Optimize the order of styles and scripts Put CSS in the document head Serve resources from a consistent URL Avoid CSS @import Avoid CSS @import	PageSpeed	^
▼ Leverage browser caching €37 ▼ Enable gzip compression €40 ▼ Minify CSS €65) ▼ Specify a Vary: Accept-Encoding header €67) ▼ Minify HTML €15) ▼ Specify a cache validator €76 ▼ Minify JavaScript €79 ▼ Remove query strings from static resources €79 ▼ Optimize images €84) ▼ Avoid a character set in the meta tag £865 ▼ Minimize redirects A.065 ▼ Specify a character set early A.065 ▼ Serve scaled images A.066 ▼ Avoid bad requests A.1000 ▼ Defer parsing of JavaScript A.1000 ▼ Enable Keep-Alive A.1000 ▼ Inline small JavaScript A.1000 ▼ Minimize request size A.1000 ▼ Optimize the order of styles and scripts A.1000 ▼ Put CSS in the document head A.1000 ▼ Serve resources from a consistent URL A.1000 A Avoid CSS @import A.1000	RECOMMENDATION	GRADE
Enable gzip compression Minify CSS Specify a Vary: Accept-Encoding header Minify HTML Specify a cache validator Minify JavaScript Remove query strings from static resources Optimize images Avoid a character set in the meta tag Minimize redirects Specify a character set early Serve scaled images Avoid bad requests Avoid landing page redirects Avoid landing page redirects Lenable Keep-Alive Inline small JavaScript Minimize request size Minimize request size Optimize the order of styles and scripts Avoid CSS @import Avoid CSS @import Avoid CSS @import	▼ Specify image dimensions	F (0)
▼ Minify CSS E (65) ▼ Specify a Vary: Accept-Encoding header E (67) ▼ Minify HTML I (15) ▼ Specify a cache validator C (76) ▼ Minify JavaScript C (79) ▼ Remove query strings from static resources C (79) ▼ Optimize Images B (64) ▼ Avoid a character set in the meta tag B (65) ▼ Minimize redirects A (65) ▼ Specify a character set early A (65) ▼ Serve scaled images A (66) ▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) A Avoid CSS @import A (100)	▼ Leverage browser caching	F (37)
▼ Specify a Vary: Accept-Encoding header E (67) ▼ Minify HTML I (15) ▼ Specify a cache validator C (76) ▼ Minify JavaScript C (79) ▼ Remove query strings from static resources C (79) ▼ Optimize images B (84) ▼ Avoid a character set in the meta tag B (85) ▼ Minimize redirects A (85) ▼ Specify a character set early A (85) ▼ Serve scaled images A (66) ▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) A Void CSS @import A (100)	▼ Enable gzip compression	F (40)
▼ Minify HTML □(15) ▼ Specify a cache validator ○(76) ▼ Minify JavaScript ○(79) ▼ Remove query strings from static resources ○(79) ▼ Optimize images □(84) ▼ Avoid a character set in the meta tag □(85) ▼ Minimize redirects △(95) ▼ Specify a character set early △(95) ▼ Serve scaled images △(400) ▼ Avoid bad requests △(100) ▼ Avoid landing page redirects △(100) ▼ Defer parsing of JavaScript △(100) ▼ Inline small CSS △(100) ▼ Inline small JavaScript △(100) ▼ Minimize request size △(100) ▼ Optimize the order of styles and scripts △(100) ▼ Put CSS in the document head △(100) ▼ Serve resources from a consistent URL △(100) ▼ Avoid CSS @import △(100)	▼ Minify CSS	E (55)
▼ Specify a cache validator C(76) ▼ Minify JavaScript C(79) ▼ Remove query strings from static resources C(79) ▼ Optimize images B(84) ▼ Avoid a character set in the meta tag B(85) ▼ Minimize redirects A(95) ▼ Specify a character set early A(95) ▼ Serve scaled images A(96) ▼ Avoid bad requests A(100) ▼ Avoid landing page redirects A(100) ▼ Defer parsing of JavaScript A(100) ▼ Enable Keep-Alive A(100) ▼ Inline small CSS A(100) ▼ Inline small JavaScript A(100) ▼ Minimize request size A(100) ▼ Optimize the order of styles and scripts A(100) ▼ Put CSS in the document head A(100) ▼ Serve resources from a consistent URL A(100) ▼ Avoid CSS @import A(100)	▼ Specify a Vary: Accept-Encoding header	E (57)
▼ Minify JavaScript C (79) ▼ Remove query strings from static resources C (79) ▼ Optimize images B (84) ▼ Avoid a character set in the meta tag B (85) ▼ Minimize redirects A (95) ▼ Specify a character set early A (95) ▼ Serve scaled images A (96) ▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Minify HTML	F (15)
 Remove query strings from static resources ○ Optimize images □ Avoid a character set in the meta tag □ Minimize redirects □ Specify a character set early □ Serve scaled images □ Avoid bad requests □ Avoid landing page redirects □ Defer parsing of JavaScript □ Enable Keep-Alive □ Inline small CSS □ Inline small JavaScript □ Minimize request size □ Optimize the order of styles and scripts □ Put CSS in the document head □ Serve resources from a consistent URL □ Avoid CSS @import 	▼ Specify a cache validator	C (76)
▼ Optimize images B (84) ▼ Avoid a character set in the meta tag B (85) ▼ Minimize redirects A (95) ▼ Specify a character set early A (95) ▼ Serve scaled images A (96) ▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Minify JavaScript	C (79)
 Avoid a character set in the meta tag Minimize redirects Specify a character set early Serve scaled images A (95) Avoid bad requests A (100) Avoid landing page redirects Defer parsing of JavaScript Enable Keep-Alive Inline small CSS Inline small JavaScript Minimize request size Optimize the order of styles and scripts Put CSS in the document head Serve resources from a consistent URL Avoid CSS @import 	▼ Remove query strings from static resources	C (79)
▼ Minimize redirects A (95) ▼ Specify a character set early A (95) ▼ Serve scaled images A (96) ▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Optimize images	B (84)
▼ Specify a character set early A (95) ▼ Serve scaled images A (96) ▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Avoid a character set in the meta tag	B (85)
▼ Serve scaled images A (96) ▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Minimize redirects	A (95)
▼ Avoid bad requests A (100) ▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Specify a character set early	A (95)
▼ Avoid landing page redirects A (100) ▼ Defer parsing of JavaScript A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Serve scaled images	A (96)
▼ Defer parsing of JavaScript A (100) ▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Avoid bad requests	A (100)
▼ Enable Keep-Alive A (100) ▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Avoid landing page redirects	A (100)
▼ Inline small CSS A (100) ▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Defer parsing of JavaScript	A (100)
▼ Inline small JavaScript A (100) ▼ Minimize request size A (100) ▼ Optimize the order of styles and scripts A (100) ▼ Put CSS in the document head A (100) ▼ Serve resources from a consistent URL A (100) ▼ Avoid CSS @import A (100)	▼ Enable Keep-Alive	A (100)
 ✓ Minimize request size ✓ Optimize the order of styles and scripts ✓ Put CSS in the document head ✓ Serve resources from a consistent URL ✓ Avoid CSS @import A (100) A (100)	▼ Inline small CSS	A (100)
 ✓ Optimize the order of styles and scripts ✓ Put CSS in the document head ✓ Serve resources from a consistent URL ✓ Avoid CSS @import A (100)	▼ Inline small JavaScript	A (100)
 ✓ Put CSS in the document head ✓ Serve resources from a consistent URL ✓ Avoid CSS @import A (100)	▼ Minimize request size	A (100)
 ✓ Serve resources from a consistent URL A (100) A (100) 	▼ Optimize the order of styles and scripts	A (100)
▼ Avoid CSS @import A (100)	▼ Put CSS in the document head	A (100)
	▼ Serve resources from a consistent URL	A (100)
▼ Combine images using CSS sprites A (100)	▼ Avoid CSS @import	A (100)
	▼ Combine images using CSS sprites	A (100)



Frequently Asked Questions Top 1000 Sites Test Server Locations GTmetrix REST API Contact Us

About the Developer

GTmetrix was developed by **GT.net** as a tool for our <u>managed hosting</u> customers to easily determine the performance of their sites.

Learn more about GT.net »

Come and Follow Us



Terms of Service | © 2016 Gossamer Threads Inc.