w3schools.com

CSS Selector Reference

❮ Previous   Next ❯

CSS Selectors

In CSS, selectors are patterns used to select the element(s) you want to style.

Use our CSS Selector Tester to demonstrate the different selectors.

Selector	Example	Example description
.class	.intro	Selects all elements with class="intro"
.class1.class2	.name1.name2	Selects all elements with both *name1* and *name2* set within its class attribute
.class1 .class2	.name1 .name2	Selects all elements with *name2* that is a descendant of an element with *name1*
#id	#firstname	Selects the element with id="firstname"
*	*	Selects all elements
element	p	Selects all <p> elements
element.class	p.intro	Selects all <p> elements with

		class="intro"
element,element	div, p	Selects all <div> elements and all <p> elements
element element	div p	Selects all <p> elements inside <div> elements
element>element	div > p	Selects all <p> elements where the parent is a <div> element
element+element	div + p	Selects all <p> elements that are placed immediately after <div> elements
element1~element2	p ~ ul	Selects every element that are preceded by a <p> element
[*attribute*]	[target]	Selects all elements with a target attribute
[*attribute=value*]	[target=_blank]	Selects all elements with target="_blank"
[*attribute~=value*]	[title~=flower]	Selects all elements with a title attribute containing the word "flower"
[*attribute|=value*]	[lang|=en]	Selects all elements with a lang attribute value starting with "en"
[*attribute^=value*]	a[href^="https"]	Selects every <a> element whose href attribute value begins with "https"
[*attribute$=value*]	a[href$=".pdf"]	Selects every <a> element whose href attribute value ends with ".pdf"
[*attribute*=value*]	a[href*="w3schools"]	Selects every <a> element whose href attribute value contains the substring "w3schools"
:active	a:active	Selects the active link
::after	p::after	Insert something after the content of each <p> element
::before	p::before	Insert something before the content of each <p> element

:checked	input:checked	Selects every checked <input> element
:default	input:default	Selects the default <input> element
:disabled	input:disabled	Selects every disabled <input> element
:empty	p:empty	Selects every <p> element that has no children (including text nodes)
:enabled	input:enabled	Selects every enabled <input> element
:first-child	p:first-child	Selects every <p> element that is the first child of its parent
::first-letter	p::first-letter	Selects the first letter of every <p> element
::first-line	p::first-line	Selects the first line of every <p> element
:first-of-type	p:first-of-type	Selects every <p> element that is the first <p> element of its parent
:focus	input:focus	Selects the input element which has focus
:hover	a:hover	Selects links on mouse over
:in-range	input:in-range	Selects input elements with a value within a specified range
:indeterminate	input:indeterminate	Selects input elements that are in an indeterminate state
:invalid	input:invalid	Selects all input elements with an invalid value
:lang(*language*)	p:lang(it)	Selects every <p> element with a lang attribute equal to "it" (Italian)
:last-child	p:last-child	Selects every <p> element that is the last child of its parent
:last-of-type	p:last-of-type	Selects every <p> element that is the last <p> element of its parent

:link	a:link	Selects all unvisited links
:not(*selector*)	:not(p)	Selects every element that is not a <p> element
:nth-child(*n*)	p:nth-child(2)	Selects every <p> element that is the second child of its parent
:nth-last-child(*n*)	p:nth-last-child(2)	Selects every <p> element that is the second child of its parent, counting from the last child
:nth-last-of-type(*n*)	p:nth-last-of-type(2)	Selects every <p> element that is the second <p> element of its parent, counting from the last child
:nth-of-type(*n*)	p:nth-of-type(2)	Selects every <p> element that is the second <p> element of its parent
:only-of-type	p:only-of-type	Selects every <p> element that is the only <p> element of its parent
:only-child	p:only-child	Selects every <p> element that is the only child of its parent
:optional	input:optional	Selects input elements with no "required" attribute
:out-of-range	input:out-of-range	Selects input elements with a value outside a specified range
::placeholder	input::placeholder	Selects input elements with the "placeholder" attribute specified
:read-only	input:read-only	Selects input elements with the "readonly" attribute specified
:read-write	input:read-write	Selects input elements with the "readonly" attribute NOT specified
:required	input:required	Selects input elements with the "required" attribute specified
:root	:root	Selects the document's root element
::selection	::selection	Selects the portion of an element that is selected by a user

:target	#news:target	Selects the current active #news element (clicked on a URL containing that anchor name)
:valid	input:valid	Selects all input elements with a valid value
:visited	a:visited	Selects all visited links

‹ Previous

Next ›

COLOR PICKER

HOW TO

Tabs
Dropdowns
Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE

CERTIFICATES

HTML
CSS
JavaScript
SQL
Python
PHP
jQuery
Bootstrap
XML

Read More »

REPORT ERROR

PRINT PAGE

FORUM

ABOUT

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
jQuery Tutorial
Java Tutorial
C++ Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors

jQuery Reference
Java Reference
Angular Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
jQuery Examples
Java Examples
XML Examples

Web Certificates

HTML Certificate
CSS Certificate
JavaScript Certificate
SQL Certificate
Python Certificate
jQuery Certificate
PHP Certificate
Bootstrap Certificate
XML Certificate

Get Certified »

w3schools.com