```html
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8" />
 <meta name="viewport"
content="width=device-width, initial-
scale=1" />
 <title>Sorry, My Angry Bird — From Daya</
title>
 <!-- Google Fonts: Great Vibes (script) +
Poppins (clean sans) -->
 <link href="https://fonts.googleapis.com/
css2?
family=Great+Vibes&family=Poppins:wght
@300;500;700&display=swap"
rel="stylesheet">
 <style>
  :root{
   --bg:#0c0f1a;
   --pink:#ff6aa2;
   --rose:#ff3d6e;
```

```css
  --soft:#ffdbe8;
  --card:#11162a;
  --glow: 0 0 30px rgba(255,106,162,.45),
0 0 60px rgba(255,61,110,.25);
  }
  *{box-sizing:border-box}
  body{
    margin:0;
    min-height:100vh;
    background: radial-gradient(1200px
800px at 20% 10%, rgba(255,61,110,.10),
transparent 60%),
              radial-gradient(900px 700px at
80% 90%, rgba(255,106,162,.10),
transparent 60%),
              var(--bg);
    color:#f7f8ff;
    font-family:'Poppins',system-ui,-apple-
system,Segoe UI,Roboto,Arial,sans-serif;
    display:flex;align-items:center;justify-
content:center;
```

```css
      padding:24px;
    }
    .card{
      width:min(680px,94vw);
      background:linear-gradient(180deg,
rgba(255,255,255,.05),
rgba(255,255,255,.02));
      border:1px solid rgba(255,255,255,.08);
      border-radius:24px;
      padding:38px 32px 28px;
      position:relative;
      backdrop-filter: blur(10px);
      box-shadow: 0 10px 40px
rgba(0,0,0,.35);
      overflow:hidden;
    }
    /* floating hearts background */
    .heart{
      position:absolute; inset:auto auto 12%
-40px;
      width:18px; height:18px;
```

```css
background:var(--pink);
    transform: rotate(45deg);
    filter:drop-shadow(0 6px 12px
rgba(255,61,110,.35));
    opacity:.65; animation: float 10s linear
infinite;
  }
  .heart:before,.heart:after{
    content:""; position:absolute;
width:18px; height:18px; background:var(--
pink); border-radius:50%;
  }
  .heart:before{ left:-9px; }
  .heart:after{ top:-9px; }
  .heart.h2{ left:20%; animation-
duration:12s; transform:scale(1.2)
rotate(45deg); opacity:..55}
  .heart.h3{ left:60%; animation-
duration:14s; transform:scale(1.5)
rotate(45deg); opacity:.5}
  .heart.h4{ left:85%; animation-
```

```css
duration:16s; transform:scale(1.9)
rotate(45deg); opacity:.45}
    @keyframes float{
      0%{ transform:translateY(0)
rotate(45deg) scale(1); }
      100%{ transform:translateY(-140vh)
rotate(45deg) scale(1); }
    }

    h1{
      font-family:'Great Vibes', cursive;
      font-size:52px; line-height:1.1; margin:0
0 8px;
      background: linear-gradient(90deg, #fff,
var(--soft), #fff);
      -webkit-background-clip:text;
background-clip:text; color:transparent;
      text-shadow: var(--glow);
      text-align:center;
    }
    .sub{
```

```css
      font-weight:300; color:#cfd6ff;
margin:0 0 22px; letter-spacing:.2px; text-
align:center;
    }
    .note{
      background: rgba(17,22,42,.6);
      border:1px solid rgba(255,255,255,.08);
      border-radius:16px; padding:18px 16px;
margin:14px 0 24px;
      line-height:1.7; color:#e9ecff;
    }
    .note em{ color:var(--soft); font-
style:normal }
    .sig{ margin-top:14px; color:#b8c2ff;
font-weight:500 }
    .from{ margin-top:6px; color:#ffdbe8;
font-weight:700 }
    .btns{ display:flex; gap:12px; margin-
top:18px; flex-wrap:wrap; justify-
content:center }
    .btn{
```

```css
    appearance:none; border:none;
cursor:pointer;
    padding:12px 18px; border-
radius:999px;
    font-weight:700; letter-spacing:.2px;
    transition:.25s transform, .25s box-
shadow, .25s background;
  }
  .btn.primary{
    background:linear-gradient(135deg,
var(--rose), var(--pink));
    color:#fff; box-shadow: 0 10px 20px
rgba(255,61,110,.25);
  }
  .btn.primary:hover{
transform:translateY(-2px); box-shadow: 0
14px 26px rgba(255,61,110,.35)}
  .btn.ghost{
    background: transparent; color:#ffdbe8;
border:1px solid rgba(255,219,232,.55)
  }
```

```
.counter{ margin-top:10px; font-
size:13px; color:#c7cffc; text-align:center }
.footer{
   display:flex; align-items:center;
gap:8px; margin-top:26px; color:#c7cffc;
font-size:14px; justify-content:center
}
.tiny-heart{
   width:12px;height:12px;
background:var(--rose);
transform:rotate(45deg); display:inline-
block; margin:0 2px; position:relative;
}
.tiny-heart:before,.tiny-heart:after{
   content:""; position:absolute;
width:12px; height:12px; background:var(--
rose); border-radius:50%;
}
.tiny-heart:before{
transform:translate(-6px,0) }
.tiny-heart:after{
```

```css
transform:translate(0,-6px) }
  /* message popup */
  dialog{
    border:none; border-radius:16px;
padding:0; overflow:hidden;
background:#0f1430; color:#fff;
    width:min(560px,92vw);
    box-shadow: 0 20px 60px rgba(0,0,0,.6);
  }
  .dlg-head{ padding:18px 22px;
background:linear-gradient(90deg,
rgba(255,61,110,.15), transparent); border-
bottom:1px solid rgba(255,255,255,.08)}
  .dlg-body{ padding:20px 22px 22px; line-
height:1.8; color:#e9ecff}
  .dlg-actions{ padding:16px 22px;
display:flex; justify-content:flex-end;
gap:10px;
background:rgba(255,255,255,.03); border-
top:1px solid rgba(255,255,255,.08)}
  a.link{ color:#ffdbe8; text-
```

```html
decoration:none; border-bottom:1px
dashed rgba(255,219,232,.6) }
  </style>
</head>
<body>
  <div class="card" role="main" aria-
label="Apology card">
    <span class="heart"></span>
    <span class="heart h2"></span>
    <span class="heart h3"></span>
    <span class="heart h4"></span>

    <h1>Sorry, My Angry Bird</h1>
    <p class="sub">A little note wrapped in
love and patience. From Daya.</p>

    <div class="note">
      I know I messed up, and I'm truly sorry.
      Your feelings matter to me more than
my pride.
      If a hug could speak, it would say:
```

```
<em>please forgive me</em>.
    I'm here, learning, listening, and loving
you—always.
    <div class="sig">— Yours, forever</div>
    <div class="from">With love, Daya</div>
  </div>

  <div class="btns">
    <button class="btn primary"
onclick="dlg.showModal()">Open My
Heart</button>
    <button class="btn ghost"
onclick="sendHeart()">Send a Heart</
button>
  </div>
  <div class="counter" id="counter" aria-
live="polite">Hearts sent: 0</div>

  <div class="footer">
    With <span class="tiny-heart" aria-
hidden="true"></span> and patience.
```

```html
      </div>
    </div>

  <dialog id="dlg" aria-label="Apology
message">
    <div class="dlg-head">
      <strong>From my heart to yours</strong>
    </div>
    <div class="dlg-body">
      I'm sorry for the hurt and the heat of
my words.
      I don't want to be right—I want us to be
alright.
      When you're ready, I'll listen. When you
speak, I'll hear.
      Thank you for being my favorite human
and my fierce little angry bird.
    </div>
    <div class="dlg-actions">
      <button class="btn ghost"
```

```
onclick="dlg.close()">Close</button>
    <a class="btn primary link"
href="mailto:?
subject=I%27m%20Sorry&body=I%27m%20
sorry%20%E2%9D%A4%EF%B8%8F"
rel="noopener">Reply with Love</a>
    </div>
  </dialog>

  <script>
    let hearts = 0;
    const counter =
document.getElementById('counter');
    function sendHeart(){
      hearts++;
      counter.textContent = `Hearts sent: $
{hearts}`;
      // burst
      const b =
document.createElement('div');
      b.style.position='fixed';
```

```
    b.style.left='50%';
    b.style.top='50%';
    b.style.transform='translate(-50%,-50%)';
    b.style.pointerEvents='none';
    b.style.filter='drop-shadow(0 6px 16px
rgba(255,61,110,.5))';
    for(let i=0;i<10;i++){
      const
h=document.createElement('span');
      h.className='heart';
      h.style.position='relative';
      h.style.inset='auto';
      h.style.display='inline-block';
      h.style.margin='6px';
      h.style.animation=`burst
${800+Math.random()*600}ms ease-out
forwards`;
      b.appendChild(h);
    }
    document.body.appendChild(b);
    setTimeout(()=>b.remove(),1400);
```

```
    }
    // burst animation
    const style =
document.createElement('style');
    style.textContent = `
      @keyframes burst{
        from{ transform: translate(0,0)
rotate(45deg) scale(0.6); opacity:.9 }
        to{ transform: translate($
{(Math.random()*180-90)}px, $
{(Math.random()*140-70)}px)
rotate(45deg) scale(1.2); opacity:0 }
      }`;
    document.head.appendChild(style);

    // Dialog reference
    const dlg =
document.getElementById('dlg');
  </script>
</body>
</html>
```